


ALUMINIUM TERMINALS

AA-M



AA-M series terminals are made from aluminium of a purity equal to or greater than 99,5%.

They are designed to accept a variety of conductor forms especially low stranded compacted conductors.

Non circular conductors may require pre-rounding prior to introduction to the terminal.

Barrels are capped and filled with grease so as to avoid oxidation of the aluminium.

Conductor Size sqmm	Ø Stud mm	Ref.	Dimensions mm						Quantity Box/Bag	Hydraulic Tools
			Øi	B	M	N	L	d		
16	8	AA 16-M 8	5,5	21	13	11	77,0	8,4	60/3	HT 131-UC RHU 131-C B 131-UC
25	8	AA 25-M 8	6,5	21	13	11	77,0	8,4	60/3	
35	8	AA 35-M 8	8,0	23	13	11	77,5	8,4	60/3	
	10	AA 35-M 10	8,0	23	13	11	77,5	10,5	60/3	
50	12	AA 50-M 12	9,0	26	16	14	91,0	13,2	60/3	
	14	AA 50-M 14	9,0	26	18	16	95,0	15,0	60/3	
70	12	AA 70-M 12	11,0	27	16	14	91,0	13,2	45/3	
	14	AA 70-M 14	11,0	27	18	16	95,0	15,0	45/3	
95	12	AA 95-M 12	12,5	27	16	14	91,0	13,2	45/3	
	14	AA 95-M 14	12,5	27	18	16	95,0	15,0	45/3	
120	12	AA 120-M 12	13,7	35	16	14	115,0	13,2	30/3	
	14	AA 120-M 14	13,7	35	18	16	119,0	15,0	30/3	
150	12	AA 150-M 12	15,5	34	16	14	115,0	13,2	30/3	
	14	AA 150-M 14	15,5	34	18	16	119,0	15,0	30/3	
185	12	AA 185-M 12	17,0	42	20	14	122,0	13,2	18/3	
	14	AA 185-M 14	17,0	42	22	16	126,0	15,0	18/3	
240	12	AA 240-M 12	19,5	44	20	14	122,0	13,2	15/3	
	14	AA 240-M 14	19,5	44	22	16	126,0	15,0	15/3	
300	12	AA 300-34-M 12	22,5	47	22	14	130,0	13,2	15/3	

