

The Charles Endirect FEEDER PILLARS

Mini Range SMP



The Charles Endirect range of Mini Feeder Pillars has been tried and tested in an extensive variety of applications.

The range, comprising FMP and SMP pillars, are manufactured to the highest quality and offer you the choice of either sealed or flush fitting doors.

Our range of Midi and Maxi Pillars are featured in separate leaflets and we also offer a range of Stainless Steel Pillars.

SMP OPTIONAL EXTRAS

CEL REF	SHORT FORM	DESCRIPTION
LOUVRES	LP	One louvre at the top and bottom of the door
PAINTED ROOT	PR	Root painted

Alternative paint finishes available:

Standard paint finish – specify colour


Powder Coat (PC) – specify colour

Highway Agency (G2) – paint colour to be specified

SMP MINI PILLAR FEATURES

- Constructed from 3mm mild steel plate.
- Standard finish to BSEN ISO 1461 Hot Dipped Galvanize.
- Powder coated finish also available
- Detachable door with watertight seal.
- Fitted with Tri Head locks – alternatives available.
- Ground Level clearly marked.
- 6mm Brass Earth Stud on Pillar & Door with 500mm earth strap.
- 12mm External Grade Plywood fully treated backboard
- Alternative finishes on request – colours to be specified.

SMP	EXTERNAL DIMENSIONS mm					BACKBOARD		WORKING DEPTH
	Ref	Height	Width	Depth	Root	Overall Height	Height	Width
SMP30	700	160	150	300	1000	600	150	130
SMP40	700	210	150	300	1000	600	200	130
SMP50	700	210	210	300	1000	600	200	190
SMP60	950	360	150	300	1250	800	350	130



The facts and information offered in this document are given in good faith, and are correct at the time of going to press. Charles Endirect Ltd reserves the right to change products and specification without prior notification.



CABLE JOINTS, CABLE TERMINATIONS, CABLE GLANDS, CABLE CLEATS
FEEDER PILLARS, FUSE LINKS, ARC FLASH, CABLE ROLLERS, CUT-OUTS

11KV 33KV CABLE JOINTS & CABLE TERMINATIONS
FURSE EARTHING
www.cablejoints.co.uk
Thorne and Derrick UK

Tel 0044 191 490 1547 Fax 0044 191 477 5371
Tel 0044 117 977 4647 Fax 0044 117 9775582

The Charles Endirect

FEEDER PILLARS

Mini Range FMP



The Charles Endirect range of Mini Feeder Pillars has been tried and tested in an extensive variety of applications.

The range, comprising FMP and SMP pillars, are manufactured to the highest quality and offer you the choice of either sealed or flush fitting doors.

Our range of Midi and Maxi Pillars are featured in separate leaflets and we also offer a range of Stainless Steel Pillars.

FMP OPTIONAL EXTRAS

CEL REF	SHORT FORM	DESCRIPTION
LOUVRES	LP	One louvre at the top and bottom of the door
PAINTED ROOT	PR	Root painted

Alternative paint finishes available:

Standard paint finish – specify colour


Powder Coat (PC) – specify colour

Highway Agency (G2) – paint colour to be specified

FMP MINI PILLAR FEATURES

- Constructed from 3mm mild steel plate.
- Standard finish to BSEN ISO 1461 Hot Dipped Galvanize.
- Powder coated finish also available
- Detachable flush fitting door – easy access.
- Fitted with Tri Head locks – alternatives available.
- Ground Level clearly marked.
- 6mm Brass Earth Stud on Pillar & Door with 500mm earth strap.
- 12mm External Grade Plywood fully treated backboard
- Alternative finishes on request – colours to be specified.

FMP Ref	EXTERNAL DIMENSIONS mm					BACKBOARD		WORKING DEPTH
	Height	Width	Depth	Root	Overall Height	Height	Width	
FMP15	460	300	150	150	610	305	290	130
FMP20	700	120	125	300	1000	600	110	105
FMP30	700	160	150	300	1000	600	150	130
FMP40	700	210	150	300	1000	600	200	130



The facts and information offered in this document are given in good faith, and are correct at the time of going to press. Charles Endirect Ltd reserves the right to change products and specification without prior notification.



CABLE JOINTS, CABLE TERMINATIONS, CABLE GLANDS, CABLE CLEATS
FEEDER PILLARS, FUSE LINKS, ARC FLASH, CABLE ROLLERS, CUT-OUTS

11KV 33KV CABLE JOINTS & CABLE TERMINATIONS
FURSE EARTHING
www.cablejoints.co.uk
Thorne and Derrick UK

Tel 0044 191 490 1547 Fax 0044 191 477 5371
Tel 0044 117 977 4647 Fax 0044 117 9775582