

PANDUIT® Lockout/Tagout Safety Tags

Bilingual and Spanish Write-on Safety Tags




*Order number of packages required in multiples of Std. Pkg. See [page 16](#) for number of tags per package.

Self Laminating Photo Tags

- Semi-rigid plastic with polyester laminate to protect photo and other written data
- Package consists of 5 tags and 5 PLT2S (50lb. loop tensile strength) nylon cable ties
- Tags have write-on surface and are 3.00" x 5.75" (76 x 146 mm)

Part Number	Std. Pkg.*
PST-3	1 Pkg.
PST-12	

*Order number of packages required in multiples of Std. Pkg.



ISO Symbol Safety Tags

Part Number	Language	Std. Pkg.*
PVT-***	English	1 Pkg.
PVT-***-NL	Dutch	
PVT-***-F	French	
PVT-***-D	German	
PVT-***-I	Italian	
PVT-***-N	Norwegian	
PVT-***-P	Portuguese	
PVT-***-E	Spanish	

- The International Organization for Standardization (ISO) has established a system to communicate safety information without the use of words
- Package consists of 5 tags and 5 PLT2S (50lb. loop tensile strength) nylon cable ties
- Semi-rigid plastic tags have write-on surface and are 3.00" x 5.75" (76 x 146 mm)
- Available in 8 languages

*Order number of packages required in multiples of Std. Pkg.



Replacement Nylon Ties

In addition to the PLT1.5I and PLT2S nylon ties supplied with our lockout tags, Panduit offers other ties in different sizes, colors and materials which can be used with tags. Contact factory for details.

Part Number	Material	Approx. Length In. (mm)	Min. Loop Tensile Strength Lbs. (N)	Std. Pkg.*
PLT1.5I-C	Natural Nylon 6.6 (Indoor)	5.6 (142)	40 (178)	100
PLT2S-C†		7.4 (188)	50 (222)	100
PLT1.5I-C0	Weather Resistant Nylon 6.6	5.6 (142)	40 (178)	100
PLT2S-C0†		7.4 (188)	50 (222)	100

*Order number of ties required in multiples of Std. Pkg.

†PLT2S ties meet OSHA's 50 lb. tensile strength tag attachment requirement

Marking Pens Used on Safety Tags

Permanent, fast drying ink. Fine tips.



Part Number	Color	Description	Std. Pkg.*
PFX-0	Black	Color of cap and end is color of ink.	12
PFX-2	Red		12

* Order number of pens required in multiples of Std. Pkg.

Standout (3D) Lockout Sign



- Rigid acrylic standout sign will identify the location of locks, lockout devices and tags from any vantage point on the plant floor
- Stands out 4.00" (102 mm) from the wall
- Pre-drilled holes as well as self-adhesive mounting pads and mounting screws and washers are provided for quick and easy installation

Part Number	Description	Size In. (mm)	Std. Pkg.*
PAS-LOTO	Standout (3D) Lockout Sign	6.00 x 8.75 (152 x 222)	1

*Order number of signs required in multiples of Std. Pkg.

Safety Signs



Panduit offers signs in three materials:

Indoor Adhesive Vinyl (Type PVS)

- Economical, general purpose signs for use in most environments
- Very good adhesive properties when applied to a clean surface

Indoor/Outdoor Sub-Surface Printed Adhesive Polyester (Type PPS)

- High quality signs for use indoors and outdoors
- Excellent resistance to UV light, chemical atmosphere, and abrasion
- Excellent life and adhesion properties
- Printed graphics are protected by clear polyester laminate

Indoor/Outdoor Rigid Polyethylene (Type PRS)

- Rugged signs for indoors and outdoors
- Abrasion resistant
- Used where adhesives will not work

† See pages 23-26 for available Safety Signs.

Part Number Prefix	Material	Sign Size In. (mm)	Signs Per Card	Std. Pkg.*
PVS0204†	Indoor Adhesive Vinyl	2.25 x 4.50 (57 x 114)	2	5 Cards
PVS0305†		3.50 x 5.00 (89 x 127)	2	5 Cards
PVS0503†		5.00 x 3.50 (127 x 89)	1	5 Signs
PVS0505†		5.00 x 5.00 (127 x 127)	1	5 Signs
PVS0507†		5.00 x 7.00 (127 x 178)	1	5 Signs
PVS0705†		7.00 x 5.00 (178 x 127)	1	5 Signs
PVS0710†		7.00 x 10.00 (178 x 254)	1	1 Sign
PVS1007†		10.00 x 7.00 (254 x 7.00)	1	1 Sign
PPS0202†		Indoor / Outdoor Adhesive Polyester	2.25 x 2.25 (57 x 57)	4
PPS0305†	3.50 x 5.00 (89 x 127)		2	5 Cards
PPS0505†	5.00 x 5.00 (127 x 127)		1	5 Signs
PPS0710†	7.00 x 10.00 (178 x 254)		1	1 Sign
PRS0710†	Indoor / Outdoor Rigid Polyethylene	7.00 x 10.00 (178 x 254)	1	1 Sign
PRS1007†		10.00 x 7.00 (254 x 178)	1	1 Sign
PRS1014†		10.00 x 14.00 (254 x 356)	1	1 Sign
PRS2014†		20.00 x 14.00 (508 x 356)	1	1 Sign

*Order number required in multiples of Std. Pkg.