MATERIAL SAFETY

3M

DATA SHEET

3M Center

St. Paul, Minnesota

55144-1000

1-800-364-3577 or (651) 737-6501 (24 hours)

Copyright, 1999, Minnesota Mining and Manufacturing Company. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that:

- 1) the information is copied in full with no changes unless prior agreement is obtained from 3M, and
- 2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

This material safety data sheet (MSDS) is provided as a courtesy in response to a customer request. This product is not regulated under, and a MSDS is not required for this product by the OSHA Hazard Communication Standard (29 CFR 1910.1200) because, when used as recommended or under ordinary conditions, it should not present a health and safety hazard. However, use or processing of the product not in accordance with the product's recommendations or not under ordinary conditions may affect the performance of the product and may present potential health and safety hazards.

DIVISION: ELECTRICAL PRODUCTS DIVISION

TRADE NAME:

SCOTCHSEAL COMPOUND 2229

ID NUMBER/U.P.C.:

80-6105-9441-0 00-54007-49702-8 80-6107-3292-9 00-54007-50336-1 80-6109-2897-2 00-54007-42919-7 80-6109-2916-0 00-54007-42938-8

ISSUED: February 17, 1999 SUPERSEDES: February 12, 1999

DOCUMENT: 05-4288-6

1. INGREDIENT	C.A.S. NO.	PERCENT		
KAOLIN	1332-58-7	38.0	- 41.0	
POLYBUTYLENE	9003-29-6	20.0	- 24.0	
CALCIUM CARBONATE	471-34-1	6.0	- 10.0	
ALIPHATIC HYDROCARBONS	68003-51-0	6.7	- 7.0	
POLYISOBUTYLENE	9003-27-4	5.0	- 8.0	
ISOBUTYLENE-ISOPRENE POLYMER	9010-85-9	5.0	- 7.0	
CARBON BLACK	1333-86-4	2.0	- 3.0	
ASPHALT	8052-42-4	5.0	- 8.0	

The components of this product are in compliance with the chemical notification requirements of TSCA.

ALL COMPONENETS ARE ON THE TSCA, EINECS, AND CDSL CHEMICAL INVENTORIES.

February 17, 1999 PAGE 2

______ 2. PHYSICAL DATA ______ BOILING POINT:..... N/A VAPOR DENSITY:..... N/A EVAPORATION RATE:..... N/A SOLUBILITY IN WATER:.... nil SPECIFIC GRAVITY:..... ca. 1.20 Water=1 ASTM PERCENT VOLATILE:.... nil VISCOSITY:......N/A MELTING POINT:......N/D APPEARANCE AND ODOR: Black roll with release liner 3. FIRE AND EXPLOSION HAZARD DATA FLASH POINT:..... N/A FLAMMABLE LIMITS - LEL:..... N/A FLAMMABLE LIMITS - UEL:..... N/A AUTOIGNITION TEMPERATURE:..... N/D EXTINGUISHING MEDIA: Carbon dioxide, Dry chemical, Foam SPECIAL FIRE FIGHTING PROCEDURES: Not applicable UNUSUAL FIRE AND EXPLOSION HAZARDS: No unusual fire or explosion hazards are anticipated. NFPA HAZARD CODES: HEALTH: 0 FIRE: 2 REACTIVITY: 0 UNUSUAL REACTION HAZARD: none OSHA FIRE HAZARD CLASS: Not applicable 4. REACTIVITY DATA STABILITY: Stable INCOMPATIBILITY - MATERIALS/CONDITIONS TO AVOID: Not applicable. HAZARDOUS POLYMERIZATION: Hazardous polymerization will not occur. ______ Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

MSDS: SCOTCHSEAL COMPOUND 2229 February 17, 1999

PAGE 3

4. REACTIVITY DATA (continued)

HAZARDOUS DECOMPOSITION PRODUCTS:

Carbon Monoxide and Carbon Dioxide.

5. ENVIRONMENTAL INFORMATION

SPILL RESPONSE:

Not applicable.

RECOMMENDED DISPOSAL:

Incinerate in an industrial or commercial facility. Dispose of waste product in a sanitary landfill.

ENVIRONMENTAL DATA:

Not applicable.

REGULATORY INFORMATION:

Volatile Organic Compounds: N/D. VOC Less H2O & Exempt Solvents: N/A.

Since regulations vary, consult applicable regulations or authorities before disposal. U.S. EPA Hazardous Waste Number = None (Not U.S. EPA Hazardous).

EPCRA HAZARD CLASS:

FIRE HAZARD: No PRESSURE: No REACTIVITY: No ACUTE: No CHRONIC: No

6. SUGGESTED FIRST AID

EYE CONTACT:

No need for first aid is anticipated.

SKIN CONTACT:

No need for first aid is anticipated.

INHALATION:

No need for first aid is anticipated.

IF SWALLOWED:

No need for first aid is anticipated.

MSDS: SCOTCHSEAL COMPOUND 2229

February 17, 1999 PAGE 4

7. PRECAUTIONARY INFORMATION

EYE PROTECTION:

Not applicable.

SKIN PROTECTION:

Not applicable.

RECOMMENDED VENTILATION:

Not applicable.

RESPIRATORY PROTECTION:

Not applicable.

PREVENTION OF ACCIDENTAL INGESTION:

Wash hands after handling and before eating.

RECOMMENDED STORAGE:

Keep out of the reach of children.

FIRE AND EXPLOSION AVOIDANCE:

Not applicable.

HMIS HAZARD RATINGS: HEALTH: 0 FLAMMABILITY: 2 REACTIVITY: 0

PERSONAL PROTECTION: X

EXPOSURE LIMITS

INGREDIENT	VALUE	UNIT	TYPE	AUTH SKIN*
	2	MG/M3		ACGIH
	resp	irable dust		
KAOLIN	10	MG/M3	TWA	OSHA
POLYBUTYLENE	NONE	NONE	NONE	NONE
CALCIUM CARBONATE	10	MG/M3	TWA	ACGIH
ALIPHATIC HYDROCARBONS	NONE	NONE	NONE	NONE
POLYISOBUTYLENE	NONE	NONE	NONE	NONE
ISOBUTYLENE-ISOPRENE POLYMER	NONE	NONE	NONE	NONE
CARBON BLACK	3.5	MG/M3	TWA	ACGIH
CARBON BLACK	3.5	MG/M3	TWA	OSHA
ASPHALT	5	MG/M3	TWA	ACGIH
	as fi	ume		

^{*} SKIN NOTATION: Listed substances indicated with 'Y' under SKIN refer to the potential contribution to the overall exposure by the cutaneous route including mucous membrane and eye, either by airborne or, more particularly, by direct contact with the substance. Vehicles can alter skin absorption.

SOURCE OF EXPOSURE LIMIT DATA:

- ACGIH: American Conference of Governmental Industrial Hygienists
- OSHA: Occupational Safety and Health Administration

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

MSDS: SCOTCHSEAL COMPOUND 2229

February 17, 1999 PAGE 5

EXPOSURE LIMITS (continued)

INGREDIENT VALUE UNIT TYPE AUTH SKIN*

- NONE: None Established

8. HEALTH HAZARD DATA

EYE CONTACT:

No adverse health effects are expected from eye contact.

SKIN CONTACT:

No adverse health effects are expected from skin contact.

INHALATION:

No adverse health effects are expected from inhalation exposure.

IF SWALLOWED:

Ingestion is not a likely route of exposure to this product.

CANCER:

WARNING: Contains a chemical which can cause cancer. (1333-86-4)

(IARC possible human carcinogen 2B)

WARNING: Contains a chemical which can cause cancer. (8052-42-4)

(IARC possible human carcinogen 2B, Calif. Proposition 65)

SECTION CHANGE DATES

HEADING SECTION CHANGED SINCE February 12, 1999 ISSUE

February 17, 1999

PAGE 6

The information in this Material Safety Data Sheet (MSDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the MSDS available directly from 3M.