

## PLOT SYSTEM



**PLOT SYSTEM**



### PLOT SYSTEM

PLOT SYSTEM consists of a flatbed A3 plotter, support templates for different media and easy to use Windows-based software, in two versions: "advanced" and "basic".

The **PS-PLT** template supports sheets of PLOT SYSTEM tags, markers and legends, presented in "stem" format, designed for the identification of cables, terminal blocks, control gear, push buttons and many other components.

The **PS-PLL** template supports all PLOT SYSTEM labels and marker plates, presented singly or in sheet format, rivet fixing or self adhesive for component and equipment

identification, as well as wraparound and self adhesive cable markers. 17.5 modular legends are printed using the **PS-PLM** template.

MARKINGenius® cable tags type MG-TPM and terminal block markers MG-CPM may also be printed on the plotter using the template **PS-MGP**.

Templates to support all PLOT SYSTEM markers are available for many models of flatbed A3 plotters, including some no longer in production. PLOT SYSTEM identification and labelling media meet the requirements of CEI 16-7 and 1997-06.

| Application:                           | Cables                | Tubes/pipes               | Conduit | Terminals blocks               | Components                | Modular components                 | Connectors                | Push buttons | Panel exteriors                |
|----------------------------------------|-----------------------|---------------------------|---------|--------------------------------|---------------------------|------------------------------------|---------------------------|--------------|--------------------------------|
| <b>PLOT SYSTEM</b>                     |                       |                           |         |                                |                           |                                    |                           |              |                                |
| TPM (p.35)<br>4mm tags for holders     |                       |                           |         |                                |                           |                                    |                           |              |                                |
| TDM (p.36)<br>5mm tags without holders | Directly on the cable |                           |         |                                |                           |                                    |                           |              |                                |
| KMP (p.37)<br>Wraparound cable markers | Directly on the cable | Directly on the tube/pipe |         |                                |                           |                                    |                           |              |                                |
| CPM (p.41)<br>Push in markers          |                       |                           |         | Directly on the terminal block |                           |                                    |                           |              |                                |
| SPM (p.44)<br>Component markers        |                       |                           |         |                                | Directly on the component |                                    |                           |              |                                |
| NPM (p.45)<br>Connector markers        |                       |                           |         |                                |                           |                                    | Directly on the connector |              |                                |
| TAP (p.45)<br>15mm legends             |                       |                           |         |                                |                           |                                    |                           |              |                                |
| TAPW (p.46)<br>9mm legends             |                       |                           |         |                                |                           |                                    |                           |              |                                |
| TAA (p.46)<br>Self adhesive legends    |                       |                           |         |                                | Directly on the component |                                    | Directly on the connector |              |                                |
| VYT (p.47)<br>Labels self adhesive     |                       |                           |         |                                | Directly on the component |                                    | Directly on the connector |              |                                |
| VCT (p.47)<br>Labels self adhesive     |                       |                           |         |                                | Directly on the component |                                    | Directly on the connector |              |                                |
| PYT (p.48)<br>Labels self adhesive     |                       |                           |         |                                | Directly on the component |                                    | Directly on the connector |              |                                |
| SAT (p.48)<br>Security labels          |                       |                           |         |                                | Directly on the component |                                    |                           |              | Directly on the panel exterior |
| SPC (p.49)<br>Labels self adhesive     |                       |                           |         |                                | Directly on the component |                                    |                           |              | Directly on the panel exterior |
| VRT (p.50)<br>Marker plates            |                       |                           |         |                                |                           | Directly on the component or panel |                           |              | Directly on the panel exterior |
| ALT (p.51)<br>Marker plates            |                       |                           |         |                                |                           |                                    |                           |              | Directly on the panel exterior |

# PLOT SYSTEM

## PLOT SYSTEM hardware, software

PLOT SYSTEM software is designed for 32-bit operating systems and is simple, intuitive and complete with all tools required by the designer and user.

Including: electrical symbols, simple and complex counters, prefix and suffix addition, duplication, copying, jobs, projects, modifications, customisation. PLOT SYSTEM has everything expected from industrial marking software and is distributed free of charge to users whenever an upgrade is released.

### SOFTWARE FEATURES

- Easy data insert
- More than ten types of counter
- \*.txt, \*.cad, \*.dbf, \*.xls and other files can be imported
- ACS and Simplo conversion
- AutoCAD, Elcad and Spac importation
- Customisable print output filters
- Optimised printing of media for cables, terminal blocks, control gear, connectors, push buttons, components, panels and self adhesive labels
- Proprietary font
- Also uses Windows fonts
- Designs customised media
- Vector, drawing and clip art printing
- Free upgrades with each release

### SYSTEM REQUIREMENTS

- PC - Pentium, equivalent or above
- 16 MB RAM
- Windows installed
- 10 MB available hard disc space
- Video resolution 800x600
- A3 flatbed pen plotter

## PLOT SYSTEM



### 990651 PLOT SYSTEM package comprises:

|                 |                                                                       |
|-----------------|-----------------------------------------------------------------------|
|                 | Graphtec MP 303-04 A3 format plotter                                  |
|                 | Mains cable                                                           |
| 990551          | Parallel cable                                                        |
| MG-USB 992004   | USB cable                                                             |
| PS-PLT 990556-5 | Support template PS-PLT                                               |
| 990621          | "Long life" Pen 0,35mm                                                |
| 990626          | Aluminium collar for "Long life" pens                                 |
| 990436          | Black extra indelible ink 30ml                                        |
|                 | Software on CD<br>(includes printer drivers, user licence and manual) |

PLOT SYSTEM is guaranteed for one year against inherent faults and defects. Pens are classed as consumables and therefore not covered by the guarantee.

| To print media | .....→ use template                           | PS-PLT | PS-PLL | PS-PLM | PS-MGP |
|----------------|-----------------------------------------------|--------|--------|--------|--------|
| TPM            | Cable tags                                    | •      |        |        |        |
| TDM            | Cable markers                                 | •      |        |        |        |
| KMP            | Wraparound cable markers with square corners  |        | •      |        |        |
| KMPR           | Wraparound cable markers with rounded corners |        | •      |        |        |
| CPM            | Terminal block markers                        | •      |        |        |        |
| SPM            | Component markers                             | •      |        |        |        |
| NPM            | Connector markers                             | •      |        |        |        |
| TAP            | Legend 15mm                                   | •      |        |        |        |
| TAPW           | Legend 9mm                                    | •      |        |        |        |
| TAA            | Legend self adhesive                          | •      |        |        |        |
| VYT            | Labels                                        |        | •      |        |        |
| VCT            | Labels                                        |        | •      |        |        |
| PYT            | Labels                                        |        | •      |        |        |
| SAT            | Security labels                               |        | •      |        |        |
| SPC            | A4 sheet self adhesive                        |        | •      |        |        |
| VRT-17.5       | Modular legends                               |        |        | •      |        |
| VRT            | Marker plates                                 |        | •      |        |        |
| ALT            | Marker plates                                 |        | •      |        |        |
| MG-CPM         | Terminal block markers                        |        |        |        | •      |
| MG-TPM         | Cable tags                                    |        |        |        | •      |

# PLOT SYSTEM

## ACCESSORIES



### PENS "Long Life" for Graphtec 303-04 and Graphtec series 5000 & 4000

| Code   | Description | Quantity |
|--------|-------------|----------|
| 990621 | 0,35 mm     | 1        |
| 990618 | 0,50 mm     | 1        |
| 990619 | 0,70 mm     | 1        |
| 990620 | 1,00 mm     | 1        |

### PEN COLLARS for Graphtec with "Long Life" pens

|        |                                     |   |
|--------|-------------------------------------|---|
| 990626 | for Graphtec 303-04 and 5000 series | 1 |
| 990634 | for Graphtec 4000 series            | 1 |

### PENS "Long Life" for others plotters

|        |         |   |
|--------|---------|---|
| 990600 | 0,35 mm | 1 |
| 990601 | 0,50 mm | 1 |
| 990602 | 0,70 mm | 1 |
| 990603 | 1,00 mm | 1 |

### PEN COLLARS for others plotters with "Long Life" pens

|        |                                                              |   |
|--------|--------------------------------------------------------------|---|
| 990622 | for Roland DXY with "Long Life" pens (4-part kit)            | 1 |
| 990637 | for Roland DXY lowered bed with "Long Life" pens             | 1 |
| 990625 | for Sekonic with "Long Life" pens                            | 1 |
| 990627 | for Sekonic lowered bed with "Long Life" pens                | 1 |
| 990624 | for Houston Instruments with "Long Life" pens                | 1 |
| 990623 | for Mutoh IP220 ACS with "Long Life" pens (4-part kit)       | 1 |
| 990638 | for Mutoh IP220 M-PRINT with "Long Life" pens (4-part kit)   | 1 |
| 990639 | for Mutoh IP220 CMS-PRINT with "Long Life" pens (4-part kit) | 1 |

### PENS Standard

|        |         |   |
|--------|---------|---|
| 990543 | 0,25 mm | 1 |
| 990557 | 0,35 mm | 1 |
| 990558 | 0,50 mm | 1 |
| 990544 | 0,70 mm | 1 |

### PEN COLLARS for standard pens

|        |                                         |   |
|--------|-----------------------------------------|---|
| 990581 | for Graphtec 5000 series                | 1 |
| 990628 | for Graphtec 4000 series                | 1 |
| 990546 | for Roland DXY (3-part kit)             | 1 |
| 990629 | for Roland DXY lowered bed (3-part kit) | 1 |
| 990549 | for Sekonic                             | 1 |
| 990580 | for Sekonic lowered bed                 | 1 |
| 990548 | for Houston Instruments                 | 1 |
| 990547 | for Mutoh IP220 ACS (3-part kit)        | 1 |
| 990635 | for Mutoh IP220 M-PRINT (3-part kit)    | 1 |
| 990636 | for Mutoh IP220 CMS-PRINT (3-part kit)  | 1 |

### PLASTIC BODY with reservoir

|        |                         |   |
|--------|-------------------------|---|
| 990586 | standard for Roland DXY | 1 |
| 990587 | maxi for Roland DXY     | 1 |
| 990588 | maxi for Mutoh Ip220    | 1 |

### INK

|          |                             |   |
|----------|-----------------------------|---|
| ■ 990436 | extra indelible black 30 ml | 1 |
| ■ 990561 | extra indelible red 30 ml   | 1 |

### CLEANING SOLVENT for ink

|        |        |   |
|--------|--------|---|
| 990438 | 50 ml  | 1 |
| 990439 | 160 ml | 1 |

### DILUTION SOLVENT for ink

|        |        |   |
|--------|--------|---|
| 990440 | 50 ml  | 1 |
| 990441 | 160 ml | 1 |

### MANUAL REACTIVATOR for pen

|        |  |   |
|--------|--|---|
| 990559 |  | 1 |
|--------|--|---|

# PLOT SYSTEM

Material: PMMA

## SUPPORT TEMPLATES

### PS-PLT for 'stem' format markers




| Code     | Description                  | Thickness mm | Quantity |
|----------|------------------------------|--------------|----------|
| 990556-4 | Graphtec 5000/303-04 series  | 4            | 1        |
| 990556-5 | Graphtec 5000/303-04 series  | 5            | 1        |
| 990555-4 | Roland DXY series            | 4            | 1        |
| 990555-5 | Roland DXY series            | 5            | 1        |
| 990570-3 | Houston Instruments          | 3            | 1        |
| 990570-4 | Houston Instruments          | 4            | 1        |
| 990564-4 | Mutoh IP220 (ACS system)     | 4            | 1        |
| 990564-5 | Mutoh IP220 (ACS system)     | 5            | 1        |
| 990530-4 | Mutoh IP220 (M-Print system) | 4            | 1        |
| 990530-5 | Mutoh IP220 (M-Print system) | 5            | 1        |

### PS-PLL for labels, marker plates and wraparound markers




|          |                              |   |   |
|----------|------------------------------|---|---|
| 990567-4 | Graphtec 5000/303-04 series  | 4 | 1 |
| 990567-5 | Graphtec 5000/303-04 series  | 5 | 1 |
| 990566-4 | Roland DXY series            | 4 | 1 |
| 990566-5 | Roland DXY series            | 5 | 1 |
| 990571-3 | Houston Instruments          | 3 | 1 |
| 990571-4 | Houston Instruments          | 4 | 1 |
| 990568-4 | Mutoh IP220 (ACS system)     | 4 | 1 |
| 990568-5 | Mutoh IP220 (ACS system)     | 5 | 1 |
| 990532-4 | Mutoh IP220 (M-Print system) | 4 | 1 |
| 990532-5 | Mutoh IP220 (M-Print system) | 5 | 1 |

### PS-PLM For modular legends, size 430mm



|          |                             |   |   |
|----------|-----------------------------|---|---|
| 990699-5 | Graphtec 5000/303-04 series | 5 | 1 |
|----------|-----------------------------|---|---|

### PS-MGP for 'stem' format markers MG-TPM (p.8) and terminal block markers MG-CPM (p.11)



|          |                             |   |   |
|----------|-----------------------------|---|---|
| 990697-5 | Graphtec 5000/303-04 series | 5 | 1 |
|----------|-----------------------------|---|---|

### PS-PSS for customisable materials



|          |                              |   |   |
|----------|------------------------------|---|---|
| 990538-4 | Graphtec 5000/303-04 series  | 4 | 1 |
| 990538-5 | Graphtec 5000/303-04 series  | 5 | 1 |
| 990534-4 | Roland DXY series            | 4 | 1 |
| 990534-5 | Roland DXY series            | 5 | 1 |
| 990539-4 | Mutoh IP220 (ACS system)     | 4 | 1 |
| 990539-5 | Mutoh IP220 (ACS system)     | 5 | 1 |
| 990540-4 | Mutoh IP220 (M-Print system) | 4 | 1 |
| 990540-5 | Mutoh IP220 (M-Print system) | 5 | 1 |

For other plotters, please consult us

# PLOT SYSTEM

Indelible ink pens, for various surfaces, UV and water-resistant.

Particularly suitable for **VCT** self adhesive labels (see p.47) and for wraparound cable markers **KMP** and **KMPR** (see p.37).

Superfine or fine points are recommended for text and rulings; medium points are recommended for filling in.

## PERMANENT PENS

### PENS superfine point

| Code   | Colour | Quantity |
|--------|--------|----------|
| 990409 | black  | 2        |
| 990410 | red    | 2        |
| 990411 | green  | 2        |
| 990412 | blue   | 2        |
| 990413 | yellow | 2        |
| 990414 | orange | 2        |
| 990415 | brown  | 2        |
| 990416 | violet | 2        |

### PENS fine point

|        |        |   |
|--------|--------|---|
| 990417 | black  | 2 |
| 990418 | red    | 2 |
| 990419 | green  | 2 |
| 990420 | blue   | 2 |
| 990421 | yellow | 2 |
| 990422 | orange | 2 |
| 990423 | brown  | 2 |
| 990424 | violet | 2 |

### PENS medium point

|        |        |   |
|--------|--------|---|
| 990425 | black  | 2 |
| 990426 | red    | 2 |
| 990427 | green  | 2 |
| 990428 | blue   | 2 |
| 990429 | yellow | 2 |
| 990430 | orange | 2 |
| 990431 | brown  | 2 |
| 990432 | violet | 2 |

### PEN COLLAR

|        |                                 |   |
|--------|---------------------------------|---|
| 990599 | for Graphtec                    | 1 |
| 990593 | for Roland DXY                  | 1 |
| 990594 | for Mutoh IP220                 | 1 |
| 990596 | for Houston Instruments         | 1 |
| 990597 | for Sekonic                     | 1 |
| 990598 | for Sekonic lowered bed version | 1 |

# TPM

TPM tags are used for marking cables, conduit, tubes, conductors and components.

Presented in stem format, tags are simply snapped off their stems and inserted into the appropriate holders.


**Material:** Polycarbonate, self extinguishing according to class V0 (UL94), high mechanical strength and excellent dimensional stability

## CABLE TAGS

4mm push in, for holders



### TPM



| Colour | Size mm | Code    | Tags per sheet | Quantity |
|--------|---------|---------|----------------|----------|
| white  | 4x10    | 30090   | 59             | 1.062    |
|        | 4x12    | 30091   | 59             | 1.062    |
|        | 4x15    | 30092   | 59             | 1.062    |
|        | 4x18    | 30093   | 59             | 1.062    |
|        | 4x23    | 30094   | 53             | 954      |
|        | 4x27    | 30095   | 35             | 630      |
|        | 4x30    | 30096   | 35             | 630      |
| yellow | 4x10    | 30040   | 59             | 1.062    |
|        | 4x12    | 30041   | 59             | 1.062    |
|        | 4x15    | 30042   | 59             | 1.062    |
|        | 4x18    | 30043   | 59             | 1.062    |
|        | 4x23    | 30044   | 53             | 954      |
|        | 4x27    | 30045   | 35             | 630      |
|        | 4x30    | 30046   | 35             | 630      |
| orange | 4x10    | * 30030 | 59             | 1.062    |
|        | 4x12    | * 30031 | 59             | 1.062    |
|        | 4x15    | * 30032 | 59             | 1.062    |
|        | 4x18    | * 30033 | 59             | 1.062    |
|        | 4x23    | * 30034 | 53             | 954      |
|        | 4x27    | * 30035 | 35             | 630      |
|        | 4x30    | * 30036 | 35             | 630      |
| red    | 4x10    | * 30020 | 59             | 1.062    |
|        | 4x12    | * 30021 | 59             | 1.062    |
|        | 4x15    | * 30022 | 59             | 1.062    |
|        | 4x18    | * 30023 | 59             | 1.062    |
|        | 4x23    | * 30024 | 53             | 954      |
|        | 4x27    | * 30025 | 35             | 630      |
|        | 4x30    | * 30026 | 35             | 630      |
| blue   | 4x10    | * 30060 | 59             | 1.062    |
|        | 4x12    | * 30061 | 59             | 1.062    |
|        | 4x15    | * 30062 | 59             | 1.062    |
|        | 4x18    | * 30063 | 59             | 1.062    |
|        | 4x23    | * 30064 | 53             | 954      |
|        | 4x27    | * 30065 | 35             | 630      |
|        | 4x30    | * 30066 | 35             | 630      |
| green  | 4x10    | * 30050 | 59             | 1.062    |
|        | 4x12    | * 30051 | 59             | 1.062    |
|        | 4x15    | * 30052 | 59             | 1.062    |
|        | 4x18    | * 30053 | 59             | 1.062    |
|        | 4x23    | * 30054 | 53             | 954      |
|        | 4x27    | * 30055 | 35             | 630      |
|        | 4x30    | * 30056 | 35             | 630      |

\*Made to order

|                         |      |
|-------------------------|------|
| Use with:               | page |
| PM tag holders          | 72   |
| PM-*L tag holders light | 74   |
| PMS tag holders slim    | 75   |
| PM-AC tag holders       | 77   |
| PM-ET tag holders       | 77   |
| PM-DT tag holders       | 77   |
| Print with:             |      |
| PS-PLT support template | 33   |

**TDM****CABLE MARKERS**  
*one piece without holder*

**Material:** Polycarbonate, self extinguishing according to class V0 (UL94), high mechanical strength and excellent dimensional stability


**Use:**

Directly on cables according to the diameter ranges shown in the table. No transparent holders required.

Print with: \_\_\_\_\_ page  
PS-PLT support templates 33

**TDM-01**


Cable ext. Ø range 1,6 ÷ 3,25 mm

Cable c.s.a range 0,5 ÷ 1,5 mm<sup>2</sup>

| Colour | Size mm | Code          | Tags per sheet | Quantity |
|--------|---------|---------------|----------------|----------|
| white  | 4x12    | <b>30190</b>  | 42             | 1.050    |
|        | 4x15    | <b>30191</b>  | 42             | 1.050    |
|        | 4x18    | <b>30192</b>  | 28             | 700      |
|        | 4x23    | <b>30193</b>  | 28             | 700      |
| yellow | 4x12    | <b>30140</b>  | 42             | 1.050    |
|        | 4x15    | <b>30141</b>  | 42             | 1.050    |
|        | 4x18    | <b>30142</b>  | 28             | 700      |
|        | 4x23    | <b>30143</b>  | 28             | 700      |
| orange | 4x12    | <b>*30130</b> | 42             | 1.050    |
|        | 4x15    | <b>*30131</b> | 42             | 1.050    |
|        | 4x18    | <b>*30132</b> | 28             | 700      |
|        | 4x23    | <b>*30133</b> | 28             | 700      |
| red    | 4x12    | <b>*30120</b> | 42             | 1.050    |
|        | 4x15    | <b>*30121</b> | 42             | 1.050    |
|        | 4x18    | <b>*30122</b> | 28             | 700      |
|        | 4x23    | <b>*30123</b> | 28             | 700      |
| blue   | 4x12    | <b>*30160</b> | 42             | 1.050    |
|        | 4x15    | <b>*30161</b> | 42             | 1.050    |
|        | 4x18    | <b>*30162</b> | 28             | 700      |
|        | 4x23    | <b>*30163</b> | 28             | 700      |
| green  | 4x12    | <b>*30150</b> | 42             | 1.050    |
|        | 4x15    | <b>*30151</b> | 42             | 1.050    |
|        | 4x18    | <b>*30152</b> | 28             | 700      |
|        | 4x23    | <b>*30153</b> | 28             | 700      |

**TDM-02**

Cable ext. Ø range 2,1 ÷ 4,25 mm

Cable c.s.a range 1,0 ÷ 4,0 mm<sup>2</sup>

|        |      |               |    |       |
|--------|------|---------------|----|-------|
| white  | 4x12 | <b>30290</b>  | 42 | 1.050 |
|        | 4x15 | <b>30291</b>  | 42 | 1.050 |
|        | 4x18 | <b>30292</b>  | 28 | 700   |
|        | 4x23 | <b>30293</b>  | 28 | 700   |
| yellow | 4x12 | <b>30240</b>  | 42 | 1.050 |
|        | 4x15 | <b>30241</b>  | 42 | 1.050 |
|        | 4x18 | <b>30242</b>  | 28 | 700   |
|        | 4x23 | <b>30243</b>  | 28 | 700   |
| orange | 4x12 | <b>*30230</b> | 42 | 1.050 |
|        | 4x15 | <b>*30231</b> | 42 | 1.050 |
|        | 4x18 | <b>*30232</b> | 28 | 700   |
|        | 4x23 | <b>*30233</b> | 28 | 700   |
| red    | 4x12 | <b>*30220</b> | 42 | 1.050 |
|        | 4x15 | <b>*30221</b> | 42 | 1.050 |
|        | 4x18 | <b>*30222</b> | 28 | 700   |
|        | 4x23 | <b>*30223</b> | 28 | 700   |
| blue   | 4x12 | <b>*30260</b> | 42 | 1.050 |
|        | 4x15 | <b>*30261</b> | 42 | 1.050 |
|        | 4x18 | <b>*30262</b> | 28 | 700   |
|        | 4x23 | <b>*30263</b> | 28 | 700   |
| green  | 4x12 | <b>*30250</b> | 42 | 1.050 |
|        | 4x15 | <b>*30251</b> | 42 | 1.050 |
|        | 4x18 | <b>*30252</b> | 28 | 700   |
|        | 4x23 | <b>*30253</b> | 28 | 700   |

\*Made to order

**KMP**

KMP wraparound cable markers are suitable for identifying large-diameter cables, tubes and conduit. PLOT SYSTEM print is exceptionally clear and legible and protected from chemical and atmospheric agents. **A4 sheet with plotter locators.**


**Material:** Soft Vinyl, thickness 0,1 mm. Resistant to water, oil, grease, alcohol, detergent, alkaline substances and atmospheric agents. Self extinguishing, high resistance to UV radiation

⚠ Temperature range  
-30°C to +80°C

Use:

Directly on cables, etc in accordance with wrapping diameter limitations shown for each size.

| Print with:              | page |
|--------------------------|------|
| Permanent pens           | 34   |
| PS-PLL support templates | 33   |



## WRAPAROUND CABLE MARKERS

*self adhesive and precut with square corners*




### KMP 038 Max. wrapping diameter 7mm. Overall length A: 38mm


| Colour | Print area<br>C x B mm | Code      | Markers<br>per sheet | Quantity |
|--------|------------------------|-----------|----------------------|----------|
| white  | 10x12                  | 28950-012 | 105                  | 1.050    |
|        | 10x15                  | 28950-015 | 84                   | 840      |
|        | 10x18                  | 28950-018 | 70                   | 700      |
|        | 10x23                  | 28950-023 | 56                   | 560      |
|        | 10x30                  | 28950-030 | 42                   | 420      |
| yellow | 10x12                  | 28450-012 | 105                  | 1.050    |
|        | 10x15                  | 28450-015 | 84                   | 840      |
|        | 10x18                  | 28450-018 | 70                   | 700      |
|        | 10x23                  | 28450-023 | 56                   | 560      |
|        | 10x30                  | 28450-030 | 42                   | 420      |
| orange | 10x12                  | 28350-012 | 105                  | 1.050    |
|        | 10x15                  | 28350-015 | 84                   | 840      |
|        | 10x18                  | 28350-018 | 70                   | 700      |
|        | 10x23                  | 28350-023 | 56                   | 560      |
|        | 10x30                  | 28350-030 | 42                   | 420      |
| red    | 10x12                  | 28250-012 | 105                  | 1.050    |
|        | 10x15                  | 28250-015 | 84                   | 840      |
|        | 10x18                  | 28250-018 | 70                   | 700      |
|        | 10x23                  | 28250-023 | 56                   | 560      |
|        | 10x30                  | 28250-030 | 42                   | 420      |
| blue   | 10x12                  | 28650-012 | 105                  | 1.050    |
|        | 10x15                  | 28650-015 | 84                   | 840      |
|        | 10x18                  | 28650-018 | 70                   | 700      |
|        | 10x23                  | 28650-023 | 56                   | 560      |
|        | 10x30                  | 28650-030 | 42                   | 420      |
| green  | 10x12                  | 28550-012 | 105                  | 1.050    |
|        | 10x15                  | 28550-015 | 84                   | 840      |
|        | 10x18                  | 28550-018 | 70                   | 700      |
|        | 10x23                  | 28550-023 | 56                   | 560      |
|        | 10x30                  | 28550-030 | 42                   | 420      |

### KMP 050 Max. wrapping diameter 10mm. Overall length A: 50mm

|        |       |           |     |     |
|--------|-------|-----------|-----|-----|
| white  | 15x12 | 28951-012 | 105 | 750 |
|        | 15x15 | 28951-015 | 84  | 600 |
|        | 15x18 | 28951-018 | 70  | 500 |
|        | 15x23 | 28951-023 | 56  | 400 |
|        | 15x30 | 28951-030 | 42  | 300 |
| yellow | 15x12 | 28451-012 | 105 | 750 |
|        | 15x15 | 28451-015 | 84  | 600 |
|        | 15x18 | 28451-018 | 70  | 500 |
|        | 15x23 | 28451-023 | 56  | 400 |
|        | 15x30 | 28451-030 | 42  | 300 |
| orange | 15x12 | 28351-012 | 105 | 750 |
|        | 15x15 | 28351-015 | 84  | 600 |
|        | 15x18 | 28351-018 | 70  | 500 |
|        | 15x23 | 28351-023 | 56  | 400 |
|        | 15x30 | 28351-030 | 42  | 300 |
| red    | 15x12 | 28251-012 | 105 | 750 |
|        | 15x15 | 28251-015 | 84  | 600 |
|        | 15x18 | 28251-018 | 70  | 500 |
|        | 15x23 | 28251-023 | 56  | 400 |
|        | 15x30 | 28251-030 | 42  | 300 |
| blue   | 15x12 | 28651-012 | 105 | 750 |
|        | 15x15 | 28651-015 | 84  | 600 |
|        | 15x18 | 28651-018 | 70  | 500 |
|        | 15x23 | 28651-023 | 56  | 400 |
|        | 15x30 | 28651-030 | 42  | 300 |
| green  | 15x12 | 28551-012 | 105 | 750 |
|        | 15x15 | 28551-015 | 84  | 600 |
|        | 15x18 | 28551-018 | 70  | 500 |
|        | 15x23 | 28551-023 | 56  | 400 |
|        | 15x30 | 28551-030 | 42  | 300 |

**KMP 075** Max. wrapping diameter 14mm. Overall length A: 75mm

| Colour | Print area<br>C x B mm | Code      | Markers<br>per sheet | Quantity |
|--------|------------------------|-----------|----------------------|----------|
| white  | 25x12                  | 28952-012 | 105                  | 450      |
|        | 25x15                  | 28952-015 | 84                   | 360      |
|        | 25x18                  | 28952-018 | 70                   | 300      |
|        | 25x23                  | 28952-023 | 56                   | 240      |
|        | 25x30                  | 28952-030 | 42                   | 180      |
| yellow | 25x12                  | 28452-012 | 105                  | 450      |
|        | 25x15                  | 28452-015 | 84                   | 360      |
|        | 25x18                  | 28452-018 | 70                   | 300      |
|        | 25x23                  | 28452-023 | 56                   | 240      |
|        | 25x30                  | 28452-030 | 42                   | 180      |
| orange | 25x12                  | 28352-012 | 105                  | 450      |
|        | 25x15                  | 28352-015 | 84                   | 360      |
|        | 25x18                  | 28352-018 | 70                   | 300      |
|        | 25x23                  | 28352-023 | 56                   | 240      |
|        | 25x30                  | 28352-030 | 42                   | 180      |
| red    | 25x12                  | 28252-012 | 105                  | 450      |
|        | 25x15                  | 28252-015 | 84                   | 360      |
|        | 25x18                  | 28252-018 | 70                   | 300      |
|        | 25x23                  | 28252-023 | 56                   | 240      |
|        | 25x30                  | 28252-030 | 42                   | 180      |
| blue   | 25x12                  | 28652-012 | 105                  | 450      |
|        | 25x15                  | 28652-015 | 84                   | 360      |
|        | 25x18                  | 28652-018 | 70                   | 300      |
|        | 25x23                  | 28652-023 | 56                   | 240      |
|        | 25x30                  | 28652-030 | 42                   | 180      |
| green  | 25x12                  | 28552-012 | 105                  | 450      |
|        | 25x15                  | 28552-015 | 84                   | 360      |
|        | 25x18                  | 28552-018 | 70                   | 300      |
|        | 25x23                  | 28552-023 | 56                   | 240      |
|        | 25x30                  | 28552-030 | 42                   | 180      |

**KMP 135** Max. wrapping diameter 34mm. Overall length A: 135mm

|        |       |           |     |     |
|--------|-------|-----------|-----|-----|
| white  | 25x12 | 28953-012 | 105 | 300 |
|        | 25x15 | 28953-015 | 84  | 240 |
|        | 25x18 | 28953-018 | 70  | 200 |
|        | 25x23 | 28953-023 | 56  | 160 |
|        | 25x30 | 28953-030 | 42  | 120 |
| yellow | 25x12 | 28453-012 | 105 | 300 |
|        | 25x15 | 28453-015 | 84  | 240 |
|        | 25x18 | 28453-018 | 70  | 200 |
|        | 25x23 | 28453-023 | 56  | 160 |
|        | 25x30 | 28453-030 | 42  | 120 |
| orange | 25x12 | 28353-012 | 105 | 300 |
|        | 25x15 | 28353-015 | 84  | 240 |
|        | 25x18 | 28353-018 | 70  | 200 |
|        | 25x23 | 28353-023 | 56  | 160 |
|        | 25x30 | 28353-030 | 42  | 120 |
| red    | 25x12 | 28253-012 | 105 | 300 |
|        | 25x15 | 28253-015 | 84  | 240 |
|        | 25x18 | 28253-018 | 70  | 200 |
|        | 25x23 | 28253-023 | 56  | 160 |
|        | 25x30 | 28253-030 | 42  | 120 |
| blue   | 25x12 | 28653-012 | 105 | 300 |
|        | 25x15 | 28653-015 | 84  | 240 |
|        | 25x18 | 28653-018 | 70  | 200 |
|        | 25x23 | 28653-023 | 56  | 160 |
|        | 25x30 | 28653-030 | 42  | 120 |
| green  | 25x12 | 28553-012 | 105 | 300 |
|        | 25x15 | 28553-015 | 84  | 240 |
|        | 25x18 | 28553-018 | 70  | 200 |
|        | 25x23 | 28553-023 | 56  | 160 |
|        | 25x30 | 28553-030 | 42  | 120 |

# KMPR


KMPR wraparound cable markers are suitable for identifying large-diameter cables, tubes and conduit. PLOT SYSTEM is exceptionally clear and legible and is protected from chemical and atmospheric agents. **A4 sheet with plotter locators.**

**Material:** Soft Vinyl, thickness 0,1 mm. Resistant to water, oil, grease, alcohol, detergent, alkaline substances and atmospheric agents. Self extinguishing, high resistance to UV radiation

Temperature range  
-30°C to +80°C

Use:  
Directly on cables, etc in accordance with wrapping diameter limitations shown for each size.

Print with: page  
Permanent pens 34  
PS-PLL support templates 33



## WRAPAROUND CABLE MARKERS

self adhesive and precut  
with rounded corners




### KMPR 035 Max. wrapping diameter 6mm. Overall length A: 35mm


| Colour | Print area<br>C x B mm | Code      | Markers<br>per sheet | Quantity |
|--------|------------------------|-----------|----------------------|----------|
| white  | 10x12                  | 28960-012 | 91                   | 910      |
|        | 10x15                  | 28960-015 | 77                   | 770      |
|        | 10x18                  | 28960-018 | 63                   | 630      |
|        | 10x23                  | 28960-023 | 49                   | 490      |
|        | 10x30                  | 28960-030 | 35                   | 350      |
| yellow | 10x12                  | 28460-012 | 91                   | 910      |
|        | 10x15                  | 28460-015 | 77                   | 770      |
|        | 10x18                  | 28460-018 | 63                   | 630      |
|        | 10x23                  | 28460-023 | 49                   | 490      |
|        | 10x30                  | 28460-030 | 35                   | 350      |
| orange | 10x12                  | 28360-012 | 91                   | 910      |
|        | 10x15                  | 28360-015 | 77                   | 770      |
|        | 10x18                  | 28360-018 | 63                   | 630      |
|        | 10x23                  | 28360-023 | 49                   | 490      |
|        | 10x30                  | 28360-030 | 35                   | 350      |
| red    | 10x12                  | 28260-012 | 91                   | 910      |
|        | 10x15                  | 28260-015 | 77                   | 770      |
|        | 10x18                  | 28260-018 | 63                   | 630      |
|        | 10x23                  | 28260-023 | 49                   | 490      |
|        | 10x30                  | 28260-030 | 35                   | 350      |
| blue   | 10x12                  | 28660-012 | 91                   | 910      |
|        | 10x15                  | 28660-015 | 77                   | 770      |
|        | 10x18                  | 28660-018 | 63                   | 630      |
|        | 10x23                  | 28660-023 | 49                   | 490      |
|        | 10x30                  | 28660-030 | 35                   | 350      |
| green  | 10x12                  | 28560-012 | 91                   | 910      |
|        | 10x15                  | 28560-015 | 77                   | 770      |
|        | 10x18                  | 28560-018 | 63                   | 630      |
|        | 10x23                  | 28560-023 | 49                   | 490      |
|        | 10x30                  | 28560-030 | 35                   | 350      |

### KMPR 046 Max. wrapping diameter 8,5mm. Overall length A: 46mm

|        |       |           |    |     |
|--------|-------|-----------|----|-----|
| white  | 15x12 | 28961-012 | 91 | 650 |
|        | 15x15 | 28961-015 | 77 | 550 |
|        | 15x18 | 28961-018 | 63 | 450 |
|        | 15x23 | 28961-023 | 49 | 350 |
|        | 15x30 | 28961-030 | 35 | 250 |
| yellow | 15x12 | 28461-012 | 91 | 650 |
|        | 15x15 | 28461-015 | 77 | 550 |
|        | 15x18 | 28461-018 | 63 | 450 |
|        | 15x23 | 28461-023 | 49 | 350 |
|        | 15x30 | 28461-030 | 35 | 250 |
| orange | 15x12 | 28361-012 | 91 | 650 |
|        | 15x15 | 28361-015 | 77 | 550 |
|        | 15x18 | 28361-018 | 63 | 450 |
|        | 15x23 | 28361-023 | 49 | 350 |
|        | 15x30 | 28361-030 | 35 | 250 |
| red    | 15x12 | 28261-012 | 91 | 650 |
|        | 15x15 | 28261-015 | 77 | 550 |
|        | 15x18 | 28261-018 | 63 | 450 |
|        | 15x23 | 28261-023 | 49 | 350 |
|        | 15x30 | 28261-030 | 35 | 250 |
| blue   | 15x12 | 28661-012 | 91 | 650 |
|        | 15x15 | 28661-015 | 77 | 550 |
|        | 15x18 | 28661-018 | 63 | 450 |
|        | 15x23 | 28661-023 | 49 | 350 |
|        | 15x30 | 28661-030 | 35 | 250 |
| green  | 15x12 | 28561-012 | 91 | 650 |
|        | 15x15 | 28561-015 | 77 | 550 |
|        | 15x18 | 28561-018 | 63 | 450 |
|        | 15x23 | 28561-023 | 49 | 350 |
|        | 15x30 | 28561-030 | 35 | 250 |

**KMPR 070** Max. wrapping diameter 12,5mm. Overall length A: 70mm


| Colour | Print area<br>C x B mm | Code      | Markers<br>per sheet | Quantity |
|--------|------------------------|-----------|----------------------|----------|
| white  | 25x12                  | 28962-012 | 91                   | 390      |
|        | 25x15                  | 28962-015 | 77                   | 330      |
|        | 25x18                  | 28962-018 | 63                   | 270      |
|        | 25x23                  | 28962-023 | 49                   | 210      |
|        | 25x30                  | 28962-030 | 35                   | 150      |
| yellow | 25x12                  | 28462-012 | 91                   | 390      |
|        | 25x15                  | 28462-015 | 77                   | 330      |
|        | 25x18                  | 28462-018 | 63                   | 270      |
|        | 25x23                  | 28462-023 | 49                   | 210      |
|        | 25x30                  | 28462-030 | 35                   | 150      |
| orange | 25x12                  | 28362-012 | 91                   | 390      |
|        | 25x15                  | 28362-015 | 77                   | 330      |
|        | 25x18                  | 28362-018 | 63                   | 270      |
|        | 25x23                  | 28362-023 | 49                   | 210      |
|        | 25x30                  | 28362-030 | 35                   | 150      |
| red    | 25x12                  | 28262-012 | 91                   | 390      |
|        | 25x15                  | 28262-015 | 77                   | 330      |
|        | 25x18                  | 28262-018 | 63                   | 270      |
|        | 25x23                  | 28262-023 | 49                   | 210      |
|        | 25x30                  | 28262-030 | 35                   | 150      |
| blue   | 25x12                  | 28662-012 | 91                   | 390      |
|        | 25x15                  | 28662-015 | 77                   | 330      |
|        | 25x18                  | 28662-018 | 63                   | 270      |
|        | 25x23                  | 28662-023 | 49                   | 210      |
|        | 25x30                  | 28662-030 | 35                   | 150      |
| green  | 25x12                  | 28562-012 | 91                   | 390      |
|        | 25x15                  | 28562-015 | 77                   | 330      |
|        | 25x18                  | 28562-018 | 63                   | 270      |
|        | 25x23                  | 28562-023 | 49                   | 210      |
|        | 25x30                  | 28562-030 | 35                   | 150      |

**KMPR 130** Max. wrapping diameter 31mm. Overall length A: 130mm


|        |       |           |    |     |
|--------|-------|-----------|----|-----|
| white  | 25x12 | 28963-012 | 91 | 260 |
|        | 25x15 | 28963-015 | 77 | 220 |
|        | 25x18 | 28963-018 | 63 | 180 |
|        | 25x23 | 28963-023 | 49 | 140 |
|        | 25x30 | 28963-030 | 35 | 100 |
| yellow | 25x12 | 28463-012 | 91 | 260 |
|        | 25x15 | 28463-015 | 77 | 220 |
|        | 25x18 | 28463-018 | 63 | 180 |
|        | 25x23 | 28463-023 | 49 | 140 |
|        | 25x30 | 28463-030 | 35 | 100 |
| orange | 25x12 | 28363-012 | 91 | 260 |
|        | 25x15 | 28363-015 | 77 | 220 |
|        | 25x18 | 28363-018 | 63 | 180 |
|        | 25x23 | 28363-023 | 49 | 140 |
|        | 25x30 | 28363-030 | 35 | 100 |
| red    | 25x12 | 28263-012 | 91 | 260 |
|        | 25x15 | 28263-015 | 77 | 220 |
|        | 25x18 | 28263-018 | 63 | 180 |
|        | 25x23 | 28263-023 | 49 | 140 |
|        | 25x30 | 28263-030 | 35 | 100 |
| blue   | 25x12 | 28663-012 | 91 | 260 |
|        | 25x15 | 28663-015 | 77 | 220 |
|        | 25x18 | 28663-018 | 63 | 180 |
|        | 25x23 | 28663-023 | 49 | 140 |
|        | 25x30 | 28663-030 | 35 | 100 |
| green  | 25x12 | 28563-012 | 91 | 260 |
|        | 25x15 | 28563-015 | 77 | 220 |
|        | 25x18 | 28563-018 | 63 | 180 |
|        | 25x23 | 28563-023 | 49 | 140 |
|        | 25x30 | 28563-030 | 35 | 100 |

CPM

## TERMINAL BLOCK MARKERS

for the leading brands and types




CPM terminal block markers are available in versions to suit the particular clip formats of the most widely used products.

**Material:** Polycarbonate, self extinguishing according to class V0 (UL94); high mechanical strength and excellent dimensional stability.  
Non-deformable up to 135°C

Use:  
Directly on terminal blocks using the rear mounted clips.


Print with: page  
PS-PLT support templates 33



### CPM-01 For Conta-Clip, Harting, Körner, Morsetitalia, Weidmüller, Asi, Entrelec, Wago, Woertz


| Colour | Size mm | Code   | Markers per sheet | Quantity |
|--------|---------|--------|-------------------|----------|
| white  | 5x10    | 31090  | 42                | 1.050    |
|        | 5x15    | 31091  | 42                | 1.050    |
|        | 6x10    | 31092  | 42                | 1.050    |
|        | 6x15    | 31093  | 42                | 1.050    |
| yellow | 5x10    | 31040  | 42                | 1.050    |
|        | 5x15    | 31041  | 42                | 1.050    |
|        | 6x10    | 31042  | 42                | 1.050    |
|        | 6x15    | 31043  | 42                | 1.050    |
| orange | 5x10    | *31030 | 42                | 1.050    |
|        | 5x15    | *31031 | 42                | 1.050    |
|        | 6x10    | *31032 | 42                | 1.050    |
|        | 6x15    | *31033 | 42                | 1.050    |
| red    | 5x10    | *31020 | 42                | 1.050    |
|        | 5x15    | *31021 | 42                | 1.050    |
|        | 6x10    | *31022 | 42                | 1.050    |
|        | 6x15    | *31023 | 42                | 1.050    |
| blue   | 5x10    | *31060 | 42                | 1.050    |
|        | 5x15    | *31061 | 42                | 1.050    |
|        | 6x10    | *31062 | 42                | 1.050    |
|        | 6x15    | *31063 | 42                | 1.050    |
| green  | 5x10    | *31050 | 42                | 1.050    |
|        | 5x15    | *31051 | 42                | 1.050    |
|        | 6x10    | *31052 | 42                | 1.050    |
|        | 6x15    | *31053 | 42                | 1.050    |

### CPM-02 For Weidmüller WDK & WDU series, Asi, Conta Clip, Entrelec, Wago, Woertz




|        |      |        |    |       |
|--------|------|--------|----|-------|
| white  | 5x10 | 31190  | 42 | 1.050 |
| yellow | 5x10 | 31140  | 42 | 1.050 |
| orange | 5x10 | *31130 | 42 | 1.050 |
| red    | 5x10 | *31120 | 42 | 1.050 |
| blue   | 5x10 | *31160 | 42 | 1.050 |
| green  | 5x10 | *31150 | 42 | 1.050 |

### CPM-03 For Wago, Cabur, Entrelec, Phoenix Contact



|        |        |        |    |       |
|--------|--------|--------|----|-------|
| white  | 3,9x10 | 31290  | 81 | 1.215 |
| yellow | 3,9x10 | 31240  | 81 | 1.215 |
| orange | 3,9x10 | *31230 | 81 | 1.215 |
| red    | 3,9x10 | *31220 | 81 | 1.215 |
| blue   | 3,9x10 | *31260 | 81 | 1.215 |
| green  | 3,9x10 | *31250 | 81 | 1.215 |

### CPM-04 For Cabur, Entrelec, Harting, Phoenix Contact, Wago




|        |      |        |    |       |
|--------|------|--------|----|-------|
| white  | 5x10 | 31390  | 42 | 1.050 |
|        | 5x15 | 31391  | 42 | 1.050 |
|        | 6x10 | 31392  | 42 | 1.050 |
|        | 6x15 | 31393  | 42 | 1.050 |
| yellow | 5x10 | 31340  | 42 | 1.050 |
|        | 5x15 | 31341  | 42 | 1.050 |
|        | 6x10 | 31342  | 42 | 1.050 |
|        | 6x15 | 31343  | 42 | 1.050 |
| orange | 5x10 | *31330 | 42 | 1.050 |
|        | 5x15 | *31331 | 42 | 1.050 |
|        | 6x10 | *31332 | 42 | 1.050 |
|        | 6x15 | *31333 | 42 | 1.050 |
| red    | 5x10 | *31320 | 42 | 1.050 |
|        | 5x15 | *31321 | 42 | 1.050 |
|        | 6x10 | *31322 | 42 | 1.050 |
|        | 6x15 | *31323 | 42 | 1.050 |
| blue   | 5x10 | *31360 | 42 | 1.050 |
|        | 5x15 | *31361 | 42 | 1.050 |
|        | 6x10 | *31362 | 42 | 1.050 |
|        | 6x15 | *31363 | 42 | 1.050 |
| green  | 5x10 | *31350 | 42 | 1.050 |
|        | 5x15 | *31351 | 42 | 1.050 |
|        | 6x10 | *31352 | 42 | 1.050 |
|        | 6x15 | *31353 | 42 | 1.050 |


\*Made to order

**CPM-05** For Sprecher+Schuh, Telemecanique, Wieland


| Colour | Size mm | Code          | Markers per sheet | Quantity |
|--------|---------|---------------|-------------------|----------|
| white  | 5x10    | <b>31490</b>  | 42                | 1.050    |
|        | 5x15    | <b>31491</b>  | 42                | 1.050    |
|        | 6x10    | <b>31492</b>  | 42                | 1.050    |
|        | 6x15    | <b>31493</b>  | 42                | 1.050    |
| yellow | 5x10    | <b>31440</b>  | 42                | 1.050    |
|        | 5x15    | <b>31441</b>  | 42                | 1.050    |
|        | 6x10    | <b>31442</b>  | 42                | 1.050    |
|        | 6x15    | <b>31443</b>  | 42                | 1.050    |
| orange | 5x10    | <b>*31430</b> | 42                | 1.050    |
|        | 5x15    | <b>*31431</b> | 42                | 1.050    |
|        | 6x10    | <b>*31432</b> | 42                | 1.050    |
|        | 6x15    | <b>*31433</b> | 42                | 1.050    |
| red    | 5x10    | <b>*31420</b> | 42                | 1.050    |
|        | 5x15    | <b>*31421</b> | 42                | 1.050    |
|        | 6x10    | <b>*31422</b> | 42                | 1.050    |
|        | 6x15    | <b>*31423</b> | 42                | 1.050    |
| blue   | 5x10    | <b>*31460</b> | 42                | 1.050    |
|        | 5x15    | <b>*31461</b> | 42                | 1.050    |
|        | 6x10    | <b>*31462</b> | 42                | 1.050    |
|        | 6x15    | <b>*31463</b> | 42                | 1.050    |
| green  | 5x10    | <b>*31450</b> | 42                | 1.050    |
|        | 5x15    | <b>*31451</b> | 42                | 1.050    |
|        | 6x10    | <b>*31452</b> | 42                | 1.050    |
|        | 6x15    | <b>*31453</b> | 42                | 1.050    |

**CPM-06** For Siemens

|        |      |               |    |       |
|--------|------|---------------|----|-------|
| white  | 5x7  | <b>31590</b>  | 51 | 1.020 |
|        | 5x10 | <b>31591</b>  | 51 | 1.020 |
| yellow | 5x7  | <b>31540</b>  | 51 | 1.020 |
|        | 5x10 | <b>31541</b>  | 51 | 1.020 |
| orange | 5x7  | <b>*31530</b> | 51 | 1.020 |
|        | 5x10 | <b>*31531</b> | 51 | 1.020 |
| red    | 5x7  | <b>*31520</b> | 51 | 1.020 |
|        | 5x10 | <b>*31521</b> | 51 | 1.020 |
| blue   | 5x7  | <b>*31560</b> | 51 | 1.020 |
|        | 5x10 | <b>*31561</b> | 51 | 1.020 |
| green  | 5x7  | <b>*31550</b> | 51 | 1.020 |
|        | 5x10 | <b>*31551</b> | 51 | 1.020 |


**CPM-08** For Morsetitalia, Weidmüller series WDU & WPU, Asi, Wago, Woertz

|        |      |               |    |       |
|--------|------|---------------|----|-------|
| white  | 6x12 | <b>31790</b>  | 54 | 1.080 |
| yellow | 6x12 | <b>31740</b>  | 54 | 1.080 |
| orange | 6x12 | <b>*31730</b> | 54 | 1.080 |
| red    | 6x12 | <b>*31720</b> | 54 | 1.080 |
| blue   | 6x12 | <b>*31760</b> | 54 | 1.080 |
| green  | 6x12 | <b>*31750</b> | 54 | 1.080 |


**CPM-09** For Legrand Viking 3

|        |                  |               |    |       |
|--------|------------------|---------------|----|-------|
| white  | 5x11 (pitch 6mm) | <b>31891</b>  | 54 | 1.080 |
|        | 5x11 (pitch 8mm) | <b>31890</b>  | 42 | 1.050 |
| yellow | 5x11 (pitch 6mm) | <b>31841</b>  | 54 | 1.080 |
|        | 5x11 (pitch 8mm) | <b>31840</b>  | 42 | 1.050 |
| orange | 5x11 (pitch 6mm) | <b>*31831</b> | 54 | 1.080 |
|        | 5x11 (pitch 8mm) | <b>*31830</b> | 42 | 1.050 |
| red    | 5x11 (pitch 6mm) | <b>*31821</b> | 54 | 1.080 |
|        | 5x11 (pitch 8mm) | <b>*31820</b> | 42 | 1.050 |
| blue   | 5x11 (pitch 6mm) | <b>*31861</b> | 54 | 1.080 |
|        | 5x11 (pitch 8mm) | <b>*31860</b> | 42 | 1.050 |
| green  | 5x11 (pitch 6mm) | <b>*31851</b> | 54 | 1.080 |
|        | 5x11 (pitch 8mm) | <b>*31850</b> | 42 | 1.050 |

\*Made to order

**CPM-10 For Cabur (straddle fitting)**

| Colour | Size mm            | Code          | Markers per sheet | Quantity |
|--------|--------------------|---------------|-------------------|----------|
| white  | 5x10 (pitch 6,5mm) | <b>36190</b>  | 51                | 1.020    |
|        | 5x10 (pitch 8mm)   | <b>36191</b>  | 42                | 1.050    |
|        | 5x12 (pitch 6,5mm) | <b>36192</b>  | 51                | 1.020    |
|        | 5x12 (pitch 8mm)   | <b>36193</b>  | 42                | 1.050    |
| yellow | 5x10 (pitch 6,5mm) | <b>36140</b>  | 51                | 1.020    |
|        | 5x10 (pitch 8mm)   | <b>36141</b>  | 42                | 1.050    |
|        | 5x12 (pitch 6,5mm) | <b>36142</b>  | 51                | 1.020    |
|        | 5x12 (pitch 8mm)   | <b>36143</b>  | 42                | 1.050    |
| orange | 5x10 (pitch 6,5mm) | <b>*36130</b> | 51                | 1.020    |
|        | 5x10 (pitch 8mm)   | <b>*36131</b> | 42                | 1.050    |
|        | 5x12 (pitch 6,5mm) | <b>*36132</b> | 51                | 1.020    |
|        | 5x12 (pitch 8mm)   | <b>*36133</b> | 42                | 1.050    |
| red    | 5x10 (pitch 6,5mm) | <b>*36120</b> | 51                | 1.020    |
|        | 5x10 (pitch 8mm)   | <b>*36121</b> | 42                | 1.050    |
|        | 5x12 (pitch 6,5mm) | <b>*36122</b> | 51                | 1.020    |
|        | 5x12 (pitch 8mm)   | <b>*36123</b> | 42                | 1.050    |
| blue   | 5x10 (pitch 6,5mm) | <b>*36160</b> | 51                | 1.020    |
|        | 5x10 (pitch 8mm)   | <b>*36161</b> | 42                | 1.050    |
|        | 5x12 (pitch 6,5mm) | <b>*36162</b> | 51                | 1.020    |
|        | 5x12 (pitch 8mm)   | <b>*36163</b> | 42                | 1.050    |
| green  | 5x10 (pitch 6,5mm) | <b>*36150</b> | 51                | 1.020    |
|        | 5x10 (pitch 8mm)   | <b>*36151</b> | 42                | 1.050    |
|        | 5x12 (pitch 6,5mm) | <b>*36152</b> | 51                | 1.020    |
|        | 5x12 (pitch 8mm)   | <b>*36153</b> | 42                | 1.050    |

**CPM-11 For Allen Bradley, Conta-Clip, Morsetitalia, Weidmüller series WDU & WPU, Woertz, Asi**

|        |      |               |    |       |
|--------|------|---------------|----|-------|
| white  | 5x9  | <b>36290</b>  | 54 | 1.080 |
|        | 5x12 | <b>36291</b>  | 54 | 1.080 |
|        | 6x9  | <b>36292</b>  | 54 | 1.080 |
|        | 6x12 | <b>36293</b>  | 54 | 1.080 |
| yellow | 5x9  | <b>36240</b>  | 54 | 1.080 |
|        | 5x12 | <b>36241</b>  | 54 | 1.080 |
|        | 6x9  | <b>36242</b>  | 54 | 1.080 |
|        | 6x12 | <b>36243</b>  | 54 | 1.080 |
| orange | 5x9  | <b>*36230</b> | 54 | 1.080 |
|        | 5x12 | <b>*36231</b> | 54 | 1.080 |
|        | 6x9  | <b>*36232</b> | 54 | 1.080 |
|        | 6x12 | <b>*36233</b> | 54 | 1.080 |
| red    | 5x9  | <b>*36220</b> | 54 | 1.080 |
|        | 5x12 | <b>*36221</b> | 54 | 1.080 |
|        | 6x9  | <b>*36222</b> | 54 | 1.080 |
|        | 6x12 | <b>*36223</b> | 54 | 1.080 |
| blue   | 5x9  | <b>*36260</b> | 54 | 1.080 |
|        | 5x12 | <b>*36261</b> | 54 | 1.080 |
|        | 6x9  | <b>*36262</b> | 54 | 1.080 |
|        | 6x12 | <b>*36263</b> | 54 | 1.080 |
| green  | 5x9  | <b>*36250</b> | 54 | 1.080 |
|        | 5x12 | <b>*36251</b> | 54 | 1.080 |
|        | 6x9  | <b>*36252</b> | 54 | 1.080 |
|        | 6x12 | <b>*36253</b> | 54 | 1.080 |

\*Made to order

SPM

SPM markers are available in versions to suit the particular clip formats of the most widely used contactors, relays, drives, valves and other panel mounting components.

**Material:** Polycarbonate, self extinguishing according to class V0 (UL94); high mechanical strength and excellent dimensional stability.  
Non-deformable up to 135°C

Use:

Directly on components using the rear mounted clips.

Print with:

page

PS-PLT support templates


33

## COMPONENT MARKERS

for the leading brands and types




### SPM-01 For Telemecanique contactors




| Colour | Size mm | Code   | Markers per sheet | Quantity |
|--------|---------|--------|-------------------|----------|
| white  | 8x17    | 32090  | 15                | 300      |
|        | 8x21    | 32091  | 15                | 300      |
| yellow | 8x17    | 32040  | 15                | 300      |
|        | 8x21    | 32041  | 15                | 300      |
| orange | 8x17    | *32030 | 15                | 300      |
|        | 8x21    | *32031 | 15                | 300      |
| red    | 8x17    | *32020 | 15                | 300      |
|        | 8x21    | *32021 | 15                | 300      |
| blue   | 8x17    | *32060 | 15                | 300      |
|        | 8x21    | *32061 | 15                | 300      |
| green  | 8x17    | *32050 | 15                | 300      |
|        | 8x21    | *32051 | 15                | 300      |

### SPM-02 For Siemens Sirius series contactors




|               |      |        |    |     |
|---------------|------|--------|----|-----|
| white         | 7x10 | 32190  | 27 | 540 |
|               | 7x20 | 32191  | 15 | 300 |
| yellow        | 7x10 | 32140  | 27 | 540 |
|               | 7x20 | 32141  | 15 | 300 |
| orange        | 7x10 | *32130 | 27 | 540 |
|               | 7x20 | *32131 | 15 | 300 |
| red           | 7x10 | *32120 | 27 | 540 |
|               | 7x20 | *32121 | 15 | 300 |
| blue          | 7x10 | *32160 | 27 | 540 |
|               | 7x20 | *32161 | 15 | 300 |
| green Siemens | 7x10 | *32150 | 27 | 540 |
|               | 7x20 | *32151 | 15 | 300 |

### SPM-03 For Siemens and Möller contactors




|        |      |        |    |     |
|--------|------|--------|----|-----|
| white  | 9x20 | 32290  | 15 | 300 |
| yellow | 9x20 | 32240  | 15 | 300 |
| orange | 9x20 | *32230 | 15 | 300 |
| red    | 9x20 | *32220 | 15 | 300 |
| blue   | 9x20 | *32260 | 15 | 300 |
| green  | 9x20 | *32250 | 15 | 300 |

### SPM-05 For General Electric contactors




|        |      |        |    |     |
|--------|------|--------|----|-----|
| white  | 8x18 | 32490  | 15 | 300 |
| yellow | 8x18 | 32440  | 15 | 300 |
| orange | 8x18 | *32430 | 15 | 300 |
| red    | 8x18 | *32420 | 15 | 300 |
| blue   | 8x18 | *32460 | 15 | 300 |
| green  | 8x18 | *32450 | 15 | 300 |

### SPM-06 For Allen Bradley, Sprecher+Schuh contactors



|        |       |        |    |     |
|--------|-------|--------|----|-----|
| white  | 12x17 | 32590  | 21 | 315 |
| yellow | 12x17 | 32540  | 21 | 315 |
| orange | 12x17 | *32530 | 21 | 315 |
| red    | 12x17 | *32520 | 21 | 315 |
| blue   | 12x17 | *32560 | 21 | 315 |
| green  | 12x17 | *32550 | 21 | 315 |

### SPM-08 For Lovato MC series contactors and thermal relays



|        |      |        |    |     |
|--------|------|--------|----|-----|
| white  | 6x12 | 32790  | 54 | 324 |
| yellow | 6x12 | 32740  | 54 | 324 |
| orange | 6x12 | *32730 | 54 | 324 |
| red    | 6x12 | *32720 | 54 | 324 |
| blue   | 6x12 | *32760 | 54 | 324 |
| green  | 6x12 | *32750 | 54 | 324 |

\*Made to order

# NPM

**NPM** markers are available in versions to suit the particular clip formats of the most widely used electrical connectors.

**Material:** Polycarbonate, self extinguishing according to class V0 (UL94); high mechanical strength and excellent dimensional stability. Non-deformable up to 135°C

## Use:

Directly on connectors, using the rear mounted clips.

## Print with:

PS-PLT support templates


page

33

## CONNECTOR MARKERS

for the leading brands and types

### NPM-02 For Ilme, Harting, Wago connectors




| Colour | Size mm | Code          | Markers per sheet | Quantity |
|--------|---------|---------------|-------------------|----------|
| white  | 6x10    | <b>33190</b>  | 42                | 1.050    |
| yellow | 6x10    | <b>33140</b>  | 42                | 1.050    |
| orange | 6x10    | <b>*33130</b> | 42                | 1.050    |
| red    | 6x10    | <b>*33120</b> | 42                | 1.050    |
| blue   | 6x10    | <b>*33160</b> | 42                | 1.050    |
| green  | 6x10    | <b>*33150</b> | 42                | 1.050    |

\*Made to order

# TAP

**TAP** markers, used with transparent legend holders, bases or legend rails, are particularly versatile for identifying large diameter cables, pipes, conduit, push buttons, machinery, components, etc.

**Material:** Polycarbonate, self extinguishing according to class V0 (UL94); high mechanical strength and excellent dimensional stability. Non-deformable up to 135°C



## LEGENDS

15mm

### TAP

| Colour | Size mm | Code          | Legends per sheet | Quantity |
|--------|---------|---------------|-------------------|----------|
| white  | 15x17   | <b>37090</b>  | 18                | 540      |
|        | 15x27   | <b>37091</b>  | 12                | 360      |
|        | 15x49   | <b>37092</b>  | 6                 | 180      |
|        | 15x67   | <b>37093</b>  | 3                 | 90       |
| yellow | 15x17   | <b>37040</b>  | 18                | 540      |
|        | 15x27   | <b>37041</b>  | 12                | 360      |
|        | 15x49   | <b>37042</b>  | 6                 | 180      |
|        | 15x67   | <b>37043</b>  | 3                 | 90       |
| orange | 15x17   | <b>*37030</b> | 18                | 540      |
|        | 15x27   | <b>*37031</b> | 12                | 360      |
|        | 15x49   | <b>*37032</b> | 6                 | 180      |
|        | 15x67   | <b>*37033</b> | 3                 | 90       |
| red    | 15x17   | <b>*37020</b> | 18                | 540      |
|        | 15x27   | <b>*37021</b> | 12                | 360      |
|        | 15x49   | <b>*37022</b> | 6                 | 180      |
|        | 15x67   | <b>*37023</b> | 3                 | 90       |
| blue   | 15x17   | <b>*37060</b> | 18                | 540      |
|        | 15x27   | <b>*37061</b> | 12                | 360      |
|        | 15x49   | <b>*37062</b> | 6                 | 180      |
|        | 15x67   | <b>*37063</b> | 3                 | 90       |
| green  | 15x17   | <b>*37050</b> | 18                | 540      |
|        | 15x27   | <b>*37051</b> | 12                | 360      |
|        | 15x49   | <b>*37052</b> | 6                 | 180      |
|        | 15x67   | <b>*37053</b> | 3                 | 90       |

\*Made to order

## Use with:

|                                |    |
|--------------------------------|----|
| PMT-AC legend holders          | 78 |
| PMT-ET legend holders          | 78 |
| PMT-DT legend holders          | 78 |
| PT push button legend bases    | 79 |
| PL legend bases                | 80 |
| RTR-TAP & RTA-TAP legend rails | 81 |

## Print with:

PS-PLT support templates

page

33



## TAPW

## LEGENDS


9mm



TAPW legends are used, with legend holders or legend rails, to identify a wide range of cables and components.

**Material:** Polycarbonate, self extinguishing according to class VO (UL94); high mechanical strength and excellent dimensional stability. Non-deformable up to 135°C

## TAPW



| Colour | Size mm | Code          | Legends per sheet | Quantity |
|--------|---------|---------------|-------------------|----------|
| white  | 9x20    | <b>39090</b>  | 15                | 450      |
|        | 9x35    | <b>39091</b>  | 9                 | 270      |
| yellow | 9x20    | <b>39040</b>  | 15                | 450      |
|        | 9x35    | <b>39041</b>  | 9                 | 270      |
| orange | 9x20    | <b>*39030</b> | 15                | 450      |
|        | 9x35    | <b>*39031</b> | 9                 | 270      |
| red    | 9x20    | <b>*39020</b> | 15                | 450      |
|        | 9x35    | <b>*39021</b> | 9                 | 270      |
| blue   | 9x20    | <b>*39060</b> | 15                | 450      |
|        | 9x35    | <b>*39061</b> | 9                 | 270      |
| green  | 9x20    | <b>*39050</b> | 15                | 450      |
|        | 9x35    | <b>*39051</b> | 9                 | 270      |

\*Made to order

|                                |      |
|--------------------------------|------|
| Use with:                      | page |
| PMT-AC legend holders          | 78   |
| PMT-ET legend holders          | 78   |
| PMT-DT legend holders          | 78   |
| RTR-TAP & RTA-TAP legend rails | 81   |
| Print with:                    | page |
| PS-PLT support templates       | 33   |

## TAA

## LEGENDS


9mm &amp; 15mm, self adhesive



TAA legends are available in the same sizes as TAPW and TAP. Self adhesive, they can be applied to panels, components and equipment.

**Material:** Polycarbonate, self extinguishing according to class VO (UL94); high mechanical strength and excellent dimensional stability. Non-deformable up to 135°C

## TAA



| Colour | Size mm | Code          | Legends per sheet | Quantity |
|--------|---------|---------------|-------------------|----------|
| white  | 9x20    | <b>39190</b>  | 15                | 450      |
|        | 9x35    | <b>39191</b>  | 9                 | 270      |
|        | 15x17   | <b>39192</b>  | 18                | 540      |
|        | 15x27   | <b>39193</b>  | 12                | 360      |
|        | 15x49   | <b>39194</b>  | 6                 | 180      |
|        | 15x67   | <b>39195</b>  | 3                 | 90       |
| yellow | 9x20    | <b>39140</b>  | 15                | 450      |
|        | 9x35    | <b>39141</b>  | 9                 | 270      |
|        | 15x17   | <b>39142</b>  | 18                | 540      |
|        | 15x27   | <b>39143</b>  | 12                | 360      |
|        | 15x49   | <b>39144</b>  | 6                 | 180      |
|        | 15x67   | <b>39145</b>  | 3                 | 90       |
| orange | 9x20    | <b>*39130</b> | 15                | 450      |
|        | 9x35    | <b>*39131</b> | 9                 | 270      |
|        | 15x17   | <b>*39132</b> | 18                | 540      |
|        | 15x27   | <b>*39133</b> | 12                | 360      |
|        | 15x49   | <b>*39134</b> | 6                 | 180      |
|        | 15x67   | <b>*39135</b> | 3                 | 90       |
| red    | 9x20    | <b>*39120</b> | 15                | 450      |
|        | 9x35    | <b>*39121</b> | 9                 | 270      |
|        | 15x17   | <b>*39122</b> | 18                | 540      |
|        | 15x27   | <b>*39123</b> | 12                | 360      |
|        | 15x49   | <b>*39124</b> | 6                 | 180      |
|        | 15x67   | <b>*39125</b> | 3                 | 90       |
| blue   | 9x20    | <b>*39160</b> | 15                | 450      |
|        | 9x35    | <b>*39161</b> | 9                 | 270      |
|        | 15x17   | <b>*39162</b> | 18                | 540      |
|        | 15x27   | <b>*39163</b> | 12                | 360      |
|        | 15x49   | <b>*39164</b> | 6                 | 180      |
|        | 15x67   | <b>*39165</b> | 3                 | 90       |
| green  | 9x20    | <b>*39150</b> | 15                | 450      |
|        | 9x35    | <b>*39151</b> | 9                 | 270      |
|        | 15x17   | <b>*39152</b> | 18                | 540      |
|        | 15x27   | <b>*39153</b> | 12                | 360      |
|        | 15x49   | <b>*39154</b> | 6                 | 180      |
|        | 15x67   | <b>*39155</b> | 3                 | 90       |

\*Made to order

|                            |      |
|----------------------------|------|
| Use:                       |      |
| Directly on flat surfaces. |      |
| Print with:                | page |
| PS-PLT support templates   | 33   |

VYT

**LABELS***self adhesive,  
precut vinyl*

VYT dielectric vinyl labels are used for internal and external marking. The range of available sizes allows marking of a great variety of components from different manufacturers.

**Material:** Soft Vinyl, thickness 0,1 mm. Resistant to water, oil, grease, alcohol, detergent, alkaline substances and atmospheric agents. Self extinguishing, high resistance to UV radiation


⚠ Temperature range:  
-30°C to +80°C

Use:  
Directly on suitable surfaces.

Print with: page  
PS-PLL support templates 33

**VYT Sheet 110x150mm**

| Colour   | Size mm | Code         | Labels per sheet | Quantity |
|----------|---------|--------------|------------------|----------|
| □ white  | 6x15    | <b>34890</b> | 135              | 2.700    |
|          | 7x10    | <b>34891</b> | 169              | 3.380    |
|          | 7x20    | <b>34892</b> | 78               | 1.560    |
|          | 8x17    | <b>34893</b> | 77               | 1.540    |
|          | 8x20    | <b>34894</b> | 66               | 1.320    |
|          | 9x15    | <b>34895</b> | 80               | 1.600    |
|          | 9x20    | <b>34896</b> | 60               | 1.200    |
|          | 11x19   | <b>34897</b> | 56               | 1.120    |
|          | 11x25   | <b>34898</b> | 40               | 800      |
|          | 11x38   | <b>34899</b> | 24               | 480      |
|          | 6x15    | <b>34840</b> | 135              | 2.700    |
| ■ yellow | 7x10    | <b>34841</b> | 169              | 3.380    |
|          | 7x20    | <b>34842</b> | 78               | 1.560    |
|          | 8x17    | <b>34843</b> | 77               | 1.540    |
|          | 8x20    | <b>34844</b> | 66               | 1.320    |
|          | 9x15    | <b>34845</b> | 80               | 1.600    |
|          | 9x20    | <b>34846</b> | 60               | 1.200    |
|          | 11x19   | <b>34847</b> | 56               | 1.120    |
|          | 11x25   | <b>34848</b> | 40               | 800      |
|          | 11x38   | <b>34849</b> | 24               | 480      |

**VYT Sheet 297x210mm**

|          |       |              |     |       |
|----------|-------|--------------|-----|-------|
| □ white  | 8x20  | <b>56900</b> | 297 | 2.970 |
|          | 9x15  | <b>56901</b> | 360 | 3.600 |
|          | 9x20  | <b>56902</b> | 270 | 2.700 |
|          | 11x19 | <b>56903</b> | 240 | 2.400 |
|          | 11x25 | <b>56904</b> | 168 | 1.680 |
|          | 11x38 | <b>56905</b> | 120 | 1.200 |
|          | 15x23 | <b>56906</b> | 144 | 1.440 |
|          | 15x36 | <b>56907</b> | 90  | 900   |
|          | 36x46 | <b>56910</b> | 28  | 280   |
|          | 8x20  | <b>56400</b> | 297 | 2.970 |
| ■ yellow | 9x15  | <b>56401</b> | 360 | 3.600 |
|          | 9x20  | <b>56402</b> | 270 | 2.700 |
|          | 11x19 | <b>56403</b> | 240 | 2.400 |
|          | 11x25 | <b>56404</b> | 168 | 1.680 |
|          | 11x38 | <b>56405</b> | 120 | 1.200 |
|          | 15x23 | <b>56406</b> | 144 | 1.440 |
|          | 15x36 | <b>56407</b> | 90  | 900   |
|          | 36x46 | <b>56410</b> | 28  | 280   |

VGT

**LABELS***self adhesive,  
precut vinyl fabric*

VGT dielectric vinyl fabric labels are used for internal and external marking. The range of available sizes allows marking of a great variety of components from different manufacturers. Print only with permanent pens.


**Material:** Vinyl fabric, thickness 0,15mm with acrylic adhesive. Resistant to water, alcohol, oils and acids

Use:  
Directly on suitable surfaces.

Print with: page  
Permanent pens 34  
PS-PLL support templates 33

**VGT Sheet 110x150mm**

| Colour                     | Size mm | Code         | Labels per sheet | Quantity |
|----------------------------|---------|--------------|------------------|----------|
| ■ yellow without border    | 6x15    | <b>38040</b> | 135              | 2.700    |
|                            | 7x10    | <b>38041</b> | 169              | 3.380    |
|                            | 7x20    | <b>38042</b> | 78               | 1.560    |
|                            | 8x17    | <b>38043</b> | 77               | 1.540    |
|                            | 8x20    | <b>38044</b> | 66               | 1.320    |
|                            | 9x15    | <b>38045</b> | 80               | 1.600    |
|                            | 9x20    | <b>38046</b> | 60               | 1.200    |
|                            | 11x19   | <b>38047</b> | 56               | 1.120    |
|                            | 11x25   | <b>38048</b> | 40               | 800      |
|                            | 11x38   | <b>38049</b> | 24               | 480      |
|                            | 11x19   | <b>38147</b> | 56               | 1.120    |
| ■ yellow with black border | 11x25   | <b>38148</b> | 40               | 800      |
|                            | 11x38   | <b>38149</b> | 24               | 480      |



PYT

## LABELS

self adhesive,  
precut polyester

PYT polyester labels are used for internal and external marking and have better resistance to high temperatures, temperature variations and shrinkage than vinyl versions.

**Material:** thin Polyester film, resistant to water, atmospheric oils, fat and agents. Excellent stability. The silver version contains aluminium

⌚ Temperature range  
-40°C to +150°C

Use:  
Directly on suitable surfaces.

Print with: page  
PS-PLL support templates 33

## PYT Sheet 110x150mm

| Colour | Size mm | Code  | Labels per sheet | Quantity |
|--------|---------|-------|------------------|----------|
| yellow | 6x15    | 57140 | 135              | 2.700    |
|        | 7x10    | 57141 | 169              | 3.380    |
|        | 7x20    | 57142 | 78               | 1.560    |
|        | 8x17    | 57143 | 77               | 1.540    |
|        | 8x20    | 57144 | 66               | 1.320    |
|        | 9x15    | 57145 | 80               | 1.600    |
|        | 9x20    | 57146 | 60               | 1.200    |
|        | 11x19   | 57147 | 56               | 1.120    |
|        | 11x25   | 57148 | 40               | 800      |
|        | 11x38   | 57149 | 24               | 480      |

## PYT Sheet 297x210mm

|        |       |       |     |       |
|--------|-------|-------|-----|-------|
| white  | 8x20  | 57900 | 297 | 2.970 |
|        | 9x15  | 57901 | 360 | 3.600 |
|        | 9x20  | 57902 | 270 | 2.700 |
|        | 11x19 | 57903 | 240 | 2.400 |
|        | 11x25 | 57904 | 168 | 1.680 |
|        | 11x38 | 57905 | 120 | 1.200 |
|        | 15x23 | 57906 | 144 | 1.440 |
|        | 15x36 | 57907 | 90  | 900   |
|        | 36x46 | 57910 | 28  | 280   |
|        | 8x20  | 57800 | 297 | 2.970 |
| silver | 9x15  | 57801 | 360 | 3.600 |
|        | 9x20  | 57802 | 270 | 2.700 |
|        | 11x19 | 57803 | 240 | 2.400 |
|        | 11x25 | 57804 | 168 | 1.680 |
|        | 11x38 | 57805 | 120 | 1.200 |
|        | 15x23 | 57806 | 144 | 1.440 |
|        | 15x36 | 57807 | 90  | 900   |
|        | 36x46 | 57810 | 28  | 280   |

SAT

## SECURITY LABELS

ultradestructible  
and anti-tamper film

**Ultradestructible film:** when removed, allowing two hours after application, this film will break up into very small fragments to prevent replacement.

⌚ Temperature range  
-30°C to +80°C

**"Checker-board" anti-tamper film:** when removed, leaves behind an imprint of squares on the surface as evidence of its removal.

⌚ Temperature range  
-40°C to +150°C

Use:  
Directly on suitable surfaces.

Print with: page  
PS-PLL support templates 33

## SAT-D ultradestructible self adhesive on sheet A4 (297x210mm). Square corners

| Colour | Size mm | Code  | Labels per sheet | Quantity |
|--------|---------|-------|------------------|----------|
| white  | 24x38   | 61090 | 55               | 550      |
|        | 36x46   | 61091 | 28               | 280      |
|        | 40x62   | 61092 | 18               | 180      |

## SAT-D ultradestructible self adhesive on sheet A4 (297x210mm). Rounded corners.

|       |       |       |    |     |
|-------|-------|-------|----|-----|
| white | 25x38 | 61093 | 40 | 400 |
|       | 30x55 | 61094 | 24 | 240 |
|       | 48x80 | 61095 | 10 | 100 |

## SAT-C "Checker-board" self adhesive on sheet A4 (297x210mm). Square corners

|               |       |       |    |     |
|---------------|-------|-------|----|-----|
| metallic grey | 24x38 | 61080 | 55 | 550 |
|               | 36x46 | 61081 | 28 | 280 |
|               | 40x62 | 61082 | 18 | 180 |

## SAT-C "Checker-board" self adhesive on sheet A4 (297x210mm). Rounded corners.

|               |       |       |    |     |
|---------------|-------|-------|----|-----|
| metallic grey | 25x38 | 61083 | 40 | 400 |
|               | 30x55 | 61084 | 24 | 240 |
|               | 48x80 | 61085 | 10 | 100 |

SPC

## A4 SHEET SELF ADHESIVE

for customised cutting

For customised label creation.

Use:  
Directly on suitable surfaces.

Print with: page  
PS-PLL support templates 33

### SPC sheet A4 (297x210mm)

| Colour                                     | Material                      | Code         | Quantity |
|--------------------------------------------|-------------------------------|--------------|----------|
| <input type="checkbox"/> white             | gloss Vinyl                   | <b>62090</b> | 20       |
|                                            | matt Polyester                | <b>62099</b> | 20       |
|                                            | ultradestructible film        | <b>62009</b> | 20       |
| <input checked="" type="checkbox"/> yellow | gloss Vinyl                   | <b>62040</b> | 20       |
|                                            | matt Polyester                | <b>62044</b> | 20       |
| <input type="checkbox"/> grey              | matt Polyester                | <b>62080</b> | 20       |
| <input type="checkbox"/> silver            | matt Polyester                | <b>62088</b> | 20       |
| <input type="checkbox"/> metallic grey     | checkerboard anti-tamper film | <b>62008</b> | 20       |
| <input type="checkbox"/> silver            | void anti-tamper film         | <b>62000</b> | 20       |

### SPC sheet 277x190mm

|                                         |              |    |
|-----------------------------------------|--------------|----|
| Polypropylene laminate (for Vinyl only) | <b>62111</b> | 20 |
|-----------------------------------------|--------------|----|

VRT 17.5

VRT 17.5 marker strips may be printed with upto 24 texts for 17,5mm modular components.

**Material:** rigid PVC, self extinguishing according to class V2 (UL94), thickness 1,0mm

Use:  
RTR-TAP & RTA-TAP legend rails 81  
Directly on suitable surfaces.

Print with:  
PS-PLM support templates 33

## MODULAR LEGENDS

ONLY FOR  
GRAPHTEC



### VRT 17.5 Legends

| Colour                                     | Size mm | Code         | N° of modules | Quantity |
|--------------------------------------------|---------|--------------|---------------|----------|
| <input type="checkbox"/> white             | 15x430  | <b>19159</b> | 24            | 30       |
| <input checked="" type="checkbox"/> yellow | 15x430  | <b>19154</b> | 24            | 30       |

### VRT-A 17.5 Self adhesive legends

|                                            |        |              |    |    |
|--------------------------------------------|--------|--------------|----|----|
| <input type="checkbox"/> white             | 15x430 | <b>19059</b> | 24 | 30 |
| <input checked="" type="checkbox"/> yellow | 15x430 | <b>19054</b> | 24 | 30 |

SELF  
ADHESIVE

**VRT****MARKER PLATES***rigid PVC*

VRT rigid PVC marker plates are used to create name plates, rating plates, data plates using company logos, technical data, serial numbers, EC certification, etc.

CPT (see p.80) transparent Polycarbonate covers can be used for increased durability.

**Material:** rigid PVC,  
self extinguishing according to  
class V2 (UL94), thickness 1,0mm

**VRT Use with CPT covers (see p.80)****UNDRILLED**

| Colour         | Size mm | Code         | Size of cover mm | Quantity |
|----------------|---------|--------------|------------------|----------|
| □ gloss white  | 32x58   | <b>57590</b> | 37x79            | 10       |
|                | 42x78   | <b>57591</b> | 47x98            | 10       |
|                | 62x88   | <b>57594</b> | 67x109           | 10       |
|                | 52x107  | <b>57592</b> | 57x127           | 10       |
|                | 92x120  | <b>57595</b> | 97x140           | 10       |
|                | 102x138 | <b>57593</b> | 108x160          | 10       |
| ■ gloss yellow | 32x58   | <b>57540</b> | 37x79            | 10       |
|                | 42x78   | <b>57541</b> | 47x98            | 10       |
|                | 62x88   | <b>57544</b> | 67x109           | 10       |
|                | 52x107  | <b>57542</b> | 57x127           | 10       |
|                | 92x120  | <b>57545</b> | 97x140           | 10       |
|                | 102x138 | <b>57543</b> | 108x160          | 10       |

**VRT-R Predrilled. Square corners**

Use:  
Directly on suitable surfaces.

Print with: page  
PS-PLL support templates 33

**PRE-DRILLED**

| Colour         | Size mm | Code         | Fixing hole ø mm | Quantity |
|----------------|---------|--------------|------------------|----------|
| □ gloss white  | 32x74   | <b>58900</b> | 3,0              | 20       |
|                | 40x60   | <b>58901</b> | 3,0              | 20       |
|                | 40x80   | <b>58902</b> | 3,0              | 20       |
|                | 50x80   | <b>58903</b> | 3,0              | 20       |
|                | 52x105  | <b>58904</b> | 3,0              | 20       |
|                | 60x120  | <b>58906</b> | 3,5              | 20       |
|                | 74x148  | <b>58907</b> | 3,5              | 20       |
|                | 100x150 | <b>58909</b> | 4,0              | 10       |
|                | 100x200 | <b>58910</b> | 4,0              | 10       |
| ■ gloss yellow | 32x74   | <b>58400</b> | 3,0              | 20       |
|                | 40x60   | <b>58401</b> | 3,0              | 20       |
|                | 40x80   | <b>58402</b> | 3,0              | 20       |
|                | 50x80   | <b>58403</b> | 3,0              | 20       |
|                | 52x105  | <b>58404</b> | 3,0              | 20       |
|                | 60x120  | <b>58406</b> | 3,5              | 20       |
|                | 74x148  | <b>58407</b> | 3,5              | 20       |
|                | 100x150 | <b>58409</b> | 4,0              | 10       |
|                | 100x200 | <b>58410</b> | 4,0              | 10       |

**VRT-R Predrilled. Rounded corners****PRE-DRILLED**

|                |         |              |     |    |
|----------------|---------|--------------|-----|----|
| □ gloss white  | 32x74   | <b>64900</b> | 3,0 | 20 |
|                | 40x60   | <b>64901</b> | 3,0 | 20 |
|                | 40x80   | <b>64902</b> | 3,0 | 20 |
|                | 50x80   | <b>64903</b> | 3,0 | 20 |
|                | 52x105  | <b>64904</b> | 3,0 | 20 |
|                | 60x120  | <b>64906</b> | 3,5 | 20 |
|                | 74x148  | <b>64907</b> | 3,5 | 20 |
|                | 100x150 | <b>64909</b> | 4,0 | 10 |
|                | 100x200 | <b>64910</b> | 4,0 | 10 |
| ■ gloss yellow | 32x74   | <b>64400</b> | 3,0 | 20 |
|                | 40x60   | <b>64401</b> | 3,0 | 20 |
|                | 40x80   | <b>64402</b> | 3,0 | 20 |
|                | 50x80   | <b>64403</b> | 3,0 | 20 |
|                | 52x105  | <b>64404</b> | 3,0 | 20 |
|                | 60x120  | <b>64406</b> | 3,5 | 20 |
|                | 74x148  | <b>64407</b> | 3,5 | 20 |
|                | 100x150 | <b>64409</b> | 4,0 | 10 |
|                | 100x200 | <b>64410</b> | 4,0 | 10 |

**VRT-A Self adhesive. Square corners****SELF  
ADHESIVE**

| Colour                                | Size mm | Code         | Quantity |
|---------------------------------------|---------|--------------|----------|
| <input type="checkbox"/> gloss white  | 32x74   | <b>68900</b> | 20       |
|                                       | 40x60   | <b>68901</b> | 20       |
|                                       | 40x80   | <b>68902</b> | 20       |
|                                       | 50x80   | <b>68903</b> | 20       |
|                                       | 52x105  | <b>68904</b> | 20       |
|                                       | 60x120  | <b>68906</b> | 20       |
|                                       | 74x148  | <b>68907</b> | 20       |
|                                       | 100x150 | <b>68909</b> | 10       |
| <input type="checkbox"/> gloss yellow | 100x200 | <b>68910</b> | 10       |
|                                       | 32x74   | <b>68400</b> | 20       |
|                                       | 40x60   | <b>68401</b> | 20       |
|                                       | 40x80   | <b>68402</b> | 20       |
|                                       | 50x80   | <b>68403</b> | 20       |
|                                       | 52x105  | <b>68404</b> | 20       |
|                                       | 60x120  | <b>68406</b> | 20       |
|                                       | 74x148  | <b>68407</b> | 20       |
|                                       | 100x150 | <b>68409</b> | 10       |
|                                       | 100x200 | <b>68410</b> | 10       |

**VRT-A Self adhesive. Rounded corners****SELF  
ADHESIVE**

|                                       |         |              |    |
|---------------------------------------|---------|--------------|----|
| <input type="checkbox"/> gloss white  | 32x74   | <b>70900</b> | 20 |
|                                       | 40x60   | <b>70901</b> | 20 |
|                                       | 40x80   | <b>70902</b> | 20 |
|                                       | 50x80   | <b>70903</b> | 20 |
|                                       | 52x105  | <b>70904</b> | 20 |
|                                       | 60x120  | <b>70906</b> | 20 |
|                                       | 74x148  | <b>70907</b> | 20 |
|                                       | 100x150 | <b>70909</b> | 10 |
| <input type="checkbox"/> gloss yellow | 100x200 | <b>70910</b> | 10 |
|                                       | 32x74   | <b>70400</b> | 20 |
|                                       | 40x60   | <b>70401</b> | 20 |
|                                       | 40x80   | <b>70402</b> | 20 |
|                                       | 50x80   | <b>70403</b> | 20 |
|                                       | 52x105  | <b>70404</b> | 20 |
|                                       | 60x120  | <b>70406</b> | 20 |
|                                       | 74x148  | <b>70407</b> | 20 |
|                                       | 100x150 | <b>70409</b> | 10 |
|                                       | 100x200 | <b>70410</b> | 10 |

**ALT****MARKER PLATES***rivet fixing, Aluminium*

**ALT** Aluminium marker plates are used to create name plates, rating plates, data plates using company logos, technical data, serial numbers, EC certification, etc.

**Material:** Aluminium natural anodised or painted gloss white; thickness 1,0mm

Use:  
Directly on suitable surfaces.

Print with: page  
PS-PLL support templates 33

**ALT-R Pre-drilled. Square corners.****PRE-DRILLED**

| Colour                                    | Size mm | Code         | Fixing hole ø mm | Quantity |
|-------------------------------------------|---------|--------------|------------------|----------|
| <input type="checkbox"/> natural anodised | 32x74   | <b>66800</b> | 3,0              | 20       |
|                                           | 40x60   | <b>66801</b> | 3,0              | 20       |
|                                           | 40x80   | <b>66802</b> | 3,0              | 20       |
|                                           | 50x80   | <b>66803</b> | 3,0              | 20       |
|                                           | 60x80   | <b>66804</b> | 3,0              | 20       |
|                                           | 60x120  | <b>66806</b> | 3,5              | 20       |
|                                           | 100x120 | <b>66807</b> | 3,5              | 20       |
|                                           | 100x150 | <b>66809</b> | 4,0              | 10       |
| <input type="checkbox"/> gloss white      | 100x200 | <b>66810</b> | 4,0              | 10       |
|                                           | 32x74   | <b>66900</b> | 3,0              | 20       |
|                                           | 40x60   | <b>66901</b> | 3,0              | 20       |
|                                           | 40x80   | <b>66902</b> | 3,0              | 20       |
|                                           | 50x80   | <b>66903</b> | 3,0              | 20       |
|                                           | 60x80   | <b>66904</b> | 3,0              | 20       |
|                                           | 60x120  | <b>66906</b> | 3,5              | 20       |
|                                           | 100x120 | <b>66907</b> | 3,5              | 20       |
|                                           | 100x150 | <b>66909</b> | 4,0              | 10       |
|                                           | 100x200 | <b>66910</b> | 4,0              | 10       |

**ALT-R Pre-drilled. Rounded corners.**

PRE-DRILLED



| Colour                                    | Size mm | Code         | Fixing hole ø mm | Quantity |
|-------------------------------------------|---------|--------------|------------------|----------|
| <input type="checkbox"/> natural anodised | 32x74   | <b>67800</b> | 3,0              | 20       |
|                                           | 40x60   | <b>67801</b> | 3,0              | 20       |
|                                           | 40x80   | <b>67802</b> | 3,0              | 20       |
|                                           | 50x80   | <b>67803</b> | 3,0              | 20       |
|                                           | 60x80   | <b>67804</b> | 3,0              | 20       |
|                                           | 60x120  | <b>67806</b> | 3,5              | 20       |
|                                           | 100x120 | <b>67807</b> | 3,5              | 20       |
|                                           | 100x150 | <b>67809</b> | 4,0              | 10       |
| <input type="checkbox"/> gloss white      | 100x200 | <b>67810</b> | 4,0              | 10       |
|                                           | 32x74   | <b>67900</b> | 3,0              | 20       |
|                                           | 40x60   | <b>67901</b> | 3,0              | 20       |
|                                           | 40x80   | <b>67902</b> | 3,0              | 20       |
|                                           | 50x80   | <b>67903</b> | 3,0              | 20       |
|                                           | 60x80   | <b>67904</b> | 3,0              | 20       |
|                                           | 60x120  | <b>67906</b> | 3,5              | 20       |
|                                           | 100x120 | <b>67907</b> | 3,5              | 20       |
|                                           | 100x150 | <b>67909</b> | 4,0              | 10       |
|                                           | 100x200 | <b>67910</b> | 4,0              | 10       |

**ALT-A Self adhesive. Square corners.**SELF  
ADHESIVE

|                                           |         |              |    |
|-------------------------------------------|---------|--------------|----|
| <input type="checkbox"/> natural anodised | 32x74   | <b>72800</b> | 20 |
|                                           | 40x60   | <b>72801</b> | 20 |
|                                           | 40x80   | <b>72802</b> | 20 |
|                                           | 50x80   | <b>72803</b> | 20 |
|                                           | 60x80   | <b>72804</b> | 20 |
|                                           | 60x120  | <b>72806</b> | 20 |
|                                           | 100x120 | <b>72807</b> | 20 |
|                                           | 100x150 | <b>72809</b> | 10 |
| <input type="checkbox"/> gloss white      | 100x200 | <b>72810</b> | 10 |
|                                           | 32x74   | <b>72900</b> | 20 |
|                                           | 40x60   | <b>72901</b> | 20 |
|                                           | 40x80   | <b>72902</b> | 20 |
|                                           | 50x80   | <b>72903</b> | 20 |
|                                           | 60x80   | <b>72904</b> | 20 |
|                                           | 60x120  | <b>72906</b> | 20 |
|                                           | 100x120 | <b>72907</b> | 20 |
|                                           | 100x150 | <b>72909</b> | 10 |
|                                           | 100x200 | <b>72910</b> | 10 |




**ALT-A Self adhesive. Rounded corners.**SELF  
ADHESIVE

|                                           |         |              |    |
|-------------------------------------------|---------|--------------|----|
| <input type="checkbox"/> natural anodised | 32x74   | <b>73800</b> | 20 |
|                                           | 40x60   | <b>73801</b> | 20 |
|                                           | 40x80   | <b>73802</b> | 20 |
|                                           | 50x80   | <b>73803</b> | 20 |
|                                           | 60x80   | <b>73804</b> | 20 |
|                                           | 60x120  | <b>73806</b> | 20 |
|                                           | 100x120 | <b>73807</b> | 20 |
|                                           | 100x150 | <b>73809</b> | 10 |
| <input type="checkbox"/> gloss white      | 100x200 | <b>73810</b> | 10 |
|                                           | 32x74   | <b>73900</b> | 20 |
|                                           | 40x60   | <b>73901</b> | 20 |
|                                           | 40x80   | <b>73902</b> | 20 |
|                                           | 50x80   | <b>73903</b> | 20 |
|                                           | 60x80   | <b>73904</b> | 20 |
|                                           | 60x120  | <b>73906</b> | 20 |
|                                           | 100x120 | <b>73907</b> | 20 |
|                                           | 100x150 | <b>73909</b> | 10 |
|                                           | 100x200 | <b>73910</b> | 10 |

## MARKING SYSTEM ACCESSORIES

To complete, enhance and protect the installation of MARKINGenius®, PLOT SYSTEM and RINGcablesys identification and labelling media, select the appropriate transparent

holders for cable markers, push button legend bases to fit the leading brands, legend mounting rail, marker plate and legend strip covers.



## PMF

PMF holders are specifically designed to accommodate pairs of appropriately sized cables.

**Material:** plasticised PVC, self extinguishing to class V0 (UL94), free of Cadmium, Lead, Silicon and Teflon. Resistant to alkali, alcohol, acid and many solvents

⚡ Temperature range:  
• -40°C to +90°C

|                          |      |
|--------------------------|------|
| Use with:                | page |
| MG-TPMF Cable tags, 4mm  | 8    |
| TPM-ROLL Cable tags, 4mm | 27   |

## TRANSPARENT HOLDERS

for serieFLAT cable tags MG-TPMF



| PMF-00                                                                            | Cable ext. Ø range 0,3 ÷ 2,2mm<br>Cable c.s.a range 0,1 ÷ 0,5mm <sup>2</sup> | Length mm | Code  | Quantity | MARKIN System |   | Rollu 1000 System |   |
|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------|-----------|-------|----------|---------------|---|-------------------|---|
|                                                                                   |                                                                              |           |       |          |               |   |                   |   |
|  |                                                                              | 10        | 90000 | 8.000    | ●             | ● | ●                 | ● |
|                                                                                   |                                                                              | 12        | 90010 | 7.000    | ●             | ● | ●                 | ● |
|                                                                                   |                                                                              | 15        | 90020 | 6.000    | ●             | ● | ●                 | ● |
|                                                                                   |                                                                              | 20        | 90040 | 4.000    | ●             | ● | ●                 | ● |
|                                                                                   |                                                                              | 30        | 90070 | 2.000    | ●             | ● | ●                 | ● |
|                                                                                   |                                                                              | 40        | 90090 | 2.500    | ●             | ● | ●                 | ● |
| PMF-01                                                                            | Cable ext. Ø range 2 ÷ 3,7mm<br>Cable c.s.a range 0,5 ÷ 2,5mm <sup>2</sup>   | Length mm | Code  | Quantity | MARKIN System |   | Rollu 1000 System |   |
|                                                                                   |                                                                              |           |       |          |               |   |                   |   |
|                                                                                   |                                                                              | 10        | 90100 | 6.000    | ●             | ● | ●                 | ● |
|                                                                                   |                                                                              | 12        | 90110 | 5.000    | ●             | ● | ●                 | ● |
|                                                                                   |                                                                              | 15        | 90120 | 4.000    | ●             | ● | ●                 | ● |
|                                                                                   |                                                                              | 20        | 90140 | 3.000    | ●             | ● | ●                 | ● |
| PMF-02                                                                            | Cable ext. Ø range 3,4 ÷ 4,3mm<br>Cable c.s.a range 2,5 ÷ 4mm <sup>2</sup>   | Length mm | Code  | Quantity | MARKIN System |   | Rollu 1000 System |   |
|                                                                                   |                                                                              |           |       |          |               |   |                   |   |
|                                                                                   |                                                                              | 10        | 90200 | 4.000    | ●             | ● | ●                 | ● |
|                                                                                   |                                                                              | 12        | 90210 | 4.000    | ●             | ● | ●                 | ● |
|                                                                                   |                                                                              | 15        | 90220 | 3.000    | ●             | ● | ●                 | ● |
|                                                                                   |                                                                              | 20        | 90240 | 2.000    | ●             | ● | ●                 | ● |
| PMF-03                                                                            | Cable ext. Ø range 4 ÷ 6,3mm<br>Cable c.s.a range 4 ÷ 10mm <sup>2</sup>      | Length mm | Code  | Quantity | MARKIN System |   | Rollu 1000 System |   |
|                                                                                   |                                                                              |           |       |          |               |   |                   |   |
|                                                                                   |                                                                              | 10        | 90300 | 3.000    | ●             | ● | ●                 | ● |
|                                                                                   |                                                                              | 12        | 90310 | 2.000    | ●             | ● | ●                 | ● |
|                                                                                   |                                                                              | 15        | 90320 | 2.000    | ●             | ● | ●                 | ● |
|                                                                                   |                                                                              | 20        | 90340 | 1.000    | ●             | ● | ●                 | ● |
| PMF-04                                                                            | Cable ext. Ø range 6 ÷ 10mm<br>Cable c.s.a range 10 ÷ 25mm <sup>2</sup>      | Length mm | Code  | Quantity | MARKIN System |   | Rollu 1000 System |   |
|                                                                                   |                                                                              |           |       |          |               |   |                   |   |
|                                                                                   |                                                                              | 10        | 90400 | 2.000    | ●             | ● | ●                 | ● |
|                                                                                   |                                                                              | 12        | 90410 | 1.000    | ●             | ● | ●                 | ● |
|                                                                                   |                                                                              | 15        | 90420 | 1.000    | ●             | ● | ●                 | ● |
|                                                                                   |                                                                              | 20        | 90440 | 500      | ●             | ● | ●                 | ● |
| PMF-05                                                                            | Cable ext. Ø range 9 ÷ 15mm<br>Cable c.s.a range 25 ÷ 70mm <sup>2</sup>      | Length mm | Code  | Quantity | MARKIN System |   | Rollu 1000 System |   |
|                                                                                   |                                                                              |           |       |          |               |   |                   |   |
|                                                                                   |                                                                              | 10        | 90500 | 500      | ●             | ● | ●                 | ● |
|                                                                                   |                                                                              | 12        | 90510 | 500      | ●             | ● | ●                 | ● |
|                                                                                   |                                                                              | 15        | 90520 | 250      | ●             | ● | ●                 | ● |
|                                                                                   |                                                                              | 20        | 90540 | 250      | ●             | ● | ●                 | ● |
| PMF-06                                                                            | Cable ext. Ø range 14 ÷ 26mm<br>Cable c.s.a range 70 ÷ 240mm <sup>2</sup>    | Length mm | Code  | Quantity | MARKIN System |   | Rollu 1000 System |   |
|                                                                                   |                                                                              |           |       |          |               |   |                   |   |
|                                                                                   |                                                                              | 10        | 90600 | 500      | ●             | ● | ●                 | ● |
|                                                                                   |                                                                              | 12        | 90610 | 250      | ●             | ● | ●                 | ● |
|                                                                                   |                                                                              | 15        | 90620 | 250      | ●             | ● | ●                 | ● |
|                                                                                   |                                                                              | 20        | 90640 | 100      | ●             | ● | ●                 | ● |

\*It is advisable to select the holder size based on the actual external diameter of the cable rather than its indicative c.s.a, due to variations in insulation thickness and conductor format.  
Holders can be produced in other lengths on request.

**PM**

PM holders are profiled to allow each type to accommodate a range of cable sizes.

**Material:** plasticised PVC, self extinguishing to class V0 (UL 94), free of Cadmium, Lead, Silicon and Teflon. Resistant to alkali, alcohol, acid and many solvents

⚡ Temperature range  
 • -40°C to +90°C

| Use with:        | page |
|------------------|------|
| MG-TPM tags, 4mm | 8    |
| TPM tags, 4mm    | 35   |
| PMP-30 markers   | 54   |
| PML-30 markers   | 55   |

## TRANSPARENT HOLDERS

for cables markers MG-TPM,  
TPM, PMP-30 and PML-30



### PM-00

Cable ext. Ø range 0,3 ÷ 2,2mm  
 Cable c.s.a range 0,1 ÷ 0,5mm²



| Length mm | Code  | Quantity | MARKIN<br>System | PLT SYSTEM<br>Plotter | RING<br>Manual |
|-----------|-------|----------|------------------|-----------------------|----------------|
| 10        | 50000 | 8.000    | ●                | ●                     | ●              |
| 10        | 50002 | 2.000    | ●                | ●                     | ●              |
| 12        | 50010 | 7.000    |                  | ●                     | ●              |
| 12        | 50012 | 2.000    |                  | ●                     | ●              |
| 15        | 50020 | 6.000    | ●                | ●                     | ●              |
| 15        | 50022 | 2.000    | ●                | ●                     | ●              |
| 18        | 50030 | 5.000    |                  | ●                     | ●              |
| 18        | 50032 | 1.000    |                  | ●                     | ●              |
| 21        | 50040 | 4.000    |                  |                       | ●              |
| 21        | 50042 | 1.000    |                  |                       | ●              |
| 23        | 50050 | 4.000    |                  | ●                     | ●              |
| 23        | 50052 | 1.000    |                  | ●                     | ●              |
| 27        | 50060 | 3.000    |                  | ●                     | ●              |
| 27        | 50062 | 1.000    |                  | ●                     | ●              |
| 30        | 50070 | 2.000    |                  | ●                     | ●              |
| 30        | 50072 | 500      |                  | ●                     | ●              |
| 1.000     | 50080 | 10       | ●                | ●                     | ●              |

### PM-01

Cable ext. Ø range 2 ÷ 3,7mm  
 Cable c.s.a range 0,5 ÷ 2,5mm²



|      |       |       |   |   |   |
|------|-------|-------|---|---|---|
| 10   | 50100 | 6.000 | ● | ● | ● |
| 10   | 50102 | 2.000 | ● | ● | ● |
| 12   | 50110 | 5.000 |   | ● | ● |
| 12   | 50112 | 1.000 |   | ● | ● |
| 15   | 50120 | 4.000 | ● | ● | ● |
| 15   | 50122 | 1.000 | ● | ● | ● |
| 18   | 50130 | 3.000 |   | ● | ● |
| 18   | 50132 | 1.000 |   | ● | ● |
| 21   | 50140 | 3.000 |   |   | ● |
| 21   | 50142 | 1.000 |   |   | ● |
| 23   | 50150 | 2.000 |   | ● | ● |
| 23   | 50152 | 500   |   | ● | ● |
| 27   | 50160 | 2.000 |   | ● | ● |
| 27   | 50162 | 500   |   | ● | ● |
| 30   | 50170 | 1.000 |   | ● | ● |
| 1000 | 50180 | 10    | ● | ● | ● |

### PM-02

Cable ext. Ø range 3,5 ÷ 4,3mm  
 Cable c.s.a range 2,5 ÷ 4mm²



|       |       |       |   |   |   |
|-------|-------|-------|---|---|---|
| 10    | 50200 | 4.000 | ● | ● | ● |
| 10    | 50202 | 1.000 | ● | ● | ● |
| 12    | 50210 | 4.000 |   | ● | ● |
| 12    | 50212 | 1.000 |   | ● | ● |
| 15    | 50220 | 3.000 | ● | ● | ● |
| 15    | 50222 | 1.000 | ● | ● | ● |
| 18    | 50230 | 2.000 |   | ● | ● |
| 18    | 50232 | 500   |   | ● | ● |
| 21    | 50240 | 2.000 |   |   | ● |
| 21    | 50242 | 500   |   |   | ● |
| 23    | 50250 | 2.000 |   | ● | ● |
| 23    | 50252 | 500   |   | ● | ● |
| 27    | 50260 | 1.000 |   | ● | ● |
| 30    | 50270 | 1.000 |   | ● | ● |
| 1.000 | 50280 | 10    | ● | ● | ● |

**PM-03**

Cable ext. Ø range 4 ÷ 6,3mm  
Cable c.s.a range 4 ÷ 10mm<sup>2</sup>



| Length mm | Code  | Quantity | MARKIN | PLOT SYSTEM | RING   |
|-----------|-------|----------|--------|-------------|--------|
|           |       |          | System | Plotter     | Manual |
| 10        | 50300 | 3.000    | ●      | ●           | ●      |
| 10        | 50302 | 1.000    | ●      | ●           | ●      |
| 12        | 50310 | 2.000    | ●      | ●           | ●      |
| 12        | 50312 | 500      | ●      | ●           | ●      |
| 15        | 50320 | 2.000    | ●      | ●           | ●      |
| 15        | 50322 | 500      | ●      | ●           | ●      |
| 18        | 50330 | 1.000    | ●      | ●           | ●      |
| 18        | 50331 | 500      | ●      | ●           | ●      |
| 21        | 50340 | 1.000    | ●      | ●           | ●      |
| 21        | 50341 | 500      | ●      | ●           | ●      |
| 23        | 50350 | 1.000    | ●      | ●           | ●      |
| 23        | 50352 | 250      | ●      | ●           | ●      |
| 27        | 50360 | 1.000    | ●      | ●           | ●      |
| 30        | 50370 | 500      | ●      | ●           | ●      |
| 1.000     | 50380 | 10       | ●      | ●           | ●      |

**PM-04**

Cable ext. Ø range 6 ÷ 10mm  
Cable c.s.a range 10 ÷ 25mm<sup>2</sup>



|       |       |       |   |   |   |
|-------|-------|-------|---|---|---|
| 10    | 50400 | 2.000 | ● | ● | ● |
| 10    | 50402 | 500   | ● | ● | ● |
| 12    | 50410 | 1.000 | ● | ● | ● |
| 12    | 50411 | 500   | ● | ● | ● |
| 15    | 50420 | 1.000 | ● | ● | ● |
| 15    | 50421 | 500   | ● | ● | ● |
| 18    | 50430 | 1.000 | ● | ● | ● |
| 18    | 50431 | 500   | ● | ● | ● |
| 21    | 50440 | 500   | ● | ● | ● |
| 21    | 50441 | 250   | ● | ● | ● |
| 23    | 50450 | 500   | ● | ● | ● |
| 27    | 50460 | 500   | ● | ● | ● |
| 30    | 50470 | 500   | ● | ● | ● |
| 1.000 | 50480 | 10    | ● | ● | ● |

**PM-05**

Cable ext. Ø range 9 ÷ 15mm  
Cable c.s.a range 25 ÷ 70mm<sup>2</sup>



|       |       |     |   |   |   |
|-------|-------|-----|---|---|---|
| 10    | 50500 | 500 | ● | ● | ● |
| 10    | 50502 | 150 | ● | ● | ● |
| 12    | 50510 | 500 | ● | ● | ● |
| 12    | 50512 | 125 | ● | ● | ● |
| 15    | 50521 | 250 | ● | ● | ● |
| 18    | 50530 | 250 | ● | ● | ● |
| 21    | 50540 | 250 | ● | ● | ● |
| 23    | 50550 | 250 | ● | ● | ● |
| 27    | 50560 | 250 | ● | ● | ● |
| 30    | 50570 | 250 | ● | ● | ● |
| 1.000 | 50580 | 10  | ● | ● | ● |

**PM-06**

Cable ext. Ø range 14 ÷ 26mm  
Cable c.s.a range 70 ÷ 240mm<sup>2</sup>



|       |       |     |   |   |   |
|-------|-------|-----|---|---|---|
| 10    | 50600 | 500 | ● | ● | ● |
| 10    | 50602 | 125 | ● | ● | ● |
| 12    | 50610 | 250 | ● | ● | ● |
| 15    | 50620 | 250 | ● | ● | ● |
| 18    | 50630 | 250 | ● | ● | ● |
| 21    | 50640 | 100 | ● | ● | ● |
| 23    | 50650 | 100 | ● | ● | ● |
| 27    | 50660 | 100 | ● | ● | ● |
| 30    | 50670 | 100 | ● | ● | ● |
| 1.000 | 50680 | 10  | ● | ● | ● |

\*It is advisable to select the holder size based on the actual external diameter of the cable rather than its indicative c.s.a, due to variations in insulation thickness and conductor format.  
Holders can be produced in other lengths on request.

PM-L

PM-L holders are thinner than PM versions and specifically designed to accommodate pairs of appropriately sized cables.

**Material:** plasticised PVC, self extinguishing to class V0 (UL 94), free of Cadmium, Lead, Silicon and Teflon. Resistant to alkali, alcohol, acid and many solvents

⚡ Temperature range  
 • -40°C to +90°C

| Use with:        | page |
|------------------|------|
| MG-TPM tags, 4mm | 8    |
| TPM tags, 4mm    | 35   |
| PMP-30 markers   | 54   |
| PML-30 markers   | 55   |

## TRANSPARENT HOLDERS

light version for cable markers

MG-TPM, TPM, PMP-30 & PML-30



### PM-01L

Cable ext. Ø range 2 ÷ 3,7mm  
 Cable c.s.a range 0,5 ÷ 2,5mm<sup>2</sup>



| Length mm | Code  | Quantity | MARKIN | PLAT SYSTEM | PMO    |
|-----------|-------|----------|--------|-------------|--------|
|           |       |          | System | Plotter     | Manual |
| 10        | 10100 | 6.000    | ●      | ●           | ●      |
| 10        | 10102 | 2.000    | ●      | ●           | ●      |
| 12        | 10110 | 5.000    | ●      | ●           | ●      |
| 12        | 10112 | 1.000    | ●      | ●           | ●      |
| 15        | 10120 | 4.000    | ●      | ●           | ●      |
| 15        | 10122 | 1.000    | ●      | ●           | ●      |
| 18        | 10130 | 3.000    | ●      | ●           | ●      |
| 18        | 10132 | 1.000    | ●      | ●           | ●      |
| 21        | 10140 | 3.000    | ●      | ●           | ●      |
| 21        | 10142 | 1.000    | ●      | ●           | ●      |
| 23        | 10150 | 2.000    | ●      | ●           | ●      |
| 23        | 10152 | 500      | ●      | ●           | ●      |
| 27        | 10160 | 2.000    | ●      | ●           | ●      |
| 27        | 10162 | 500      | ●      | ●           | ●      |
| 30        | 10170 | 1.000    | ●      | ●           | ●      |
| 1.000     | 10180 | 10       | ●      | ●           | ●      |

### PM-02L

Cable ext. Ø range 3,5 ÷ 4,3mm  
 Cable c.s.a range 2,5 ÷ 4mm<sup>2</sup>



| Length mm | Code  | Quantity | System | Plotter | Manual |
|-----------|-------|----------|--------|---------|--------|
| 10        | 10200 | 4.000    | ●      | ●       | ●      |
| 10        | 10202 | 1.000    | ●      | ●       | ●      |
| 12        | 10210 | 4.000    | ●      | ●       | ●      |
| 12        | 10212 | 1.000    | ●      | ●       | ●      |
| 15        | 10220 | 3.000    | ●      | ●       | ●      |
| 15        | 10222 | 1.000    | ●      | ●       | ●      |
| 18        | 10230 | 2.000    | ●      | ●       | ●      |
| 18        | 10232 | 500      | ●      | ●       | ●      |
| 21        | 10240 | 2.000    | ●      | ●       | ●      |
| 21        | 10242 | 500      | ●      | ●       | ●      |
| 23        | 10250 | 2.000    | ●      | ●       | ●      |
| 23        | 10252 | 500      | ●      | ●       | ●      |
| 27        | 10260 | 1.000    | ●      | ●       | ●      |
| 30        | 10270 | 1.000    | ●      | ●       | ●      |
| 1000      | 10280 | 10       | ●      | ●       | ●      |

\*It is advisable to select the holder size based on the actual external diameter of the cable rather than its indicative c.s.a, due to variations in insulation thickness and conductor format.  
 Holders can be produced in other lengths on request.


**PMS**

**PMS** holders are designed specifically for use in restricted spaces, eg with sheathed cables, terminal blocks, and multicontact components.

**Material:** plasticised PVC, self extinguishing to class V0 (UL94), free of Cadmium, Lead, Silicon and Teflon. Resistant to alkali, alcohol, acid and many solvents

⚡ Temperature range:  
• -40°C to +90°C

| Use with:        | page |
|------------------|------|
| MG-TPM tags, 4mm | 8    |
| TPM tags, 4mm    | 35   |
| PMP-30 markers   | 54   |
| PML-30 markers   | 55   |

**TRANSPARENT HOLDERS***slim version for cable markers**MG-TPM, TPM, PMP-30 & PML-30***PMS-01**

Cable ext. Ø range 2 ÷ 3mm.  
Cable c.s.a range 0,5 ÷ 1,5mm<sup>2</sup>



| Length mm | Code  | Quantity | MARKIN<br>Genius<br>System | PLOT SYSTEM<br>Plotter | RING<br>cables<br>Manual |
|-----------|-------|----------|----------------------------|------------------------|--------------------------|
| 10        | 80100 | 5.000    | ●                          | ●                      | ●                        |
| 10        | 80102 | 1.000    | ●                          | ●                      | ●                        |
| 12        | 80110 | 4.000    | ●                          | ●                      | ●                        |
| 12        | 80112 | 1.000    | ●                          | ●                      | ●                        |
| 15        | 80120 | 4.000    | ●                          | ●                      | ●                        |
| 15        | 80122 | 1.000    | ●                          | ●                      | ●                        |
| 18        | 80130 | 3.000    | ●                          | ●                      | ●                        |
| 18        | 80132 | 1.000    | ●                          | ●                      | ●                        |
| 21        | 80140 | 3.000    | ●                          | ●                      | ●                        |
| 21        | 80142 | 1.000    | ●                          | ●                      | ●                        |
| 23        | 80150 | 2.000    | ●                          | ●                      | ●                        |
| 23        | 80152 | 500      | ●                          | ●                      | ●                        |
| 27        | 80160 | 2.000    | ●                          | ●                      | ●                        |
| 27        | 80162 | 500      | ●                          | ●                      | ●                        |
| 30        | 80170 | 1.000    | ●                          | ●                      | ●                        |
| 1.000     | 80180 | 10       | ●                          | ●                      | ●                        |

**PMS-02**

Cable ext. Ø range 3,2 ÷ 4mm. Cable c.s.a range 2,5 ÷ 4mm<sup>2</sup>



|       |       |       |   |   |   |
|-------|-------|-------|---|---|---|
| 10    | 80200 | 4.000 | ● | ● | ● |
| 10    | 80202 | 1.000 | ● | ● | ● |
| 12    | 80210 | 4.000 | ● | ● | ● |
| 12    | 80212 | 1.000 | ● | ● | ● |
| 15    | 80220 | 3.000 | ● | ● | ● |
| 15    | 80222 | 1.000 | ● | ● | ● |
| 18    | 80230 | 2.000 | ● | ● | ● |
| 18    | 80232 | 500   | ● | ● | ● |
| 21    | 80240 | 2.000 | ● | ● | ● |
| 21    | 80242 | 500   | ● | ● | ● |
| 23    | 80250 | 2.000 | ● | ● | ● |
| 23    | 80252 | 500   | ● | ● | ● |
| 27    | 80260 | 1.000 | ● | ● | ● |
| 30    | 80270 | 1.000 | ● | ● | ● |
| 1.000 | 80280 | 10    | ● | ● | ● |

**PMS-03**

Cable ext. Ø range 4 ÷ 5mm. Cable c.s.a range 4 ÷ 6mm<sup>2</sup>



|       |       |       |   |   |   |
|-------|-------|-------|---|---|---|
| 10    | 80300 | 3.000 | ● | ● | ● |
| 10    | 80302 | 1.000 | ● | ● | ● |
| 12    | 80310 | 2.000 | ● | ● | ● |
| 12    | 80312 | 500   | ● | ● | ● |
| 15    | 80320 | 2.000 | ● | ● | ● |
| 15    | 80322 | 500   | ● | ● | ● |
| 18    | 80330 | 1.000 | ● | ● | ● |
| 18    | 80331 | 500   | ● | ● | ● |
| 21    | 80340 | 1.000 | ● | ● | ● |
| 21    | 80341 | 500   | ● | ● | ● |
| 23    | 80350 | 1.000 | ● | ● | ● |
| 23    | 80352 | 250   | ● | ● | ● |
| 27    | 80360 | 1.000 | ● | ● | ● |
| 30    | 80370 | 500   | ● | ● | ● |
| 1.000 | 80380 | 10    | ● | ● | ● |

**PMS-04**

Cable ext. Ø range 5 ÷ 6,5mm. Cable c.s.a range 10 ÷ 16mm<sup>2</sup>



|       |       |       |   |   |   |
|-------|-------|-------|---|---|---|
| 10    | 80400 | 2.000 | ● | ● | ● |
| 10    | 80402 | 500   | ● | ● | ● |
| 12    | 80410 | 2.000 | ● | ● | ● |
| 12    | 80411 | 1.000 | ● | ● | ● |
| 15    | 80420 | 1.000 | ● | ● | ● |
| 15    | 80421 | 500   | ● | ● | ● |
| 18    | 80430 | 1.000 | ● | ● | ● |
| 18    | 80431 | 500   | ● | ● | ● |
| 21    | 80440 | 1.000 | ● | ● | ● |
| 21    | 80441 | 500   | ● | ● | ● |
| 23    | 80450 | 500   | ● | ● | ● |
| 27    | 80460 | 500   | ● | ● | ● |
| 30    | 80470 | 500   | ● | ● | ● |
| 1.000 | 80480 | 10    | ● | ● | ● |

\*It is advisable to select the holder size based on the actual external diameter of the cable rather than its indicative c.s.a, due to variations in insulation thickness and conductor format.  
Holders can be produced in other lengths on request.

**PMF**

**Material:** plasticised PVC, self extinguishing to class V0 (UL 94), free of Cadmium, Lead, Silicon and Teflon. Resistant to alkali, alcohol, acid and many solvents

⚠ Temperature range  
 -40°C to +90°C

|                    |      |
|--------------------|------|
| Use with:          | page |
| MG-TPMF tags, 4mm  | 8    |
| TPM-ROLL tags, 4mm | 27   |

## TRANSPARENT HOLDERS

other mounting formats  
for serieFLAT tags MG-TPMF

### PMF-AC

#### Self adhesive for surface mounting

SELF  
ADHESIVE



| Length mm | Code  | Quantity | System | System |
|-----------|-------|----------|--------|--------|
| 10        | 66000 | 5.000    | ●      | ●      |
| 12        | 66010 | 4.000    | ●      | ●      |
| 15        | 66020 | 4.000    | ●      | ●      |
| 20        | 66040 | 4.000    | ●      | ●      |
| 30        | 66070 | 2.000    | ●      | ●      |
| 40        | 66090 | 1.000    | ●      |        |

### PMF-ET

#### Tie-on (tie width max 6mm) for longitudinal mounting on cables, hoses, tubes and conduit



|    |          |       |   |   |
|----|----------|-------|---|---|
| 15 | * 63020  | 2.000 | ● | ● |
| 20 | * 63040  | 1.000 | ● | ● |
| 30 | * 63070  | 1.000 | ● | ● |
| 40 | ** 63090 | 500   | ● |   |

\* 1 tie, \*\* two ties  
 Note: Ties not supplied

PM

**Material:** plasticised PVC, self extinguishing to class V0 (UL 94), free of Cadmium, Lead, Silicon and Teflon. Resistant to alkali, alcohol, acid and many solvents

⚡ Temperature range  
● -40°C to +90°C

| Use with:        | page |
|------------------|------|
| MG-TPM tags, 4mm | 8    |
| TPM tags, 4mm    | 35   |
| PMP-30 markers   | 54   |
| PML-30 markers   | 55   |

## TRANSPARENT HOLDERS

other mounting formats  
for MG-TPM, TPM, PMP-30 & PML-30



### PM-AC

Self adhesive for surface mounting


SELF  
ADHESIVE



| Length mm | Code  | Quantity | MARKIN<br>Genius<br>System | PLUT SYSTEM<br>Plotter | PM30<br>cables<br>Manual |
|-----------|-------|----------|----------------------------|------------------------|--------------------------|
| 10        | 51000 | 5.000    | ●                          | ●                      | ●                        |
| 10        | 51002 | 1.000    | ●                          | ●                      | ●                        |
| 12        | 51010 | 4.000    | ●                          | ●                      | ●                        |
| 12        | 51012 | 1.000    | ●                          | ●                      | ●                        |
| 15        | 51020 | 4.000    | ●                          | ●                      | ●                        |
| 15        | 51022 | 1.000    | ●                          | ●                      | ●                        |
| 18        | 51030 | 3.000    | ●                          | ●                      | ●                        |
| 18        | 51032 | 1.000    | ●                          | ●                      | ●                        |
| 21        | 51040 | 2.000    | ●                          | ●                      | ●                        |
| 21        | 51042 | 500      | ●                          | ●                      | ●                        |
| 23        | 51050 | 2.000    | ●                          | ●                      | ●                        |
| 23        | 51052 | 500      | ●                          | ●                      | ●                        |
| 27        | 51060 | 2.000    | ●                          | ●                      | ●                        |
| 27        | 51062 | 500      | ●                          | ●                      | ●                        |
| 30        | 51070 | 2.000    | ●                          | ●                      | ●                        |
| 30        | 51072 | 500      | ●                          | ●                      | ●                        |
| 1.000     | 51080 | 10       | ●                          | ●                      | ●                        |

### PM-ET

Tie-on (tie width max 6mm) for longitudinal mounting on cables, hoses, tubes and conduit



|    |          |       |   |   |   |
|----|----------|-------|---|---|---|
| 12 | * 53010  | 2.000 | ● | ● | ● |
| 12 | * 53012  | 500   | ● | ● | ● |
| 15 | * 53020  | 2.000 | ● | ● | ● |
| 15 | * 53022  | 500   | ● | ● | ● |
| 18 | * 53030  | 1.000 | ● | ● | ● |
| 21 | * 53040  | 1.000 | ● | ● | ● |
| 23 | * 53050  | 1.000 | ● | ● | ● |
| 27 | * 53060  | 1.000 | ● | ● | ● |
| 30 | * 53070  | 1.000 | ● | ● | ● |
| 40 | ** 53090 | 500   | ● | ● | ● |

### PM-DT

Tie-on (tie width max 4mm) for longitudinal mounting on cables, hoses, tubes and conduit



|      |       |       |   |   |   |
|------|-------|-------|---|---|---|
| 10   | 55000 | 7.000 | ● | ● | ● |
| 10   | 55002 | 2.000 | ● | ● | ● |
| 12   | 55010 | 6.000 | ● | ● | ● |
| 12   | 55012 | 2.000 | ● | ● | ● |
| 15   | 55020 | 5.000 | ● | ● | ● |
| 15   | 55022 | 1.000 | ● | ● | ● |
| 18   | 55030 | 3.000 | ● | ● | ● |
| 18   | 55032 | 1.000 | ● | ● | ● |
| 21   | 55040 | 3.000 | ● | ● | ● |
| 21   | 55042 | 1.000 | ● | ● | ● |
| 23   | 55050 | 3.000 | ● | ● | ● |
| 23   | 55052 | 1.000 | ● | ● | ● |
| 27   | 55060 | 2.000 | ● | ● | ● |
| 27   | 55062 | 500   | ● | ● | ● |
| 30   | 55070 | 2.000 | ● | ● | ● |
| 30   | 55072 | 500   | ● | ● | ● |
| 1000 | 55080 | 10    | ● | ● | ● |

\* 1 tie, \*\* two ties  
Note: Ties not supplied

## PMT

**Material:** plasticised PVC, self extinguishing to class V0 (UL94), free of Cadmium, Lead, Silicon and Teflon. Resistant to alkali, alcohol, acid and many solvents

⚡ Temperature range  
• -40°C to +90°C

|                      |      |
|----------------------|------|
| Use with:            | page |
| MG-TAP legends, 15mm | 14   |
| TAP legends, 15mm    | 45   |

## TRANSPARENT HOLDERS

other mounting formats  
for 15mm and 9mm legends



### PMT-AC Self adhesive for surface mounting of 15mm legends

SELF  
ADHESIVE



| Length mm | Code  | Quantity | MARIN<br>Genius<br>System | PLOT SYSTEM<br>Plotter |
|-----------|-------|----------|---------------------------|------------------------|
| 17        | 59002 | 500      | ●                         | ●                      |
| 27        | 59010 | 1.000    | ●                         | ●                      |
| 49        | 59020 | 500      | ●                         | ●                      |
| 67        | 59030 | 250      | ●                         | ●                      |
| 1.000     | 59060 | 10       | ●                         | ●                      |

### PMT-ET

Tie on (tie width max 6mm) for longitudinal mounting on cables, hoses, tubes and conduit of 15mm legends



|    |         |     |   |   |
|----|---------|-----|---|---|
| 17 | *54000  | 500 | ● | ● |
| 27 | *54010  | 500 | ● | ● |
| 49 | **54020 | 250 | ● | ● |
| 67 | **54030 | 250 | ● | ● |

### PMT-DT

Tie on (tie width max 14,5mm) for longitudinal mounting on cables, hoses, tubes and conduit of 15mm legends



|       |       |     |   |   |
|-------|-------|-----|---|---|
| 17    | 60002 | 500 | ● | ● |
| 27    | 60012 | 500 | ● | ● |
| 49    | 60020 | 250 | ● | ● |
| 67    | 60030 | 500 | ● | ● |
| 1.000 | 60060 | 10  | ● | ● |

\*1 tie, \*\*two ties  
Note: Ties not supplied

|                      |      |
|----------------------|------|
| Use with:            | page |
| MG-TAPW legends, 9mm | 15   |
| TAPW legends, 9mm    | 46   |

### PMT-AC Self adhesive for surface mounting of 9mm legends

SELF  
ADHESIVE



| Length mm | Code  | Quantity | MARIN<br>Genius<br>System | PLOT SYSTEM<br>Plotter |
|-----------|-------|----------|---------------------------|------------------------|
| 20        | 59042 | 500      | ●                         | ●                      |
| 35        | 59050 | 500      | ●                         | ●                      |
| 1.000     | 59070 | 10       | ●                         | ●                      |

### PMT-ET

Tie-on (tie width max 6mm) for longitudinal mounting on cables, hoses, tubes and conduit of 9mm legends



|    |       |       |   |   |
|----|-------|-------|---|---|
| 20 | 54040 | 1.000 | ● | ● |
| 35 | 54050 | 500   | ● | ● |

### PMT-DT

Tie-on (tie width max 8,5mm) for longitudinal mounting on cables, hoses, tubes and conduit of 9mm legends



|       |       |       |   |   |
|-------|-------|-------|---|---|
| 20    | 60042 | 500   | ● | ● |
| 35    | 60050 | 1.000 | ● | ● |
| 1.000 | 60070 | 10    | ● | ● |

\*1 tie, \*\*two ties  
Note: Ties not supplied

PT

**PUSH BUTTON LEGEND BASES***for Ø 22,5mm manual operators*

Ø 22.5mm push button legend bases to fit a wide range of popular brands.

Type PTO without locators may offer a higher level of ingress protection depending upon installation method.

All types have a hole behind the legend for rivet fixing, while PT...A types are adhesive backed.

All types can be fitted with a transparent legend cover TAP-CCS 990521.

**Material:** Polycarbonate, self extinguishing to class V2 (UL 94)

|                         |      |
|-------------------------|------|
| Use with:               | page |
| MG-TAP legends, 15x27mm | 14   |
| TAP legends, 15x27mm    | 45   |

**PTS-22****Size 17x30mm with locators, rivet fixing**

| Colour          | Code  | Quantity | MARKIN system | PLOT SYSTEM |
|-----------------|-------|----------|---------------|-------------|
| ■ black         | 34002 | 100      | •             | •           |
| □ grey RAL 7032 | 34082 | 100      | •             | •           |
| □ grey RAL 7035 | 34092 | 100      | •             | •           |

**PTS-24****Size 17x30mm for Telemecanique, rivet fixing**

|         |       |     |   |   |
|---------|-------|-----|---|---|
| ■ black | 68002 | 100 | • | • |
|---------|-------|-----|---|---|

**PTO-22****Size 17x30mm without locators, rivet fixing**

|         |       |     |   |   |
|---------|-------|-----|---|---|
| ■ black | 34802 | 100 | • | • |
|---------|-------|-----|---|---|

**PTR-22****Size 17x30mm with locators, rounded, rivet fixing**

|                 |       |     |   |   |
|-----------------|-------|-----|---|---|
| ■ black         | 34102 | 100 | • | • |
| □ grey RAL 7032 | 34182 | 100 | • | • |
| □ grey RAL 7035 | 34192 | 100 | • | • |

**PTSA-22****Size 17x30mm with locators, self adhesive**

|                 |       |     |   |   |
|-----------------|-------|-----|---|---|
| ■ black         | 34602 | 100 | • | • |
| □ grey RAL 7032 | 34682 | 100 | • | • |
| □ grey RAL 7035 | 34692 | 100 | • | • |

SELF ADHESIVE

**PTSA-24****Size 17x30mm for Telemecanique, self adhesive**

|         |       |     |   |   |
|---------|-------|-----|---|---|
| ■ black | 68602 | 100 | • | • |
|---------|-------|-----|---|---|

SELF ADHESIVE

**PTOA-22****Size 17x30mm without locators, self adhesive**

|         |       |     |   |   |
|---------|-------|-----|---|---|
| ■ black | 34902 | 100 | • | • |
|---------|-------|-----|---|---|

SELF ADHESIVE

**PTRA-22****Size 17x30mm with locators, rounded, self adhesive**

|                 |       |     |   |   |
|-----------------|-------|-----|---|---|
| ■ black         | 34702 | 100 | • | • |
| □ grey RAL 7032 | 34782 | 100 | • | • |
| □ grey RAL 7035 | 34792 | 100 | • | • |

SELF ADHESIVE

# PL

## LEGEND BASES for general purpose applications



PLR legend bases may be fixed to flat surfaces by rivet or in some sizes, by cable tie to tubes, conduits, etc.

PLA versions are self adhesive. TAP-CCS transparent covers may be fitted to protect the legends.

**Material:** Polycarbonate, self extinguishing to class V2 (UL 94)

|                      |      |
|----------------------|------|
| Use with:            | page |
| MG-TAP legends, 15mm | 14   |
| TAP legends, 15mm    | 45   |
| RT legend rails      | 81   |



SELF  
ADHESIVE

### PLR

#### Rivet fixing rectangular legend base



| Colour             | Size mm | Code          | Marker plate size<br>MG-TAP & TAP mm | Quantity | System | Plotter |
|--------------------|---------|---------------|--------------------------------------|----------|--------|---------|
| ■ black            | 17x20   | <b>34202</b>  | 15x17                                | 100      | ●      | ●       |
|                    | 17x30   | <b>34302</b>  | 15x27                                | 100      | ●      | ●       |
|                    | 17x52   | <b>*34402</b> | 15x49                                | 100      | ●      | ●       |
|                    | 17x70   | <b>*34502</b> | 15x67                                | 100      | ●      | ●       |
| □ grey<br>RAL 7032 | 17x20   | <b>34282</b>  | 15x17                                | 100      | ●      | ●       |
|                    | 17x30   | <b>34382</b>  | 15x27                                | 100      | ●      | ●       |
|                    | 17x52   | <b>*34482</b> | 15x49                                | 100      | ●      | ●       |
|                    | 17x70   | <b>*34582</b> | 15x67                                | 100      | ●      | ●       |
| □ grey<br>RAL 7035 | 17x20   | <b>34292</b>  | 15x17                                | 100      | ●      | ●       |
|                    | 17x30   | <b>34392</b>  | 15x27                                | 100      | ●      | ●       |
|                    | 17x52   | <b>*34492</b> | 15x49                                | 100      | ●      | ●       |
|                    | 17x70   | <b>*34592</b> | 15x67                                | 100      | ●      | ●       |

### PLA

#### Self adhesive rectangular legend base



|                    |       |              |       |     |   |   |
|--------------------|-------|--------------|-------|-----|---|---|
| ■ black            | 17x20 | <b>35002</b> | 15x17 | 100 | ● | ● |
|                    | 17x30 | <b>35102</b> | 15x27 | 100 | ● | ● |
|                    | 17x52 | <b>35202</b> | 15x49 | 100 | ● | ● |
|                    | 17x70 | <b>35302</b> | 15x67 | 100 | ● | ● |
|                    | 17x70 | <b>35302</b> | 15x67 | 100 | ● | ● |
| □ grey<br>RAL 7032 | 17x20 | <b>35082</b> | 15x17 | 100 | ● | ● |
|                    | 17x30 | <b>35182</b> | 15x27 | 100 | ● | ● |
|                    | 17x52 | <b>35282</b> | 15x49 | 100 | ● | ● |
|                    | 17x70 | <b>35382</b> | 15x67 | 100 | ● | ● |
|                    | 17x70 | <b>35382</b> | 15x67 | 100 | ● | ● |
| □ grey<br>RAL 7035 | 17x20 | <b>35092</b> | 15x17 | 100 | ● | ● |
|                    | 17x30 | <b>35192</b> | 15x27 | 100 | ● | ● |
|                    | 17x52 | <b>35292</b> | 15x49 | 100 | ● | ● |
|                    | 17x70 | <b>35392</b> | 15x67 | 100 | ● | ● |
|                    | 17x70 | <b>35392</b> | 15x67 | 100 | ● | ● |

\*tie-on (ties not supplied)

# TAP-CCS

|                             |      |
|-----------------------------|------|
| Use with:                   | page |
| PT push button legend bases | 79   |
| PL legend bases             | 80   |
| RT legend rails             | 81   |

## TRANSPARENT COVERS




### TAP-CCS



| Size mm | Code          | Quantity | System | Plotter |
|---------|---------------|----------|--------|---------|
| 15x17   | <b>990520</b> | 540      | ●      | ●       |
| 15x27   | <b>990521</b> | 360      | ●      | ●       |
| 15x49   | <b>990522</b> | 180      | ●      | ●       |
| 15x67   | <b>990523</b> | 90       | ●      | ●       |

# CPT

## TRANSPARENT COVERS for marker plates and legend bases



|                      |      |
|----------------------|------|
| Use with:            | page |
| MG-VRT marker plates | 21   |
| VRT marker plates    | 50   |

### CPT



| Size mm | Code         | Marker plate<br>MG-VRT & VRT mm | Quantity | System | Plotter |
|---------|--------------|---------------------------------|----------|--------|---------|
| 37x79   | <b>47590</b> | 32x58                           | 10       | ●      | ●       |
| 47x98   | <b>47591</b> | 42x78                           | 10       | ●      | ●       |
| 57x127  | <b>47592</b> | 52x107                          | 10       | ●      | ●       |
| 67x109  | <b>47594</b> | 62x88                           | 10       | ●      | ●       |
| 97x140  | <b>47593</b> | 92x120                          | 10       | ●      | ●       |
| 108x160 | <b>47595</b> | 102x138                         | 10       | ●      | ●       |

RT

LEGEND RAIL  
& PROTECTIVE  
COVERS

Legend rails provide an alternative to direct marking on components.

**Material:** Rigid dielectric high-impact PVC.

Lead-free, self extinguishing according to class V2 (UL94), resistant to acid, alcohol, solvents.


Non-deformable up to 87°C

SELF  
ADHESIVE

|                                |      |
|--------------------------------|------|
| Use with:                      | page |
| MG-TAP legends, 15mm           | 14   |
| MG-17.5 modular legends&labels | 20   |
| TAP legends, 15mm              | 45   |
| VRT 17.5 modular legends       | 49   |

## RTR-TAP


## Pre-drilled rail for 15mm legends



| Colour  | Length mm | Code   | Quantity | MARKIN<br>System | PLOT SYSTEM<br>Plotter |
|---------|-----------|--------|----------|------------------|------------------------|
| ■ black | 430       | 990454 | 25       | ●                | ●                      |
|         | 650       | 990664 | 25       | ●                | ●                      |
|         | 1.000     | 990524 | 25       | ●                | ●                      |
| ■ grey  | 430       | 990452 | 25       | ●                | ●                      |
|         | 650       | 990662 | 25       | ●                | ●                      |
|         | 1.000     | 990502 | 25       | ●                | ●                      |

## RTA-TAP

## Self adhesive rail for 15mm legends



|         |       |        |    |   |   |
|---------|-------|--------|----|---|---|
| ■ black | 430   | 990455 | 25 | ● | ● |
|         | 650   | 990665 | 25 | ● | ● |
|         | 1.000 | 990525 | 25 | ● | ● |
| ■ grey  | 430   | 990453 | 25 | ● | ● |
|         | 650   | 990663 | 25 | ● | ● |
|         | 1.000 | 990503 | 25 | ● | ● |

## RT-CCP

## Protective cover for 15mm legend rail



|               |       |        |    |   |   |
|---------------|-------|--------|----|---|---|
| □ transparent | 430   | 990456 | 25 | ● | ● |
|               | 650   | 990666 | 25 | ● | ● |
|               | 1.000 | 990504 | 25 | ● | ● |

## RT-CCPS

## Protective strip for 15mm legend rail




|               |       |        |    |   |   |
|---------------|-------|--------|----|---|---|
| □ transparent | 430   | 990457 | 25 | ● | ● |
|               | 650   | 990667 | 25 | ● | ● |
|               | 1.000 | 990735 | 25 | ● | ● |

|                      |      |
|----------------------|------|
| Use with:            | page |
| MG-TAPW legends, 9mm | 15   |
| TAPW legends, 9mm    | 46   |

## RTR-TAPW

## Pre-drilled rail for 9mm legends



| Colour  | Length mm | Code   | Quantity | MARKIN<br>System | PLOT SYSTEM<br>Plotter |
|---------|-----------|--------|----------|------------------|------------------------|
| ■ black | 430       | 990654 | 25       | ●                | ●                      |
|         | 650       | 990794 | 25       | ●                | ●                      |
|         | 1.000     | 990526 | 25       | ●                | ●                      |
| ■ grey  | 430       | 990652 | 25       | ●                | ●                      |
|         | 650       | 990792 | 25       | ●                | ●                      |
|         | 1.000     | 990505 | 25       | ●                | ●                      |

SELF  
ADHESIVE

## RTA-TAPW

## Self adhesive rail for 9mm legends



|         |       |        |    |   |   |
|---------|-------|--------|----|---|---|
| ■ black | 430   | 990655 | 25 | ● | ● |
|         | 650   | 990795 | 25 | ● | ● |
|         | 1.000 | 990527 | 25 | ● | ● |
| ■ grey  | 430   | 990653 | 25 | ● | ● |
|         | 650   | 990793 | 25 | ● | ● |
|         | 1.000 | 990506 | 25 | ● | ● |

## RT-CCW

## Protective cover for 9mm legend rail



|               |       |        |    |   |   |
|---------------|-------|--------|----|---|---|
| □ transparent | 430   | 990656 | 25 | ● | ● |
|               | 650   | 990796 | 25 | ● | ● |
|               | 1.000 | 990507 | 25 | ● | ● |

## RT-CCWS

## Protective strip for 9mm legend rail




|               |       |        |    |   |   |
|---------------|-------|--------|----|---|---|
| □ transparent | 430   | 990657 | 25 | ● | ● |
|               | 650   | 990797 | 25 | ● | ● |
|               | 1.000 | 990734 | 25 | ● | ● |

|                 |      |
|-----------------|------|
| Use with:       | page |
| PL legend bases | 80   |

## RTR-PL

## Pre-drilled rail for PL legend bases




| Colour  | Length mm | Code   | Quantity | MARKIN<br>System | PLOT SYSTEM<br>Plotter |
|---------|-----------|--------|----------|------------------|------------------------|
| ■ black | 430       | 990518 | 25       | ●                | ●                      |
|         | 650       | 990738 | 25       | ●                | ●                      |
|         | 1.000     | 990528 | 25       | ●                | ●                      |
| ■ grey  | 430       | 990516 | 25       | ●                | ●                      |
|         | 650       | 990736 | 25       | ●                | ●                      |
|         | 1.000     | 990500 | 25       | ●                | ●                      |

SELF  
ADHESIVE




## RTA-PL

## Self adhesive rail for PL legend bases



|         |       |        |    |   |   |
|---------|-------|--------|----|---|---|
| ■ black | 430   | 990519 | 25 | ● | ● |
|         | 650   | 990739 | 25 | ● | ● |
|         | 1.000 | 990529 | 25 | ● | ● |
| ■ grey  | 430   | 990517 | 25 | ● | ● |
|         | 650   | 990737 | 25 | ● | ● |
|         | 1.000 | 990501 | 25 | ● | ● |

## TERMINAL BLOCK MARKER CROSS REFERENCE CHART



### MODULAR



**Modular markers use:**  
 Marker width = Clip width  
 Marker pitch = Clip pitch

### PITCH



**Single markers use:**  
 Marker width = Clip width  
 Marker pitch = Clip pitch

### COMPATIBLE TO PITCH



**Single markers use:**  
 Marker width < Clip width  
 Marker pitch = Clip pitch

### SINGLE



**Single markers use:**  
 Marker width = Clip width  
 Marker pitch ≠ Clip pitch

### COMPATIBLE



**Single markers use:**  
 Marker width < Clip width  
 Marker pitch ≠ Clip pitch

Due to the continuous development of terminal blocks, it is advisable to regularly check the suitability of selected markers.

• 102 •

## Phoenix Contact (cont.)

| Size mm              | 5x10            | 5x10            | 5x10            | 7.6x105              | 5.2x105       | 3.9x10       | 5x15         | 6x10         | 6x15         |              |  |  |  |  |  |  |  |  |  |
|----------------------|-----------------|-----------------|-----------------|----------------------|---------------|--------------|--------------|--------------|--------------|--------------|--|--|--|--|--|--|--|--|--|
| Marker, push in      | MG-CPM-03 41291 | MG-CPM-04 41390 | MG-CPM-04 41395 | STF-04 42804 bracket | MG-CPMF 43094 | CPM-03 41290 | CPM-04 41390 | CPM-04 41391 | CPM-04 41392 | CPM-04 41393 |  |  |  |  |  |  |  |  |  |
| Terminal block       |                 |                 |                 |                      |               |              |              |              |              |              |  |  |  |  |  |  |  |  |  |
| DFK 4 - SI           | C               | C               | M               |                      |               |              | C            | C            | S            | S            |  |  |  |  |  |  |  |  |  |
| DIK 1.5              | C               | C               | M               |                      |               |              | C            | C            | S            | S            |  |  |  |  |  |  |  |  |  |
| DIK 1.5 - LA (RD)    | C               | C               | M               |                      |               |              | C            | C            | S            | S            |  |  |  |  |  |  |  |  |  |
| DIKD 1.5             | C               | C               | M               |                      |               |              | C            | C            | S            | S            |  |  |  |  |  |  |  |  |  |
| DIKD 1.5 - LA        | C               | C               | M               |                      |               |              | C            | C            | S            | S            |  |  |  |  |  |  |  |  |  |
| DIKD 1.5 - PV        | C               | C               | M               |                      |               |              | C            | C            | S            | S            |  |  |  |  |  |  |  |  |  |
| DLK 2.5 - PE         | C               | C               | M               |                      |               |              | C            | C            | S            | S            |  |  |  |  |  |  |  |  |  |
| DLKB 2.5 PE          | C               | C               | M               |                      |               |              | C            | C            | S            | S            |  |  |  |  |  |  |  |  |  |
| DOK 1.5 - 2D         | C               | C               | M               |                      |               |              | C            | C            | S            | S            |  |  |  |  |  |  |  |  |  |
| DOK 1.5 LA           | C               | C               | M               |                      |               |              | C            | C            | S            | S            |  |  |  |  |  |  |  |  |  |
| DOK 1.5 TG           | C               | C               | M               |                      |               |              | C            | C            | S            | S            |  |  |  |  |  |  |  |  |  |
| DOKD 1.5 - TG        | C               | C               | M               |                      |               |              | C            | C            | S            | S            |  |  |  |  |  |  |  |  |  |
| E - UK               | C               | C               | M               |                      |               |              | C            | C            | S            | S            |  |  |  |  |  |  |  |  |  |
| GBS 5-UK/B           | S               | S               | M               | M                    |               |              | S            | S            |              |              |  |  |  |  |  |  |  |  |  |
| GTF 76/230           | C               | C               | M               |                      |               |              | C            | C            | C            | C            |  |  |  |  |  |  |  |  |  |
| IBIL ...             | C               | C               | M               |                      |               |              | C            | C            |              |              |  |  |  |  |  |  |  |  |  |
| K4 - SP              | C               | C               | M               | M                    |               |              | C            | C            | C            | C            |  |  |  |  |  |  |  |  |  |
| MBK 3/ E - Z         | S               | S               | M               | M                    |               |              | S            | S            |              |              |  |  |  |  |  |  |  |  |  |
| MBK 3/ E - Z - PE    | S               | S               | M               |                      |               |              | S            | S            |              |              |  |  |  |  |  |  |  |  |  |
| MBK 6 / E            | C               | C               | M               | M                    |               |              | C            | C            | C            | C            |  |  |  |  |  |  |  |  |  |
| MBKKB 2.5            | S               | S               | M               | M                    |               |              | S            | S            |              |              |  |  |  |  |  |  |  |  |  |
| MBKKB 2.5 - DIO      | S               | S               | M               | M                    |               |              | S            | S            |              |              |  |  |  |  |  |  |  |  |  |
| MBKKB 2.5 - PV       | S               | S               | M               | M                    |               |              | S            | S            |              |              |  |  |  |  |  |  |  |  |  |
| MBKKB 2.5 + V        | S               | S               | M               |                      |               |              | S            | S            |              |              |  |  |  |  |  |  |  |  |  |
| MBT 2.5              | C               | C               | M               |                      |               |              | C            | C            | S            | S            |  |  |  |  |  |  |  |  |  |
| MBT 2.5 PE           | C               | C               | M               |                      |               |              | C            | C            | S            | S            |  |  |  |  |  |  |  |  |  |
| MSLKG 6              | C               | C               | M               |                      |               |              | C            | C            | S            | S            |  |  |  |  |  |  |  |  |  |
| MT 1.5               |                 |                 |                 |                      |               | S            |              |              |              |              |  |  |  |  |  |  |  |  |  |
| MT 1.5 PE            |                 |                 |                 |                      |               | S            |              |              |              |              |  |  |  |  |  |  |  |  |  |
| MT 1.5 QUATTRO       |                 |                 |                 |                      |               | S            |              |              |              |              |  |  |  |  |  |  |  |  |  |
| MT 1.5 QUATTRO - PE  |                 |                 |                 |                      |               | S            |              |              |              |              |  |  |  |  |  |  |  |  |  |
| MT 1.5 TWIN          |                 |                 |                 |                      |               | S            |              |              |              |              |  |  |  |  |  |  |  |  |  |
| MT 1.5 TWIN - PE     |                 |                 |                 |                      |               | S            |              |              |              |              |  |  |  |  |  |  |  |  |  |
| MTK - LOE            | S               | S               | M               | M                    |               |              | S            | S            |              |              |  |  |  |  |  |  |  |  |  |
| MTK - P/P            | S               | S               | M               | M                    |               |              | S            | S            |              |              |  |  |  |  |  |  |  |  |  |
| MTK - TP             | S               | S               | M               | M                    |               |              | S            | S            |              |              |  |  |  |  |  |  |  |  |  |
| MTKD...              | C               | C               | M               |                      |               |              | C            | C            | C            | C            |  |  |  |  |  |  |  |  |  |
| MTTB 1.5             |                 |                 |                 |                      | S             |              |              |              |              |              |  |  |  |  |  |  |  |  |  |
| OTTA 2.5             | C               | C               | M               |                      |               |              | C            | C            | C            | C            |  |  |  |  |  |  |  |  |  |
| OTTA 2.5 PE          | C               | C               | M               |                      |               |              | C            | C            | C            | C            |  |  |  |  |  |  |  |  |  |
| OTTA 6               | C               | C               | M               |                      |               |              | C            | C            | C            | C            |  |  |  |  |  |  |  |  |  |
| OTTA 6 - PE          | C               | C               | M               |                      |               |              | C            | C            | C            | C            |  |  |  |  |  |  |  |  |  |
| OTTA 6 - T           | C               | C               | M               |                      |               |              | C            | C            | C            | C            |  |  |  |  |  |  |  |  |  |
| OTTA 25              | C               | C               | M               |                      |               |              | C            | C            | C            | C            |  |  |  |  |  |  |  |  |  |
| PIK 4 - L            | C               | C               | M               |                      |               |              | C            | S            |              |              |  |  |  |  |  |  |  |  |  |
| PIK 4 - L / L        | C               | C               | M               |                      |               |              | C            | S            |              |              |  |  |  |  |  |  |  |  |  |
| PIK 4 - L / LB       | C               | C               | M               |                      |               |              | C            | S            |              |              |  |  |  |  |  |  |  |  |  |
| PIK 4 - PE / L / NT  | C               | C               | M               |                      |               |              | C            | S            |              |              |  |  |  |  |  |  |  |  |  |
| PIK 4 - PE / L / NTB | C               | C               | M               |                      |               |              | C            | S            |              |              |  |  |  |  |  |  |  |  |  |
| PIK 4 PE / L / L     | C               | C               | M               |                      |               |              | C            | S            |              |              |  |  |  |  |  |  |  |  |  |
| PIK 4 PE / L / N     | C               | C               | M               |                      |               |              | C            | S            |              |              |  |  |  |  |  |  |  |  |  |
| PIK 6 - L / L        | C               | C               | M               |                      |               |              | C            | C            | S            | S            |  |  |  |  |  |  |  |  |  |
| PIK 6 - PE / L / L   | C               | C               | M               |                      |               |              | C            | C            | S            | S            |  |  |  |  |  |  |  |  |  |
| PIK 6 - PE / L / N   | C               | C               | M               |                      |               |              | C            | C            | S            | S            |  |  |  |  |  |  |  |  |  |
| PLC RSC              | C               | C               | M               |                      |               |              | C            | C            | S            | S            |  |  |  |  |  |  |  |  |  |
| QT 1.5               | C               | C               | M               |                      |               |              | C            | S            |              |              |  |  |  |  |  |  |  |  |  |
| QT 1.5 TWIN          | C               | C               | M               |                      |               |              | C            |              |              |              |  |  |  |  |  |  |  |  |  |
| QT 1.5-PE            | C               | C               | M               |                      |               |              | C            | S            |              |              |  |  |  |  |  |  |  |  |  |
| RTK                  | C               | C               | M               |                      |               |              | C            | C            | S            | S            |  |  |  |  |  |  |  |  |  |
| SLKK 5               | C               | C               | M               |                      |               |              | C            | C            | S            | S            |  |  |  |  |  |  |  |  |  |
| SLKK 5 - LA          | C               | C               | M               |                      |               |              | C            | C            | S            | S            |  |  |  |  |  |  |  |  |  |
| SSK 0525 KER-EX      | C               | C               | M               |                      |               |              | C            | C            | S            | S            |  |  |  |  |  |  |  |  |  |
| SSK 110 KER-EX       | C               | C               | M               |                      |               |              | C            | C            | S            | S            |  |  |  |  |  |  |  |  |  |
| SSK 116 KER-EX       | C               | C               | M               |                      |               |              | C            | C            | S            | S            |  |  |  |  |  |  |  |  |  |
| ST 4                 |                 |                 |                 | M                    |               |              |              |              |              |              |  |  |  |  |  |  |  |  |  |
| ST 4 TWIN            |                 |                 |                 | M                    |               |              |              |              |              |              |  |  |  |  |  |  |  |  |  |
| TML...               | C               | C               | M               |                      |               |              | C            | C            | S            | S            |  |  |  |  |  |  |  |  |  |
| UDK 3                | S               | S               | M               | M                    |               |              | S            | S            |              |              |  |  |  |  |  |  |  |  |  |
| UDK 3 - PE           | S               | S               | M               | M                    |               |              | S            | S            |              |              |  |  |  |  |  |  |  |  |  |
| UDK 4                | C               | C               | M               |                      |               |              | C            | C            | S            | S            |  |  |  |  |  |  |  |  |  |
| UDK 4 - ILA          | C               | C               | M               |                      |               |              | C            | C            | S            | S            |  |  |  |  |  |  |  |  |  |
| UDK 4 - ULA          | C               | C               | M               |                      |               |              | C            | C            | S            | S            |  |  |  |  |  |  |  |  |  |
| UDK 4 MTK - P / P    | C               | C               | M               |                      |               |              | C            | C            | S            | S            |  |  |  |  |  |  |  |  |  |
| UDK 4 TG             | C               | C               | M               |                      |               |              | C            | C            | S            | S            |  |  |  |  |  |  |  |  |  |
| UDMTK 5 - P / P      | C               | C               | M               |                      |               |              | C            | C            | S            | S            |  |  |  |  |  |  |  |  |  |
| UDMTK 5 - TWIN - P/P | C               | C               | M               |                      |               |              | C            | C            | S            | S            |  |  |  |  |  |  |  |  |  |
| UHSK / S 2000        | C               | C               | M               |                      |               |              | C            | C            | S            | S            |  |  |  |  |  |  |  |  |  |
| UHV 25               | C               | C               | M               |                      |               |              | C            | C            | S            | S            |  |  |  |  |  |  |  |  |  |
| UHV 50               | C               | C               | M               |                      |               |              | C            | C            | S            | S            |  |  |  |  |  |  |  |  |  |
| UHV 95               | C               | C               | M               |                      |               |              | C            | C            | S            | S            |  |  |  |  |  |  |  |  |  |

## Phoenix Contact (cont.)

|  | Size mm |  | Marker, push in |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|--|---------|--|-----------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
|--|---------|--|-----------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|

## Phoenix Contact (cont.)

| Terminal block | Size mm |  | Marker, push in |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|----------------|---------|--|-----------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
|----------------|---------|--|-----------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|

## Siemens

[illegible]

## Wago

| Terminal block    | Marker, push in | Size mm              |                      |                      |                      |                      |                      |                             |                             |                             |                         |                   |                   |                   |                   |                   |                     |                   |                   |                   |                   |                   |   |
|-------------------|-----------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|-----------------------------|-----------------------------|-----------------------------|-------------------------|-------------------|-------------------|-------------------|-------------------|-------------------|---------------------|-------------------|-------------------|-------------------|-------------------|-------------------|---|
|                   |                 | MG-CPM-01 41090 5x10 | MG-CPM-01 41091 5x15 | MG-CPM-02 41190 5x10 | MG-CPM-03 41291 5x10 | MG-CPM-03 41293 5x10 | MG-CPM-04 41390 5x10 | STF-01 42801 6x10 (no clut) | STF-03 42803 6x10 (no clut) | STF-04 42804 6x10 (no clut) | MG-CPMF 43093 10, 5x105 | CPM-01 31090 5x10 | CPM-01 31091 5x15 | CPM-01 31092 6x10 | CPM-01 31093 6x15 | CPM-02 31190 5x10 | CPM-03 36290 3,9x10 | CPM-04 31390 5x10 | CPM-04 31391 5x15 | CPM-04 31392 6x10 | CPM-04 31393 6x15 | CPM-08 31790 6x12 |   |
| 2002-1201 Top-Job |                 | S                    | S                    | S                    |                      |                      |                      | M                           |                             |                             | M                       | S                 | S                 | S                 |                   | S                 |                     |                   |                   |                   |                   |                   |   |
| 2002-1401 Top-Job |                 | S                    | S                    | S                    |                      |                      |                      | M                           |                             |                             | M                       | S                 | S                 | S                 |                   | S                 |                     |                   |                   |                   |                   |                   |   |
| 2004-1201 Top-Job |                 | C                    | C                    | C                    |                      |                      |                      | M                           |                             |                             | M                       | C                 | C                 | S                 | S                 | C                 |                     |                   |                   |                   |                   |                   | S |
| 279-104           |                 |                      |                      |                      |                      |                      |                      |                             |                             |                             |                         |                   |                   |                   |                   |                   | S                   |                   |                   |                   |                   |                   |   |
| 279-105           |                 |                      |                      |                      |                      |                      |                      |                             |                             |                             |                         |                   |                   |                   |                   |                   | S                   |                   |                   |                   |                   |                   |   |
| 279-106           |                 |                      |                      |                      |                      |                      |                      |                             |                             |                             |                         |                   |                   |                   |                   |                   | S                   |                   |                   |                   |                   |                   |   |
| 279-107           |                 |                      |                      |                      |                      |                      |                      |                             |                             |                             |                         |                   |                   |                   |                   |                   | S                   |                   |                   |                   |                   |                   |   |
| 279-108           |                 |                      |                      |                      |                      |                      |                      |                             |                             |                             |                         |                   |                   |                   |                   |                   | S                   |                   |                   |                   |                   |                   |   |
| 279-109           |                 |                      |                      |                      |                      |                      |                      |                             |                             |                             |                         |                   |                   |                   |                   |                   | S                   |                   |                   |                   |                   |                   |   |
| 279-110           |                 |                      |                      |                      |                      |                      |                      |                             |                             |                             |                         |                   |                   |                   |                   |                   | S                   |                   |                   |                   |                   |                   |   |
| 279-111           |                 |                      |                      |                      |                      |                      |                      |                             |                             |                             |                         |                   |                   |                   |                   |                   | S                   |                   |                   |                   |                   |                   |   |
| 279-112           |                 |                      |                      |                      |                      |                      |                      |                             |                             |                             |                         |                   |                   |                   |                   |                   | S                   |                   |                   |                   |                   |                   |   |
| 279-113           |                 |                      |                      |                      |                      |                      |                      |                             |                             |                             |                         |                   |                   |                   |                   |                   | S                   |                   |                   |                   |                   |                   |   |
| 279-114           |                 |                      |                      |                      |                      |                      |                      |                             |                             |                             |                         |                   |                   |                   |                   |                   | S                   |                   |                   |                   |                   |                   |   |
| 279-115           |                 |                      |                      |                      |                      |                      |                      |                             |                             |                             |                         |                   |                   |                   |                   |                   | S                   |                   |                   |                   |                   |                   |   |
| 279-116           |                 |                      |                      |                      |                      |                      |                      |                             |                             |                             |                         |                   |                   |                   |                   |                   | S                   |                   |                   |                   |                   |                   |   |
| 279-117           |                 |                      |                      |                      |                      |                      |                      |                             |                             |                             |                         |                   |                   |                   |                   |                   | S                   |                   |                   |                   |                   |                   |   |
| 279-118           |                 |                      |                      |                      |                      |                      |                      |                             |                             |                             |                         |                   |                   |                   |                   |                   | S                   |                   |                   |                   |                   |                   |   |
| 279-119           |                 |                      |                      |                      |                      |                      |                      |                             |                             |                             |                         |                   |                   |                   |                   |                   | S                   |                   |                   |                   |                   |                   |   |
| 279-120           |                 |                      |                      |                      |                      |                      |                      |                             |                             |                             |                         |                   |                   |                   |                   |                   | S                   |                   |                   |                   |                   |                   |   |
| 279-121           |                 |                      |                      |                      |                      |                      |                      |                             |                             |                             |                         |                   |                   |                   |                   |                   | S                   |                   |                   |                   |                   |                   |   |
| 279-122           |                 |                      |                      |                      |                      |                      |                      |                             |                             |                             |                         |                   |                   |                   |                   |                   | S                   |                   |                   |                   |                   |                   |   |
| 279-123           |                 |                      |                      |                      |                      |                      |                      |                             |                             |                             |                         |                   |                   |                   |                   |                   | S                   |                   |                   |                   |                   |                   |   |
| 279-124           |                 |                      |                      |                      |                      |                      |                      |                             |                             |                             |                         |                   |                   |                   |                   |                   | S                   |                   |                   |                   |                   |                   |   |
| 279-125           |                 |                      |                      |                      |                      |                      |                      |                             |                             |                             |                         |                   |                   |                   |                   |                   | S                   |                   |                   |                   |                   |                   |   |
| 279-126           |                 |                      |                      |                      |                      |                      |                      |                             |                             |                             |                         |                   |                   |                   |                   |                   | S                   |                   |                   |                   |                   |                   |   |
| 279-127           |                 |                      |                      |                      |                      |                      |                      |                             |                             |                             |                         |                   |                   |                   |                   |                   | S                   |                   |                   |                   |                   |                   |   |
| 279-128           |                 |                      |                      |                      |                      |                      |                      |                             |                             |                             |                         |                   |                   |                   |                   |                   | S                   |                   |                   |                   |                   |                   |   |
| 279-129           |                 |                      |                      |                      |                      |                      |                      |                             |                             |                             |                         |                   |                   |                   |                   |                   | S                   |                   |                   |                   |                   |                   |   |
| 279-130           |                 |                      |                      |                      |                      |                      |                      |                             |                             |                             |                         |                   |                   |                   |                   |                   | S                   |                   |                   |                   |                   |                   |   |
| 279-131           |                 |                      |                      |                      |                      |                      |                      |                             |                             |                             |                         |                   |                   |                   |                   |                   | S                   |                   |                   |                   |                   |                   |   |
| 279-132           |                 |                      |                      |                      |                      |                      |                      |                             |                             |                             |                         |                   |                   |                   |                   |                   | S                   |                   |                   |                   |                   |                   |   |
| 280-520           |                 |                      |                      |                      | P                    | M                    | C                    |                             | M                           |                             |                         |                   |                   |                   |                   |                   |                     | S                 | S                 |                   |                   |                   |   |
| 280-560           |                 |                      |                      |                      | P                    | M                    | C                    |                             | M                           | M                           |                         |                   |                   |                   |                   |                   |                     | S                 | S                 |                   |                   |                   |   |
| 280-601           |                 |                      |                      |                      | P                    | M                    | C                    |                             |                             | M                           |                         |                   |                   |                   |                   |                   |                     | S                 | S                 |                   |                   |                   |   |
| 280-607           |                 |                      |                      |                      | P                    | M                    | C                    |                             |                             | M                           |                         |                   |                   |                   |                   |                   |                     | S                 | S                 |                   |                   |                   |   |
| 280-612           |                 |                      |                      |                      | P                    | M                    | C                    |                             |                             | M                           |                         |                   |                   |                   |                   |                   |                     | S                 | S                 |                   |                   |                   |   |
| 280-622           |                 |                      |                      |                      | P                    | M                    | C                    |                             |                             | M                           |                         |                   |                   |                   |                   |                   |                     | S                 | S                 |                   |                   |                   |   |
| 280-626           |                 |                      |                      |                      | P                    | M                    | C                    |                             |                             | M                           |                         |                   |                   |                   |                   |                   |                     | S                 | S                 |                   |                   |                   |   |
| 280-641           |                 |                      |                      |                      | P                    | M                    | C                    |                             |                             | M                           |                         |                   |                   |                   |                   |                   |                     | S                 | S                 |                   |                   |                   |   |
| 280-646           |                 |                      |                      |                      | P                    | M                    | C                    |                             | M                           |                             |                         |                   |                   |                   |                   |                   |                     | S                 | S                 |                   |                   |                   |   |
| 280-649           |                 |                      |                      |                      | P                    | M                    | C                    |                             | M                           |                             |                         |                   |                   |                   |                   |                   |                     | S                 | S                 |                   |                   |                   |   |
| 280-650           |                 |                      |                      |                      | P                    | M                    | C                    |                             | M                           |                             |                         |                   |                   |                   |                   |                   |                     | S                 | S                 |                   |                   |                   |   |
| 280-651           |                 |                      |                      |                      | P                    | M                    | C                    |                             | M                           |                             |                         |                   |                   |                   |                   |                   |                     | S                 | S                 |                   |                   |                   |   |
| 280-653           |                 |                      |                      |                      | P                    | M                    | C                    |                             | M                           |                             |                         |                   |                   |                   |                   |                   |                     | S                 | S                 |                   |                   |                   |   |
| 280-654           |                 |                      |                      |                      | P                    | M                    | C                    |                             | M                           |                             |                         |                   |                   |                   |                   |                   |                     | S                 | S                 |                   |                   |                   |   |
| 280-656           |                 |                      |                      |                      | P                    | M                    | C                    |                             | M                           |                             |                         |                   |                   |                   |                   |                   |                     | S                 | S                 |                   |                   |                   |   |
| 280-671           |                 |                      |                      |                      | P                    | M                    | C                    |                             | M                           |                             |                         |                   |                   |                   |                   |                   |                     | S                 | S                 |                   |                   |                   |   |
| 280-672           |                 |                      |                      |                      | P                    | M                    | C                    |                             | M                           |                             |                         |                   |                   |                   |                   |                   |                     | S                 | S                 |                   |                   |                   |   |
| 280-676           |                 |                      |                      |                      | P                    | M                    | C                    |                             | M                           |                             |                         |                   |                   |                   |                   |                   |                     | S                 | S                 |                   |                   |                   |   |
| 280-681           |                 |                      |                      |                      | P                    | M                    | C                    |                             | M                           |                             |                         |                   |                   |                   |                   |                   |                     | S                 | S                 |                   |                   |                   |   |
| 280-683           |                 |                      |                      |                      | P                    | M                    | C                    |                             | M                           |                             |                         |                   |                   |                   |                   |                   |                     | S                 | S                 |                   |                   |                   |   |
| 280-684           |                 |                      |                      |                      | P                    | M                    | C                    |                             | M                           |                             |                         |                   |                   |                   |                   |                   |                     | S                 | S                 |                   |                   |                   |   |
| 280-685           |                 |                      |                      |                      | P                    | M                    | C                    |                             | M                           |                             |                         |                   |                   |                   |                   |                   |                     | S                 | S                 |                   |                   |                   |   |
| 280-687           |                 |                      |                      |                      | P                    | M                    | C                    |                             | M                           |                             |                         |                   |                   |                   |                   |                   |                     | S                 | S                 |                   |                   |                   |   |

## Wago (cont.)

| Terminal block | Size mm | Marker, push in |
|----------------|---------|-----------------|
| 280-695        | 5x10    | MG-CPM-01 41090 |
| 280-830        | 5x15    | MG-CPM-01 41091 |
| 280-831        | 5x10    | MG-CPM-02 41190 |
| 280-832        | 5x10    | MG-CPM-03 41291 |
| 280-833        | 5x10    | MG-CPM-03 41293 |
| 280-834        | 5x10    | MG-CPM-04 41390 |
| 280-835        | 5x10    | MG-CPM-04 41390 |
| 280-836        | 5x10    | MG-CPM-04 41390 |
| 280-837        | 5x10    | MG-CPM-04 41390 |
| 280-869        | 5x10    | MG-CPM-04 41390 |
| 280-870        | 5x10    | MG-CPM-04 41390 |
| 280-871        | 5x10    | MG-CPM-04 41390 |
| 280-874        | 5x10    | MG-CPM-04 41390 |
| 280-875        | 5x10    | MG-CPM-04 41390 |
| 280-876        | 5x10    | MG-CPM-04 41390 |
| 280-878        | 5x10    | MG-CPM-04 41390 |
| 280-880        | 5x10    | MG-CPM-04 41390 |
| 280-881        | 5x10    | MG-CPM-04 41390 |
| 280-882        | 5x10    | MG-CPM-04 41390 |
| 280-883        | 5x10    | MG-CPM-04 41390 |
| 280-884        | 5x10    | MG-CPM-04 41390 |
| 280-885        | 5x10    | MG-CPM-04 41390 |
| 280-901        | 5x10    | MG-CPM-04 41390 |
| 280-902        | 5x10    | MG-CPM-04 41390 |
| 280-903        | 5x10    | MG-CPM-04 41390 |
| 280-904        | 5x10    | MG-CPM-04 41390 |
| 280-905        | 5x10    | MG-CPM-04 41390 |
| 280-906        | 5x10    | MG-CPM-04 41390 |
| 280-907        | 5x10    | MG-CPM-04 41390 |
| 280-912        | 5x10    | MG-CPM-04 41390 |
| 280-946        | 5x10    | MG-CPM-04 41390 |
| 281-601        | 5x10    | MG-CPM-04 41390 |
| 281-604        | 5x10    | MG-CPM-04 41390 |
| 281-607        | 5x10    | MG-CPM-04 41390 |
| 281-631        | 5x10    | MG-CPM-04 41390 |
| 281-652        | 5x10    | MG-CPM-04 41390 |
| 281-653        | 5x10    | MG-CPM-04 41390 |
| 281-654        | 5x10    | MG-CPM-04 41390 |
| 281-657        | 5x10    | MG-CPM-04 41390 |
| 281-659        | 5x10    | MG-CPM-04 41390 |
| 281-660        | 5x10    | MG-CPM-04 41390 |
| 281-663        | 5x10    | MG-CPM-04 41390 |
| 281-664        | 5x10    | MG-CPM-04 41390 |
| 281-666        | 5x10    | MG-CPM-04 41390 |
| 281-668        | 5x10    | MG-CPM-04 41390 |
| 281-678        | 5x10    | MG-CPM-04 41390 |
| 281-679        | 5x10    | MG-CPM-04 41390 |
| 281-681        | 5x10    | MG-CPM-04 41390 |
| 281-683        | 5x10    | MG-CPM-04 41390 |
| 281-684        | 5x10    | MG-CPM-04 41390 |
| 281-685        | 5x10    | MG-CPM-04 41390 |
| 281-686        | 5x10    | MG-CPM-04 41390 |
| 281-687        | 5x10    | MG-CPM-04 41390 |
| 281-901        | 5x10    | MG-CPM-04 41390 |
| 281-902        | 5x10    | MG-CPM-04 41390 |
| 281-903        | 5x10    | MG-CPM-04 41390 |
| 281-904        | 5x10    | MG-CPM-04 41390 |
| 281-905        | 5x10    | MG-CPM-04 41390 |
| 281-906        | 5x10    | MG-CPM-04 41390 |
| 281-907        | 5x10    | MG-CPM-04 41390 |
| 281-912        | 5x10    | MG-CPM-04 41390 |
| 282-601        | 5x10    | MG-CPM-04 41390 |
| 282-604        | 5x10    | MG-CPM-04 41390 |
| 282-607        | 5x10    | MG-CPM-04 41390 |
| 282-681        | 5x10    | MG-CPM-04 41390 |
| 282-682        | 5x10    | MG-CPM-04 41390 |
| 282-684        | 5x10    | MG-CPM-04 41390 |
| 282-687        | 5x10    | MG-CPM-04 41390 |
| 282-901        | 5x10    | MG-CPM-04 41390 |
| 282-902        | 5x10    | MG-CPM-04 41390 |
| 282-904        | 5x10    | MG-CPM-04 41390 |
| 282-907        | 5x10    | MG-CPM-04 41390 |
| 283-602        | 5x10    | MG-CPM-04 41390 |
| 283-604        | 5x10    | MG-CPM-04 41390 |
| 283-607        | 5x10    | MG-CPM-04 41390 |
| 283-609        | 5x10    | MG-CPM-04 41390 |
| 283-671        | 5x10    | MG-CPM-04 41390 |
| 283-672        | 5x10    | MG-CPM-04 41390 |
| 283-674        | 5x10    | MG-CPM-04 41390 |
| 283-677        | 5x10    | MG-CPM-04 41390 |

## Wago (cont.)

| Terminal block | Size mm | Marker, push in |
|----------------|---------|-----------------|
| 283-901        | 5x10    | MG-CPM-01 41090 |
| 283-902        | 5x15    | MG-CPM-01 41091 |
| 283-904        | 5x10    | MG-CPM-02 41190 |
| 283-907        | 5x10    | MG-CPM-03 41291 |
| 284-601        | 5x10    | MG-CPM-03 41293 |
| 284-604        | 5x10    | MG-CPM-04 41390 |
| 284-607        | 5x10    | MG-CPM-04 41390 |
| 284-681        | 5x10    | MG-CPM-04 41390 |
| 284-682        | 5x10    | MG-CPM-04 41390 |
| 284-684        | 5x10    | MG-CPM-04 41390 |
| 284-687        | 5x10    | MG-CPM-04 41390 |
| 284-901        | 5x10    | MG-CPM-04 41390 |
| 284-902        | 5x10    | MG-CPM-04 41390 |
| 284-904        | 5x10    | MG-CPM-04 41390 |
| 284-907        | 5x10    | MG-CPM-04 41390 |
| 285-601        | 5x10    | MG-CPM-04 41390 |
| 285-605        | 5x10    | MG-CPM-04 41390 |
| 290-681        | 5x10    | MG-CPM-04 41390 |
| 750-xxx        | 5x10    | MG-CPM-04 41390 |
| 769-237        | 5x10    | MG-CPM-04 41390 |
| 775-641        | 5x10    | MG-CPM-04 41390 |
| 777-641        | 5x10    | MG-CPM-04 41390 |
| 870-501        | 5x10    | MG-CPM-04 41390 |
| 870-507        | 5x10    | MG-CPM-04 41390 |
| 870-531        | 5x10    | MG-CPM-04 41390 |
| 870-538        | 5x10    | MG-CPM-04 41390 |
| 870-551        | 5x10    | MG-CPM-04 41390 |
| 870-567        | 5x10    | MG-CPM-04 41390 |
| 870-831        | 5x10    | MG-CPM-04 41390 |
| 870-901        | 5x10    | MG-CPM-04 41390 |
| 880-901        | 5x10    | MG-CPM-04 41390 |

## Weidmüller

| Terminal block          | Size mm | Marker, push in |
|-------------------------|---------|-----------------|
| AKZ 4... / AKB 4...     | 5x10    | MG-CPM-01 41090 |
| DLA 2.5                 | 5x15    | MG-CPM-01 41091 |
| DLD 2.5                 | 5x10    | MG-CPM-02 41190 |
| DLU 2.5                 | 5x10    | MG-CPM-03 41291 |
| EK 2.5                  | 5x10    | MG-CPM-03 41293 |
| EK 6                    | 5x10    | MG-CPM-04 41390 |
| EK 10                   | 5x10    | MG-CPM-04 41390 |
| EK 16                   | 5x10    | MG-CPM-04 41390 |
| EK 35                   | 5x10    | MG-CPM-04 41390 |
| EW15                    | 5x10    | MG-CPM-04 41390 |
| EW35                    | 5x10    | MG-CPM-04 41390 |
| EWK1                    | 5x10    | MG-CPM-04 41390 |
| EWK2                    | 5x10    | MG-CPM-04 41390 |
| IAK 1.5N 3L             | 5x10    | MG-CPM-04 41390 |
| IDK 1.5                 | 5x10    | MG-CPM-04 41390 |
| IDK 1.5N                | 5x10    | MG-CPM-04 41390 |
| IDK 1.5N/V              | 5x10    | MG-CPM-04 41390 |
| IDU 1.5N                | 5x10    | MG-CPM-04 41390 |
| IDU 2.5N                | 5x10    | MG-CPM-04 41390 |
| IEK 1.5N                | 5x10    | MG-CPM-04 41390 |
| IKK 1.5N                | 5x10    | MG-CPM-04 41390 |
| IPE 1.5N                | 5x10    | MG-CPM-04 41390 |
| IPE 2.5N                | 5x10    | MG-CPM-04 41390 |
| ITR 1.5N                | 5x10    | MG-CPM-04 41390 |
| MAK 2.5                 | 5x10    | MG-CPM-04 41390 |
| Mak 2.5/VLI 1.5         | 5x10    | MG-CPM-04 41390 |
| NT 4                    | 5x10    | MG-CPM-04 41390 |
| NT 6                    | 5x10    | MG-CPM-04 41390 |
| NT 10                   | 5x10    | MG-CPM-04 41390 |
| NT 16                   | 5x10    | MG-CPM-04 41390 |
| SAI-M16 / M23 in SAI-M8 | 5x10    | MG-CPM-04 41390 |
| SAK 2.5                 | 5x10    | MG-CPM-04 41390 |
| SAK 4                   | 5x10    | MG-CPM-04 41390 |
| SAK 6                   | 5x10    | MG-CPM-04 41390 |
| SAK 10 (PA)             | 5x10    | MG-CPM-04 41390 |
| SAK 16                  | 5x10    | MG-CPM-04 41390 |
| SAK 35                  | 5x10    | MG-CPM-04 41390 |
| SAK 70                  | 5x10    | MG-CPM-04 41390 |
| SAK 95                  | 5x10    | MG-CPM-04 41390 |



|         |      |      |      |
|---------|------|------|------|
| Size mm | 5x10 | 5x15 | 5x10 |
|---------|------|------|------|

• 106 •

## Notes

This image shows a full page of a document template. It consists of a white background with evenly spaced, horizontal gray lines running across the entire width of the page. There are no margins, text, or other markings present.

**Woertz**

Notes

Notes



CABLE JOINTS, CABLE TERMINATIONS, CABLE GLANDS, CABLE CLEATS  
FEEDER PILLARS, FUSE LINKS, ARC FLASH, CABLE ROLLERS, CUT-OUTS

11KV 33KV CABLE JOINTS & CABLE TERMINATIONS  
FURSE EARTHING  
[www.cablejoints.co.uk](http://www.cablejoints.co.uk)  
**Thorne and Derrick UK**

Tel 0044 191 490 1547 Fax 0044 191 477 5371  
Tel 0044 117 977 4647 Fax 0044 117 9775582