



CABLE JOINTS, CABLE TERMINATIONS, CABLE GLANDS, CABLE CLEATS
FEEDER PILLARS, FUSE LINKS, ARC FLASH, CABLE ROLLERS, CUT-OUTS

11KV 33KV CABLE JOINTS & CABLE TERMINATIONS

FURSE EARTHING

www.cablejoints.co.uk

Thorne and Derrick UK

Tel 0044 191 490 1547 Fax 0044 191 477 5371

Tel 0044 117 977 4647 Fax 0044 117 9775582

CABLOFIL® FOOD INDUSTRY

CABLOFIL®

INNOVATORS IN CABLE MANAGEMENT

CABLOFIL®



A FULL RANGE,
FOR ALL INSTALLATION
ENVIRONNEMENTS

A SYSTEM
AN EXPERTISE
A SERVICE



30 YEARS
EXPERIENCE



AVAILABLE
OVER
THE WORLD

MORE THAN JUST A PRODUCT, CABLOFIL® IS A GLOBAL SOLUTION

SOLUTION AND PARTNERSHIPS

With great investment in Research and Development over the last 30 years, CABLOFIL® has developed a range of products aimed at consistently satisfying the demands of the electrical installer.

"CABLE MANAGEMENT"

LEADER OF ELECTRICAL AND DATA INSTALLATIONS

For 30 years, CABLOFIL® has revolutionised Electrical and Telecommunication Cable support systems. CABLOFIL® is one of the safest and most economical cable support systems available. Made from welded steel wires, CABLOFIL® meets the strictest of safety standards, and satisfies the customer's need for reliability and fast economical installation.

Performance, protection and value

COMPETITIVE AND EFFICIENT

Launched in 1970 and with 18 patents of which 8 introduced in 3 years, the R&D team have one goal : to offer installers and consultants a product that combines performance and value.


*Our customers
trust CABLOFIL®*

NESTLÉ (Mexico, Italy, UK)
DANONE (Germany, US)
KRAFT (Belgium, Netherlands, US)
HEINZ (UK)

QUALITY CERTIFICATION



ISO 9001



LOAD TESTS TO THE,
EUROPEAN NORM CEI / 1537
AND VDE / 639.



FIRE TESTS TO
A TEMPERATURE
PROGRESSING.



STANDARD FOR OFF SHORE
OIL PLATFORMS AND
SHIPS.



STANDARD
FOR ELECTRICAL
CONTINUITY.



UNIQUE VERIFICATION
FOR CAT 5E AND
CAT 6 CABLEING.

- No debris retention
- easy to clean
- Stainless steel 304L and 316L




Stainless steel CABLOFIL®

L
3 m


CF 30



CF 54



CF 105




FCF 54



		316 L	304 L
		Code	Code
50	CF 30/50	000 014	000 018
100	CF 30/100	000 024	000 028
150	CF 30/150	000 034	000 038
200	CF 30/200	000 044	000 048
300	CF 30/300	000 054	000 058
50	CF 54/50	000 064	000 068
100	CF 54/100	000 074	000 078
150	CF 54/150	000 084	000 088
200	CF 54/200	000 094	000 098
300	CF 54/300	000 104	000 108
400	CF 54/400	000 204	000 208
500	CF 54/500	000 304	000 308
600	CF 54/600	000 404	000 408
100	CF 105/100	000 894	000 898
150	CF 105/150	000 904	000 908
200	CF 105/200	000 914	000 918
300	CF 105/300	000 924	000 928
400	CF 105/400	000 934	000 938
500	CF 105/500	000 944	000 948
600	CF 105/600	001 034	001 038
50	FCF 54/50	081 064	081 068
100	FCF 54/100	081 074	081 078
150	FCF 54/150	081 084	081 088
200	FCF 54/200	081 094	081 098

Covers


L = 2 m



	316 L
	Code
CP 50	646 014
CP 100	646 024
CP 150	646 034
CP 200	646 044
CP 300	646 054
CP 400	646 064
CP 500	646 074
CP 600	646 084
CLIP FO2 (25)	646 204


Couplings

EDS




CE 25/ CE 30

Screw TRCC 6X20
CE 30
CE 25
Nut EEC Ø6




CEFAS



FASLOCK




	316 L
	Code
EDS	558 274
CE 25	558 014
CE 30	558 044
CEFAS	558 414
FASLOCK S	558 344
FASLOCK XL	558 344
BTRCC (screw TRCC 6x20 + nut EEC Ø6)	801 014



the food industry




- Fixing without bolts
- for wall, ceiling and beam mounting



A system to save installation time without the need for nuts and bolts etc. The tray simply slots in place and the tabs bend over the wire.


Brackets and suspensions

UC50 CF30 & CF54
50 & 100 mm




	316 L
	Code
UC 50	586 044

CM50XL



	316 L
	Code
CM 50XL	586 134

RCSN CF30 → CF105
100 → 600 mm




	L (mm)	316 L
		Code
RCSN 150	150	013 154
RCSN 200	200	013 204
RCSN 300	300	013 304
RCSN 400	400	013 404
RCSN 500	500	013 504
RCSN 1000	1000	013 014
RCSN2000	2000	013 024
RCSN3000	3000	013 034

R15



	H (mm)	316 L
		Code
R15	15	586 174


R55



	H (mm)	316 L
		Code
R55	55	586 084


EDF

PFREDF




	L (mm)	316 L
		Code
EDF 2000	2000	561 014
PFREDF	-	561 084

CU



	H (mm)	316 L
		Code
CU100	157	557 414
CU150	207	557 424
CU200	257	557 434
CU300	357	557 444
CU400	457	557 454
CU500	557	557 464
CU600	657	557 474

CSN CF30 → CF105
100 → 300 mm



	L (mm)	316 L
		Code
CSN 100	178,5	556 104
CSN 150	228,5	556 114
CSN 200	278,5	556 124
CSN 300	378,5	556 134

CSNC





	L (mm)	316 L
		Code
CSNC 100	178,5	556 304
CSNC 150	228,5	556 314
CSNC 200	278,5	556 324

Telexrail

- Install directly onto machinery

TXF35

UC35



	316 L	304 L
	Code	Code
TXF35 (3m)	755 004	755 008
CP35 (3m)	755 104	-
FTX	586 184	
UC35	586 164	

This is just one example of a specifically adapted product for the food industry.
Ask for a copy of our catalogue to see all the possible CABLOFIL® solutions.

CABLOFIL®

CABLOFIL® is a cable management system designed to be :

SAFE

- ➔ Natural Cable ventilation
- ➔ visual control




A safe and practical concept

T Welding the lateral wires to the top wires eliminates the risk of damaging cables upon installing and at the same time protects installers from any sharp edges.

EASY TO CLEAN

- ➔ No dust retention
- ➔ Easy to clean




An open structure

The open structure eliminates dust retention and the build up of bacteria, as well as simplifying cleaning.

and value

DURABLE

- 5 surface treatments :
- ➔ Electro Zinc Plated
ISO 20.81 & 82 norm
- ➔ Hot Dipped Galvanised
EN / ISO 14.61
- ➔ Pre-Galvanised
EN 10.142
- ➔ Stainless Steel AISI 304L & AISI 316L



Quality high Resistance

Cablofil® offers different ranges for different applications to meet the appropriate technical requirements and standards.

International	Worldwide Last information Organization	www.cablofil.biz www.cablofil.info www.cablofil.org
Europe	Europe Austria Belarus Belgium Bosnia Bulgaria Czech Republic Denmark Finland France Germany Greece Hungary Ireland Island Italy Latvia Lithuania Netherlands Norway Poland Portugal Romania Russia Scandinavia	www.cablofil.eu www.cablofil.at www.cablofil.by www.cablofil.be www.bosnia.cablofil.com www.cablofil.bg www.cablofil.cz www.cablofil.dk www.finland.cablofil.com www.cablofil.fr www.cablofil.de www.cablofil.gr www.cablofil.hu www.cablofil.ie www.island.cablofil.com www.cablofil.it www.cablofil.lv www.cablofil.lt www.cablofil.nl www.norway.cablofil.com www.cablofil.pl www.cablofil.pt www.cablofil.ro www.cablofil.ru www.scandinavia.cablofil.com



CABLE JOINTS, CABLE TERMINATIONS, CABLE GLANDS, CABLE CLEATS
FEEDER PILLARS, FUSE LINKS, ARC FLASH, CABLE ROLLERS, CUT-OUTS

11KV 33KV CABLE JOINTS & CABLE TERMINATIONS

FURSE EARTHING

www.cablejoints.co.uk

Thorne and Derrick UK

Tel 0044 191 490 1547 Fax 0044 191 477 5371

Tel 0044 117 977 4647 Fax 0044 117 9775582

Americas	Argentina Brasil Canada Chile Colombia Mexico Peru USA Venezuela	www.argentina.cablofil.com www.brasil.cablofil.com www.cablofil.ca www.cablofil.cl www.colombia.cablofil.com www.cablofil.com.mx www.peru.cablofil.com www.cablofil.com www.cablofil.com.ve
Asia/Middle East	Bangladesh China Emirates Hong-Kong India Indonesia Iran Israel Japan Kazakhstan Lebanon Malaysia Philippines Singapore South Korea Sri Lanka Taiwan Thailand Vietnam	www.bangladesh.cablofil.com www.cablofil.cn www.cablofil.ae www.cablofil.hk www.cablofil.in www.indonesia.cablofil.com www.iran.cablofil.com www.cablofil.co.il www.cablofil.jp www.kazakhstan.cablofil.com www.lebanon.cablofil.com www.malaysia.cablofil.com www.philippines.cablofil.com www.cablofil.sg www.korea.cablofil.com www.srilanka.cablofil.com www.cablofil.com.tw www.thailand.cablofil.com www.vietnam.cablofil.com
Oceania	Australia New Zealand	www.cablofil.com.au www.cablofil.co.nz
Africa	Algeria Angola Kenya Morocco South Africa Tunisia	www.cablofil.dz www.angola.cablofil.com www.kenya.cablofil.com www.cablofil.ma www.cablofil.co.za www.tunisie.cablofil.com

CABLOFIL®
INNOVATOR IN CABLE MANAGEMENT
www.cablofil.com