

OVERHEAD LINE APPLICATION B-TC026

14.4 V CORDLESS HYDRAULIC CUTTING TOOL

general features



Max cutting Ø mm	Dimensions mm			Battery	Weight kg (with battery)
	length	height	width		
25	295	302	94	14.4 V 3.0 Ah	4,3



14.4V
3.0Ah
NI-MH

14.4 V cordless hydraulic cutting tool, lightweight and balanced for single hand operation. The tool features a double speed action: a fast advancing speed for rapid approach of the blades to the cable and a slower more powerful speed for cutting. Specifically designed to cut copper, alloy, aluminium, aluminium-steel cables and steel ropes, aluminium and steel rods having a max overall diameter of 25 mm.



The blades are manufactured from high strength special steel, heat treated to ensure a long service life. The crimping head can rotate through 180° for ease of operation. Fitted with a maximum hydraulic

STORAGE				
Type	Dimensions mm	Weight kg	Supplied with the tool	Available upon request
VAL P9	543x412x130	2,2	*	—

The tool is supplied with:

- Basic tool with battery, wrist strap and shoulder strap
- Spare battery
- Battery charger
- Plastic carrying case suitable for storing the tool and accessories

pressure valve. Complete with a battery condition display, which after every operation indicates the residual battery power. Extremely quiet in operation, with very little vibration. Ergonomically designed with a sculptured body for operator comfort.



For further details about the cutting capacity, please consult the table of page 110.

OVERHEAD LINE APPLICATION B-TC04

14.4 V CORDLESS HYDRAULIC CUTTING TOOL

general features



Max cutting Ø mm	Dimensions mm			Battery	Weight kg (with battery)
	length	height	width		
40	492	250	100	14.4 V 3.0 Ah	7,6



14.4V
3.0Ah
NI-MH



STORAGE				
Type	Dimensions mm	Weight kg	Supplied with the tool	Available upon request
VAL BTCD4	566x410x130	6,7	*	—

The tool is supplied with:

- Basic tool with battery and shoulder strap
- Spare battery
- Battery charger
- Metal carrying case suitable for storing the tool and accessories

- 14.4 V cordless hydraulic cutting tool specifically designed cut copper, alloy, aluminium, aluminium-steel cables and steel ropes, aluminium and steel rods having a max overall diameter of 40 mm.
- Lightweight and balanced for single hand operation.
- The tool features a double speed action: a fast advancing speed for rapid approach of the blades to the cable and a slower more powerful speed for cutting.

- For ease of operation and comfort of the operator the tool head can be rotated through 90 degrees.
- The tool is powered by 14.4 V dc NI-MH battery.
- A balanced tool for optimum control.
- Quiet in operation with very little vibration.
- Lightweight construction enables the operator to hold the tool in one hand and to position the cable with the other hand.
- The operating buttons, cut/

release, are mechanically interlocked, to prevent accidental operation of the tool.

- A microprocessor controls the tool operation and automatically cuts out the motor, on completion of the cutting operation, saving energy and extending battery life.
- The residual battery capacity is automatically displayed after every cycle.
- Fitted with an integral socket, for connection to a 12 V dc external power supply/vehicle battery.



- The tool is provided with a maximum pressure valve.

For further details about the cutting capacity, please consult the table of page 112.