

LAWSON FUSES LTD

NET TRADE PRICE LIST

EFFECTIVE FROM 4th JANUARY 2011

CONTENTS

RANGE TYPE	PAGE	DESCRIPTION
N&T	2	INDUSTRIAL FUSE-LINKS WITH BOLTED CONNECTIONS 400/415Va.c.
SS	3	INDUSTRIAL FUSE-LINKS WITH BOLTED CONNECTIONS 660/690Va.c.
CDS	3	COMPACT DIMENSION FUSE-LINKS
LST	3	STREET LIGHTING FUSE-LINKS
MD	3	GENERAL PURPOSE FUSE-LINKS
J	4	ELECTRICITY SUPPLY FUSE-LINKS
ME&MF	4	HOUSE SERVICE FUSE-LINKS
L	4	CONSUMER UNIT FUSE-LINKS
PL	4	PLUG TOP FUSE-LINKS
BL	4	BS646 FUSE-LINKS
A	4	ARTIC PATTERN FUSE-LINKS
ABB	4	ABB SLIM LINE FUSE-LINKS
LGP	4	REYROLLE PATTERN FUSE-LINKS
PO	4	SYSTEM "X" PO FUSE-LINKS
LSC	4	SEMICONDUCTOR PROTECTION FUSE-LINKS
LFN (prev LPV)	5	CYLINDRICAL FUSE-LINKS
LSPN	5	KNIFE BLADE CONTACT FUSE-LINKS
"	5	KNIFE BLADE FUSE-BASES & ACCESSORIES
LNZ/D0	6	"D0" FUSE-LINKS
"	6	"D0" FUSE-BASES & ACCESSORIES
LD/LDQ/SE	6	"D" FUSE-LINKS
"	6	"D" FUSE-BASES & ACCESSORIES
MIN	6	MINIATURE FUSE-LINKS (GLASS)
MIN	6	MINIATURE FUSE-LINKS (CERAMIC)
MGT	6	MIDGET FUSE-LINKS
LBI	7	BOLTIN FUSE-HOLDERS
LBI	7	BOLTIN ACCESSORIES
LCF	7	CLIPFIT FUSE-HOLDERS
LCF	7	CLIPFIT ACCESSORIES
SL	7	SOLID/NEUTRAL LINKS
FBLBI	8	BOLTIN FUSE-BANKS
FZ-FB	8	CLIPFIT FUSE-BANKS
LPC	8	PULLCAP FUSE-HOLDERS
LPCU	8	PULLCAP FUSE-HOLDER UNITS
MS	8	MODULAR FUSE-HOLDERS
SLY	8	SLYDLOK FUSE-HOLDERS
SLY	8	SLYDLOK FUSE-LINKS
FH	8	ELECTRICITY SUPPLY FUSE-CARRIERS



WWW.CABLEJOINTS.CO.UK

THORNE & DERRICK UK

TEL 0044 191 490 1547 FAX 0044 477 5371

TEL 0044 117 977 4647 FAX 0044 977 5582

WWW.THORNEANDDERRICK.CO.UK

INDUSTRIAL FUSE-LINKS WITH BOLTED CONNECTIONS 400/415V a.c.
TYPE N&T

REF	RATING(A)	NTP/EA	CTN QTY	CTN WT
NIT	2,4,6,10,16	2.60	10	0.13
	20	2.80		
	25,32	3.20		
TIA	2,4,6,10	3.90	10	0.20
	16,20	4.30		
	25,32	4.40		
TIS	35,40,50	7.00	10	0.58
	63	7.30		
	80	11.40		
	100	11.80		0.70
	125	15.30		
TCP	6,10,16,20,25,32 40,50,63	10.90	5	0.46
	80, 100	11.50		0.52
CTFP	125	20.60	5	0.72
	160	21.30		
	200	21.90		
TFP	125	20.60	5	0.82
	160	21.30		
	200	21.90		
85TM	200,250,315,355	63.00	1	0.46
	400	65.00		
86TT	450	82.00	1	0.58
	500	85.00		
	560	87.00		
	630	88.00		
	670	117.00	1	0.70
	710	120.00		
	750	125.00		
	800	128.00		

REF	RATING(A)	NTP/EA	CTN QTY	CTN WT
NIT	20M25,20M32	3.30	10	0.13
	32M40	6.60		0.32
	32M50,32M63	7.10		
	32M40,32M50	5.40		0.54
TIA	32M63	5.80	10	0.54
	63M80	10.60		
TIS	63M100	11.00	10	0.70
	100M125	16.60		
	100M125	17.60		
CTCP	100M160	18.20	5	0.72
	100M200	18.80		
	63M100,80M100	12.70		0.52
TCP	100M125	17.60	5	0.82
	100M160	18.20		
	100M200	18.80		
	200M250	29.80		
TFP	200M315	32.80	1	0.24

REF	RATING(A)	NTP/EA	CTN QTY	CTN WT
TB	63M80	12.40	10	0.72
	63M100	12.70		
TBC	63M80	12.40	10	0.72
	63M100	12.70		
CTC	100M125	17.60	5	0.78
	100M160	18.20		
	100M200	18.80		
TC	100M125	17.60	5	0.85
	100M160	18.20		
	100M200	18.80		
TF	200M250	29.80	1	0.24
	200M315	32.80		
TKF	315M355,315M400	44.70	1	0.43
TMF	400M450,400M500	68.50	1	0.55
TM	400M450,400M500	68.50	1	0.74

REF	RATING(A)	NTP/EA	CTN QTY	CTN WT
TB	2,4,6,10,16,20,25,32	7.40	10	0.60
	35,40,50,63	7.50		
TBC	2,4,6,10,16,20,25,32	7.40	10	0.62
TC	35,40,50,63	7.50	5	0.58
	80,100	12.20		
CTF	125	20.60	5	0.78
	160	21.30		
	200	21.90		
TF	125	20.60	5	0.78
	160	21.30		
	200	21.90		
84TF	80,100,125,160,200	24.00	5	0.84
TKF	250	30.00	1	0.23
	315	33.00		
84TK	250,315	37.00	1	0.23
TKM	125	23.70	1	0.28
	160	24.40		
	200	25.20		
	250	31.60		
	315	33.00		
TMF	315	34.60	1	0.43
	355	42.30		
	400	44.20		
TM	250,315,355	42.30	1	0.55
	400	44.20		
TMT	355	46.20	1	0.60
	400	48.10		
TTM	450	67.20	1	0.74
	500	70.50		
	560	73.60		
	630	75.00		
	450	72.80		
TT	500	76.10	1	0.85
	560	79.20		
	630	80.60		
	670	120.00		
TLM	710	123.00	1	1.00
	750	128.00		
	800	130.00		
	670	122.00		
TLT	710	125.00	1	1.30
	750	130.00		
	800	132.00		
	450	130.00		
TLU	500	138.00	1	1.50
	560	145.00		
	630	154.00		
	670	162.00		
	710	170.00		
	750	177.00		
	800	184.00		
	450	72.80		

INDUSTRIAL FUSE-LINKS WITH BOLTED CONNECTIONS 660/690Va.c.
TYPE SS

REF	RATING(A)	NTP/EA	CTN QTY	CTN WT
SSA1	2,4,6,10	5.80	10	0.15
	16	5.90		
	20	6.10		
SSA2	2,4,6,10	6.50	10	0.50
	16,20	6.60		
	25,32	6.70		
SSA3	35,40,50,63	10.80	10	0.80
SSA4	32,35,40,50,63,80,100	18.50	5	0.90
SSFP	125	36.80	1	0.25
	160	39.00		
	200	40.20		
85SSM	355	98.90	1	1.05
	400	101.00		
	450	175.00		
86SST	500	179.00	1	1.05
	560	183.00		
	630	187.00		
	670	218.00		1.40
	710	226.00		
	750	232.00		
	800	238.00		
SSB	2,4,6,10,16,20,25,32	11.60	10	0.60
	35,40	12.10		
	50,63	12.20		
SSBC	2,4,6,10,16,20,25,32	11.60	10	0.60
	35,40	12.10		
	50,63	12.20		
SSB1	80,100	19.70	5	0.90
SSB2	125	38.30	1	0.25
	160	38.60		
	200	38.80		
84SSF	125	45.60	1	0.25
	160	46.10		
	200	46.60		

COMPACT DIMENSION FUSE-LINKS TYPE CDS

REF	RATING(A)	NTP/EA	CTN QTY	CTN WT
SS	2,4,6,10,16	2.20	10	0.12
	20,25,32	2.40		
NS	2,4,6,10,16	2.60	10	0.18
	20	3.00		
	25,32	3.20		
	20M25,20M32	3.30		0.32
	32M40	6.40		
MES	32M50,32M63	6.90	10	0.31
	10,16	4.90		
	20,25,32	5.20		
	40	6.00		
	50	6.40		
	63	6.90		

REF	RATING(A)	NTP/EA	CTN QTY	CTN WT
SSB3	125,250	50.50	1	0.45
	315	57.20		
84SSK	250	59.60	1	0.45
	315	64.60		
SSKM	125,160,200,250	52.70	1	0.45
	315	59.70		
SSB4	355	89.60	1	0.65
	400	92.60		
SSC1	355	89.60	1	0.78
	400	92.60		
SSMT	355	89.60	1	0.83
	400	92.60		
SSC2	450	121.00	1	1.05
	500	130.00		
	560	134.00		
	630	143.00		
SST	450	126.00	1	1.05
	500	135.00		
	560	139.00		
	630	148.00		
SSC3	670	200.00	1	1.40
	710	209.00		
	750	222.00		
	800	226.00		
SSLT	670	207.00	1	1.40
	710	215.00		
	750	228.00		
	800	232.00		
SSLU	450	213.00	1	2.40
	500	219.00		
	560	225.00		
	630	231.00		
	670	241.00		
	710	247.00		
	750	253.00		
	800	269.00		

STREET LIGHTING FUSE-LINKS TYPE LST

REF	RATING(A)	NTP/EA	CTN QTY	CTN WT
LST	2,4,6,10,16	2.10	10	0.12
	20,25,32	2.30		

GENERAL PURPOSE FUSE-LINKS TYPE MD

REF	RATING(A)	NTP/EA	CTN QTY	CTN WT
MD	2,4,6,8,10,16,20,25,32	3.20	10	0.10

ELECTRICITY SUPPLY FUSE-LINKS				TYPE J
REF	RATING(A)	NTP/EA	CTN QTY	CTN WT
JF	20,32,40,50,63,80,100 125,160,200,250,315	24.00	5	0.65
JHU	20,32,40,50,63 80,100,125,160	24.00	5	0.65
	200,250	26.50		0.80
	315			1.08
JPU	20,32,40,50,63 80,100,125	22.50	5	0.67
	160			0.80
	200,250	26.50		0.95
	315			1.23
	355	30.50	1	0.35
	400	31.50		0.50
	450	41.50		0.35
	500	42.50		0.50
	560	46.00		0.50
	630	47.00		0.50
JSU	20,32,40,50,63 80,100,125,160	25.80	5	1.17
	200			1.30
	250	28.40		1.30
	315			1.61
	355	31.00	1	0.44
	400	32.00		0.54
	450	41.50		0.54
	500	42.50		0.54
	560	46.00		0.54
	630	47.00		0.54
	800	78.00		1.30

HOUSE SERVICE FUSE-LINKS				TYPE ME&MF
REF	RATING(A)	NTP/EA	CTN QTY	CTN WT
ME	5,10,15,20,25,30,40 45,50,60,80,100	6.20	10	0.55
MF	20,30,40,50,60,80,100	8.00	10	1.06

CONSUMER UNIT FUSE-LINKS				TYPE L
REF	RATING(A)	NTP/EA	CTN QTY	CTN WT
LA	2,3,5	0.95	100	0.20
LC	2,5,8,10,15,20	1.80	100	0.60
LD	6,10,16,20,25,30	2.10	100	1.00
LK	35,40,45	4.00	10	0.20

PLUG TOP FUSE-LINKS				TYPE PL
REF	RATING(A)	NTP/EA	CTN QTY	CTN WT
PL	1,2,3,5,7,10,13	0.37	100	0.26

BS646 FUSE-LINKS				TYPE BL
REF	RATING(A)	NTP/EA	CTN QTY	CTN WT
BL	1,2,3,5	0.63	100	0.20

ARTIC PATTERN FUSE-LINKS				TYPE A
REF	RATING(A)	NTP/EA	CTN QTY	CTN WT
LO	2,5,5,10,16	5.20	20	0.06
MO	2,4,6,10,16,20,25,32	6.20	20	0.26
OP	2,4,6,10,16,20,25,32	7.50	10	0.18
A5	10,16,20,25	17.00	10	0.56
	32,40,50,63			0.58
	63M80,63M100	26.00		0.78
A7	40,50,63,80,100	49.00	5	0.78
	125,160,200			0.22
	250,315	90.00		0.22
A8	125,160,200,250	110.00	1	0.48
	315,355,400			0.62
	500,630	175.00		0.76
	710	195.00		0.76
A10	80,100,125,160,200	49.00	5	0.78
A11	355,400	110.00	1	0.48
	500,630	175.00		0.62

ABB SLIM LINE FUSE-LINKS				TYPE ABB
REF	RATING(A)	NTP/EA	CTN QTY	CTN WT
OOT	10,16,20,25,32,40,50 63,80,100,125,160,200	6.20	3	0.38
3T	450,500,560,630	47.00	1	0.82

REYROLLE PATTERN FUSE-LINKS				TYPE LGP
REF	RATING(A)	NTP/EA	CTN QTY	CTN WT
LGPF-2F	6,10,16,20,32,40 50,63,80,100	26.00	5	0.42
LGPG-2G	160,200	94.00	1	0.54
LGPH-2H	160,200,250 315,355,400	176.00	1	1.02
LGPJ-2J	500,630	235.00	1	2.16
LGPF-20F	16,32,40,50,63,80,100	26.00	5	0.58
LGPG-20G	125,160,200	49.00	1	0.2
LGPH-20H	125,160,200,250 315,355,400	94.00	1	0.52
LGPJ-20J	160,250,315,355 400,500,630	176.00	1	0.82

SYSTEM "X" PO FUSE-LINKS				TYPE PO
REF	RATING(A)	NTP/EA	CTN QTY	CTN WT
PO113/20	20	5.60	10	0.13

SEMICONDUCTOR PRTCN FUSE-LINKS				TYPE LSC
REF	RATING(A)	NTP/EA	CTN QTY	CTN WT
LSCA	10,12,16,20,25,30,32 35,40,50,60,63,70,75 80,85,100	7.90 8.80	5	0.15
LSA*	125,160,180	9.30		
LSCA	125,140,150,160	18.60	5	0.80
	175,180,200,225			
	250,260,300,315	20.10		
LSA*	350,355,400,450	21.90	2	0.62
LSAD*	300,315	43.90		
LSCAD*	325,350,355,400,450 500,550,600,630	43.90		
LSAD*	710,800,900	58.90	5	0.19
LSCB	10,12,16,20	8.60		
	25,30,32	9.30		
	35,40,45,50,55	9.50		
	63	9.80		
	70,71,75,80,90,100	10.30		
LSCBT	65,75,85,90	20.10	2	0.19
	100,110	20.20		
	120,125	20.70		
	140,150	21.10		
	160	21.80		
LSCB	180,200	23.20	5	1.00
	160,170,180	24.30		
	190,200,225	24.50		
	250	25.10		
	280	25.80		
LSCBD	315	26.10	2	0.80
	350	27.30		
	355	28.30		
	175,180	46.40		
	200,225,235,280	47.30		
	300,315	50.00		
	325,350,355	50.70		
	400	53.90		
LSBD*	450	56.10	2	0.90
	500,550,560,630	59.30		
	710	62.00		
LSBDD	510,580,600,630	73.00	2	0.90

* = CHANGE of REF

OLD REF	NEW REF
LSC125,160,180	LSA125,160,180
LSC300,315	LSAD300,315
LSC350,355,400,450	LSA350,355,400,450
LSCA325,350,355,400,450	LSCAD325,350,355,400,450
LSCA500,550,600,630	LSCAD500,550,600,630
LSC710,800,900	LSAD710,800,900
LSB710	LSBD710

CYLINDRICAL FUSE-LINKS			TYPE LFN (prev LPV)	
REF	RATING(A)	NTP/EA	CTN QTY	CTN WT
LFN8G*	1	0.83	10	0.06
	2,4,6,8,10,12,16,20,25	0.50		
LFN10G*	1,2	0.87		0.10
	4,6,8,10,12,16,20,25,32	0.52		
LFN14G*	2,4,6,8,10,12,16	1.30		0.20
	20,25,32,40,50			
LFN22G*	4,6,8,10,12,16,20	1.45		0.54
	25,32,40,50,63			
LFN8GI*	80,100,125	1.80		
LFN10GI*	4,6,8,10,12,16,20,25	0.65		0.06
	4,6,8,10,12,16,20,25,32	1.08		0.10
LFN14GI*	2,4,6,8,10,12,16	1.56		0.20
	20,25,32,40,50			
LFN22GI*	4,6,8,10,12,16,20	2.19		0.54
	25,32,40,50,63			
LFN14GS*	80,100,125	2.51		
LFN22GS*	2,4,6,8,10,12,16	2.85		0.20
	20,25,32,40,50			
LFN8M*	4,6,8,10,12,16,20	3.75		0.54
	25,32,40,50,63			
LFN10M*	80,100,125	4.30		
LFN14M*	1,2	0.85		0.06
	4,6,8,10	0.60		
LFN22M*	1	0.88		0.10
	2,4,6,8,10,12	0.75		
LFN10MI*	16,20,25,32			0.20
LFN14MI*	1,2,4,6,8,10,12,16	1.20		0.54
	20,25,32,40,50			
LFN22MI*	4,6,8,10,12,16,20	1.60		0.10
	25,32,40,50,63			0.20
LFN14MS*	80,100,125	1.90		
LFN22MS*	1,2,4,6,8,10,12,16,20,25	1.25		0.54
	2,4,6,8,10,12,16	1.46		
	20,25,32,40,50			
	4,6,8,10,12,16,20	2.38		0.20
	25,32,40,50,63			
	80,100,125	2.88		0.54
	1,2,4,6,8,10,12,16	3.00		
	20,25,32,40,50			
	4,6,8,10,12,16,20	3.90		0.54
	25,32,40,50,63			
	80,100,125	4.50		

* = CHANGE of REF

OLD REF	NEW REF
LPVG8	LFN8G
LPVG10	LFN10G
LPVG14	LFN14G
LPVG22	LFN22G
LPVG8I	LFN8GI
LPVG10I	LFN10GI
LPVG14I	LFN14GI
LPVG22I	LFN22GI
LPVG14S	LFN14GS
LPVG22S	LFN22GS
LPVM8	LFN8M
LPVM10	LFN10M
LPVM14	LFN14M
LPVM22	LFN22M
LPVM10I	LFN10MI
LPVM14I	LFN14MI
LPVM22I	LFN22MI
LPVM14S	LFN14MS
LPVM22S	LFN22MS

KNIFE BLADE CONTACT FUSE-LINKS			TYPE LSPN	
REF	RATING(A)	NTP/EA	CTN QTY	CTN WT
LSPN000	6,10,16,20,25 32,40,50,63	1.90	3	0.38
LSPN00	10,16,20,25 32,40,50,63, 80,100,125,160	2.70	3	0.63
LSPN0	32,35,40,50,63 80,100,125,160	4.40	3	0.69
LSPN1	32,35,40,50,63,80 100,125,160,200,250	5.70	3	1.44
LSPN2	40,50,63,80,100 125,160,200,250 315,350,355,400	8.20	3	2.10
LSPN3	315,350,400,500,630	13.60	1	1.08
LSPN4	630,800,1000,1250	POA	1	2.10
BNH00AM	10,16,20,25,32 40,50,63,80,100	POA	3	0.45
BNH0AM	6,10,16,20,25,32,40 50,63,80,100,125,160	POA	3	0.69
BNH1AM	16,20,25,32,40,50,63,80 100,125,160,200,250	POA	3	1.32
BNH2AM	32,40,50,63,80,100,125 160,200,250,315,400	POA	3	10.65
BNH3AM	315,400,500,630	POA	1	0.88
BNH4AM	6,308,001,000	POA	1	2.46
BNH00UR	16,20,25,32,40,50 63,80,100,125,160	POA	3	0.45
BNH1UR	16,20,25,32,40,50 63,80,100,125,160 200,224,250,315	POA	3	1.50
BNH2UR	80,100,125,160 200,250,315,400	POA	3	2.10
BNH3UR	300,315,355 400,500,630	POA	1	0.90

KNIFE BLADE FUSE-BASES & ACCESSORIES				
REF	SIZE	NTP/EA	CTN QTY	CTN WT
DFB	00	2.60	6	1.00
	01	8.30	3	1.80
	02	11.40	3	2.20
	03	18.20	3	3.00
42102	00	POA	3	
42002	00	POA	3	
42402	01	POA	3	
42502	02	POA	3	
42602	03	POA	3	
41102	00	POA	3	
41002	00	POA	3	
41402	01	POA	3	
41502	02	POA	3	
41602	03	POA	3	
44610	01 & 02	POA	2	
44612	03	POA	2	
44502	00	POA	2	
44510	01 & 02	POA	2	
44512	03	POA	2	
44702	00	POA	6	
44708	01	POA	6	
44710	02	POA	6	
44802	00	POA	3	
44810	01 & 02	POA	3	
LUCH	000,00,0,01,02,03	10.20	1	0.30

"D0" FUSE-LINKS		TYPE LN2/ND0		
REF	RATING(A)	NTP/EA	CTN QTY	CTN WT
LNZ11-400	2,4,6,10,16	0.55	10	0.06
LNZ15-400	20,25,35,50,63	0.60	10	0.15
LNZ22-400	80	POA	10	0.37
ND01UR	2,4,6,10,16	POA	10	0.06
ND02UR	20,25,35,50,63	POA	10	0.15
ND03UR	80,100	POA	10	0.37
ND02AM	20,25,35	POA	10	0.13

"D0" FUSE-BASES & ACCESSORIES				
REF	RATING(A)	NTP/EA	CTN QTY	CTN WT
ND01SC	2-16	POA	5	0.06
ND02SC	20-63	POA	5	0.06
ND03SC	80,100	POA	1	0.35
ND01FBS	2-16	POA	5	0.25
ND02FBS	20-63	POA	1	0.35
ND03FBS	80,100	POA	5	0.90
ND01FBT	2-16	POA	1	1.00
ND02FBT	20-63	POA	1	1.30
ND01GR	2,4,6,10	POA	5	0.01
ND02GR	2,4,6,10,16,20,25,35,50	POA	5	
ND03GR	80	POA	1	

MINIATURE FUSE-LINKS (GLASS)			TYPE MIN	
REF	RATING(A)	NTP/EA	CTN QTY	CTN WT
PDC (5x20mm)	32mA,40mA,50mA	1.80	10	0.01
	63mA	0.60		
	80mA,100mA,125mA	0.40		
	160mA,200mA			
	250mA,315mA			
	400mA,500mA	0.12		
	630mA,800mA			
	1,1.25,1.6,2,2.5,3,15			
4,5,6,3,8,10,15				
PDC-Slow (5x20mm)	32mA,40mA,50mA	0.60		
	63mA,80mA	0.22		
	100mA,125mA,160mA			
	200mA,250mA	0.13		
	315mA,400mA,500mA			
	630mA,800mA			
	1,1.25,1.6,2,2.5,3,15	0.15		
	4,5,6,3,8,10,16			
KDC (6.3x32mm)	10mA,32mA	2.00		
	40mA,63mA,100mA	0.75		
	125mA,150mA,175mA			
	187mA,200mA,250mA			
	300mA,315mA,375mA	0.24		
	400mA,500mA,600mA			
	630mA,750mA	0.18		
	1,1.25,1.5,1.6,2,2.5			
KDC-Slow (6.3x32mm)	3,3.15,4,5,6,7,8,10	1.30		
	10mA,32mA,40mA			
	63mA,100mA,125mA			
	150mA,160mA	0.25		
	175mA,187mA,200mA			
	250mA,300mA,315mA			
	375mA,400mA,500mA			
	600mA,630mA			
750mA,800mA	0.42			
1,1.25,1.5,1.6,2,2.5,3,4				
TDC (5x25mm)	5,6,6.3,7,8,10,12	1.20		
	15,20,25,30			
	80mA,100mA			
	125mA,160mA,200mA	0.75		
	250mA,315mA,400mA			
	500mA,630mA,800mA			
TDC-M (5x25mm)	1,1.25,1.6,2,2.5	2.00		
	3,15,4,5,6,3,8,10			
	80mA,100mA			
	125mA,160mA,200mA	1.30		
	250mA,315mA,400mA			
	500mA,630mA,800mA			
	1,1.25,1.6,2,2.5			
	3,15,4,5,6,3,8			

MIDGET FUSE-LINKS		TYPE MGT		
REF	RATING(A)	NTP/EA	CTN QTY	CTN WT
SBS	1,3,4	3.00	10	0.10

"D" FUSE-LINKS		TYPE LD/LDQ/SE		
REF	RATING(A)	NTP/EA	CTN QTY	CTN WT
LD12	2,4,6,10,16,20,25	0.85	5	0.05
LD22	2,4,6,10,16,20,25	0.50		0.16
LD27	35,50,63	0.65		0.26
LD37	80,100	POA		0.55
LD51	125,160,200	POA		1.10
LD12Q	2,4,6,10,16,20,25	POA		0.05
LD22Q	2,4,6,10,16,20,25	POA		0.16
LD27Q	35,50,63	POA		0.26
LD37Q	80,100	POA		0.55
SE27UR	2,4,6,10,16,20,25,30	POA		0.13
SE33UR	35,50,63	POA		0.26
SED1VUR	80,100	POA		0.55
SEDVUR	125,160,200	POA		1.10

"D" FUSE-BASES & ACCESSORIES				
REF	RATING(A)	NTP/EA	CTN QTY	CTN WT
SE27SC	2,4,6,10,16,20,25	POA	10	0.72
SE33SC	35,50,63	POA	5	1.00
SED1VSC	80,100	POA		2.00
SE27FBS	2,4,6,10,16,20,25	POA		1.06
SE33FBS	35,50,63	POA	1	1.52
SE27FBT	2,4,6,10,16,20,25	POA		1.10
SE33FBT	35,50,63	POA		2.00
SE27CP	2,4,6,10,16,20,25	POA	5	0.01
SE33CP	35,50,63	POA	5	0.03
SE16GR	2,4,6,10,16	POA		0.12
SE27GR	2,4,6,10,16,20,25	POA		0.20
SE33GR	35,50,63	POA	5	0.40
SED1VGR	80,100	POA		0.40

MINIATURE FUSE-LINKS (CERAMIC)			TYPE MIN			
REF	RATING(A)	NTP/EA	CTN QTY	CTN WT		
PCC (5x20mm)	32mA,40mA,50mA	1.00	10	0.01		
	63mA,80mA,100mA	0.45				
	125mA,160mA,200mA					
	250mA,315mA,400mA					
	500mA	0.18				
	630mA,800mA					
PCC-Slow (5x20mm)	1,1.25,1.6,2,2.5,3,15	0.18		0.02		
	4,5,6,3,8,10,12,5,16					
	125mA					
	160mA,200mA,250mA	0.40				
	315mA,400mA,500mA					
	630mA,800mA					
PCC-UR (5x20mm)	1,1.25,1.6,2,2.5,3,15	1.50		0.02		
	4					
	5,6,3,8,10,12,5,15					
KCC (6.3x32mm)	125mA,250mA,375mA	0.54			0.02	
	500mA,750mA	0.40				
	1,1.25,1.6,2,3,3,15,4,5					
KCC-Slow (6.3x32mm)	6,6,3,8,10,12,15	0.55				0.02
	16,20,25,30					
	10mA,32mA,63mA					
KCC-UR (6.3x32mm)	100mA,125mA,150mA	1.45		0.02		
	160mA,	0.60				
	175mA,187mA,200mA,					
TCC (5x25mm)	250mA,300mA,315mA	0.55			0.02	
	375mA,400mA,500mA					
	600mA,630mA,700mA					
TCC-M (5x25mm)	750mA,800mA	0.60		0.02		
	1,1.25,1.5,1.6,2,2,5,3					
	3,15,4,5,6,6,3,7,8,10,12					
TCC-UR (6.3x32mm)	15,20,25,30	0.66			0.02	
	1,1.25,2,3,4,5,6,7,8,10					
	12,15					
TCC-UR (6.3x32mm)	20,25,30	0.90		0.02		
	1,1.25,2,3,4,5,6,7,8,10					
	12,15					
TCC-UR (5x25mm)	1,1.25,2,3,4,5,6,7,8,10	3.15			0.02	
	12,15					
	20,25,30					
TCC-UR (5x25mm)	1,1.25,2,3,4,5,6,7,8,10	3.00		0.02		
	12,15					
	20,25,30					
TCC-UR (5x25mm)	1,1.25,2,3,4,5,6,7,8,10	4.80			0.02	
	12,15					
	20,25,30					
TCC-UR (5x25mm)	1,1.25,2,3,4,5,6,7,8,10	2.90	0.02			
	12,15					
	20,25,30					

BOLTIN FUSE-HOLDERS			TYPE LBI	
REF/RAT	CONNECTION/COLOUR	NTP/EA	CTN QTY	CTN WT
LBI20	FC/FCBK	8.70	10	1.11
	FC/BCBK	9.50	5	0.70
	BC/BCBK	10.30		0.80
	FC/FCWH	10.40	10	1.11
	FC/BCWH	11.30	5	0.70
	BC/BCWH	12.20		0.80
	FC/FCGN	11.30	10	1.11
	FC/BCGN	12.20	5	0.70
LBI32	BC/BCGN	13.10		0.80
	FC/FCBK	11.30	10	2.00
	FC/BCBK	12.30		2.40
	BC/BCBK	13.30	5	1.50
	FC/FCWH	14.50	10	2.00
	FC/BCWH	15.90		2.40
	BC/BCWH	17.20	5	1.50
	FC/FCGN	15.30	10	2.00
LBI63	FC/BCGN	16.60		2.40
	BC/BCGN	18.20	5	1.50
	FC/FCBK	13.70	10	2.80
	FC/BCBK	14.80	5	1.80
	BC/BCBK	16.10		2.00
	FC/FCWH	17.30	10	2.80
	FC/BCWH	18.60	5	1.80
	BC/BCWH	20.30		2.00
LBI100	FC/FCGN	18.60	10	2.80
	FC/BCGN	20.30		1.40
	BC/BCGN	21.90	5	2.00
	FC/FCBK	24.40		3.75
	FC/BCBK	26.60		4.50
	BC/BCBK	28.50		5.40
	FC/FCWH	31.60		3.75
	FC/BCWH	34.60		4.50
LBI200	BC/BCWH	37.10		5.40
	FC/FCGN	32.90		3.75
	FC/BCGN	36.20		4.50
	BC/BCGN	39.30		5.40
	FC/FCBK	65.90		2.40
	FC/BCBK	69.80		3.00
	BC/BCBK	74.70		3.60
	FC/FCWH	74.70		2.40
LBI32	FC/BCWH	78.60		3.00
	BC/BCWH	82.40		3.60
	FC/FCGN	78.60		2.40
	FC/BCGN	82.40		3.00
	BC/BCGN	86.30		3.60
	FC/FCBK	65.90		2.40
	FC/BCBK	69.80		3.00
	BC/BCBK	74.70		3.60

BOLTIN ACCESSORIES			TYPE LBI	
REF/RAT	ACCESSORY/COLOUR	NTP/EA	CTN QTY	CTN WT
LBI20	CABK	5.70	10	0.42
	CAWH	6.20		
	CAGN	6.80		
LBI32	CABK	5.80	10	0.90
	CAWH	6.30		
	CAGN	6.90		
LBI63	CABK	7.50	10	1.22
	CAWH	8.20		
	CAGN	8.90		
LBI100	CABK	10.80	5	1.35
	CAWH	11.70		
	CAGN	12.70		
LBI200	CABK	40.60	2	1.10
	CAWH	43.50		
	CAGN	47.20		
LBI20	SH	0.60	50	0.05
LBI32	SH	0.60		0.06
LBI63	SH	0.90		0.07
LBI100	SH	1.10		0.08
LBI200	SH	1.60		0.16
LBI20	(BB STUD)	1.10	10	0.15
LBI32	(BB STUD)	1.10		
LBI63	(BB STUD)	1.10		
LBI20	DA	1.00	10	0.07

CLIPFIT FUSE-HOLDERS			TYPE LCF	
REF/RAT	CONNECTION/COLOUR	NTP/EA	CTN QTY	CTN WT
LCF20	FC/FCBK	4.80	10	0.78
	FC/BBCBK	5.60		0.55
	FC/BCBK	6.30	5	0.60
	BC/BCBK	8.00		0.65
	FC/FCWH	5.70	10	0.78
	FC/BBCWH	6.50		0.55
	FC/BCWH	7.50	5	0.60
	BC/BCWH	9.50		0.65
LCF32	FC/FCBK	4.80	10	0.82
	FC/BBCBK	5.60		0.65
	FC/BCBK	6.30	5	0.70
	BC/BCBK	8.00		0.75
	FC/FCWH	5.60	10	0.82
	FC/BBCWH	6.50		0.65
	FC/BCWH	7.50	5	0.70
	BC/BCWH	9.50		0.75
LCF63	FC/FCBK	9.20	10	1.30
	FC/BBCBK	11.60		0.75
	FC/BCBK	11.70	5	0.85
	BC/BCBK	13.00		1.00
	FC/FCWH	11.80	10	1.30
	FC/BBCWH	13.30		0.75
	FC/BCWH	13.30	5	0.85
	BC/BCWH	15.70		1.00

CLIPFIT ACCESSORIES			TYPE LCF	
REF/RAT	ACCESSORY/COLOUR	NTP/EA	CTN QTY	CTN WT
LCF20	CABK	0.60	10	0.14
	CAWH	0.70		
LCF32	CABK	0.60		0.16
	CAWH	0.70		
LCF63	CABK	0.70	10	0.20
	CAWH	0.90		
LBC20	(BB STUD)	1.20		
LBC32	(BB STUD)	1.20		0.15
LBC63	(BB STUD)	1.20		

SOLID/NEUTRAL LINKS			TYPE SL	
REF	RATING(A)	NTP/EA	CTN QTY	CTN WT
SLA1	20	1.30	10	0.03
SLA2	32	1.40		0.07
SLA3	63	1.80		0.11
SLA4	100	2.00		0.24
SLA4	200	2.50	5	0.24
SLB	63	2.00		0.16
SLBC	63	2.00		0.24
SLB1	100	2.00		0.34
SLB2	200	2.60	3	0.30
SLB3	315	2.70		0.58
SLB4	400	5.80		0.85
SLC1	400	9.50		1.10
SLC2	630	11.00	10	1.25
SLC3	800	14.50		0.03
SLE1	20	0.60		0.06
SLF1	32	0.60		0.17
SLF2	63	1.50	10	0.80
SLLPN00	160	3.85		0.85
SLLPN1	250	6.25		1.35
SLLPN2	400	8.00		1.60
SLLPN3	630	9.15	10	0.05
SLLPV10	32	0.45		0.10
SLLPV14	50	0.50		0.19
SLLPV22	125	0.70		0.10
SLLPC	5	0.80	10	0.18
	20	1.00		0.30
	30	1.20		0.03
SLLST	32	0.60	10	

BOLTIN FUSE-BANKS		TYPE FBLBI		
REF/RAT	WAYS	NTP/EA	CTN QTY	CTN WT
FBLBI-20	4	POA	1	
	6	POA		
	8	POA		
	12	POA		
FBLBI-32	4	POA	1	
	6	POA		
	8	POA		
	12	POA		
FBLBI-63	4	POA	1	
	6	POA		
	8	POA		
	12	POA		
FBLBI-100	4	POA	1	
	6	POA		
	8	POA		
	12	POA		

PULLCAP FUSE-HOLDERS		TYPE LPC		
REF/RAT	COLOUR/CONNECTION	NTP/EA	CTN QTY	CTN WT
LPC5CA	WH	1.90	10	0.10
	BK	1.90		
LPC20CA	BL	1.90		0.16
	GN	1.90		
LPC32CA	RD	1.90		0.20
	BK	1.90		
LPC63CA	BK	5.90		0.40
	WH	0.70		0.10
LPC5CP	BK	0.70		
	BL	0.70		0.10
LPC20CP	GN	0.70		
	RD	0.70		0.10
LPC32CP	BK	0.70		
	BK	0.70		0.10
LPC00CP	BK	0.70		
	BK	2.70		0.36
LPC32	FC/FC	5.60		0.60
	FC/BBC	5.90		
	FC/BC	6.80		
	FC/FCL	6.80		
	FCL/FCL	7.20		
	BC/BC	7.80		
LPC63	FC/FC	9.00	1.20	
	FC/BBC	9.60		
	FC/BC	10.90		
	FCL/FCL	10.10		
LPC32	BC/BC	13.50		0.07
	DA	1.00		

PULLCAP FUSE-HOLDER UNITS		TYPE LPCU		
REF/RAT	CONNECTION/COLOUR	NTP/EA	CTN QTY	CTN WT
LPCU5	FC/FCBK	7.40	10	0.50
	FC/FCWH	7.40		0.50
LPCU20	FC/FCBL	7.40		0.53
	FC/FCGN	7.40		0.53
LPCU32	FC/FCRD	7.40		0.56
	FC/FCBK	7.40		0.56
	FC/BBCBK	7.70		0.56
	FC/BCBK	8.50		0.56
	FC/FCLRD	8.50		0.56
	FC/FCLBK	8.50		0.56
	FCL/FCLRD	8.90		0.56
	FCL/FCLBK	8.90		0.56
	BC/BCBK	9.40		0.56
	FC/FCBK	15.90		0.70
LPCU63	FC/BBCBK	16.40	5	0.70
	FC/BCBK	17.60		0.70
	FCL/FCLBK	18.10		0.70
	BC/BCBK	19.80		0.70

MODULAR FUSE-HOLDER		TYPE MS		
REF/RAT	POLES/TYPE	NTP/EA	CTN QTY	CTN WT
MSC8	1	3.10	12	0.74
	1N	8.40		
MSC10	1	2.56	12	0.79
	1I	4.30		
	1N	3.75		
MS10	1	2.00	12	0.74
MSC14	1	6.98	6	0.72
	1N	16.80		
MSC22	1	11.05	6	1.20
	1N	22.90		
Z233725K	ASSEMBLY KIT, 8 & 10	0.30	12	0.01
Z218223	ASSEMBLY KIT, 14 & 22	0.60	10	0.01

CLIPFIT FUSE-BANKS		TYPE FZ-FB		
REF/RAT	WAYS	NTP/EA	CTN QTY	CTN WT
FZ-FB20	04	POA	1	
	06	POA		
	08	POA		
	12	POA		
FZ-FB32	04	POA	1	
	06	POA		
	08	POA		
	10	POA		
FZ-FB63	04	POA	1	
	06	POA		
	08	POA		
	12	POA		

SLYDLOK FUSE HOLDERS			TYPE SLY	
REF/RAT	CONNECTION	NTP/EA	CTN QTY	CTN WT
W5	341FW	8.00	10	0.36
	342BC	8.60		
	344MM	9.30		
	345BW	12.10		
W15	331FW	8.90	10	0.65
	332BC	9.10		
	334MM	10.00		
	335BW	13.40		
W30	341FW	12.00	10	1.10
	342BC	12.40		
	344MM	12.90		
	345BW	15.00		
W60	All	POA	5	1.40
X5	341FW	8.00	10	0.36
	342BC	8.60		
	344MM	9.30		
	345BW	12.10		
X15	331FW	8.90	10	0.65
	332BC	9.10		
	334MM	10.00		
	335BW	13.40		
X30	341FW	12.00	10	1.10
	342BC	12.40		
	344MM	12.90		
	345BW	15.00		
X60	All	POA	5	1.40
W5,15,30	FH	POA		
X5,15,30	FH	POA		
K5	11FW	7.50	10	0.28
	22BC	9.00		
	33MM	8.50		
	55BW	9.00		
K10	11FW	7.60	10	0.28
	22BC	9.20		
	33MM	9.20		
	55BW	9.20		
KP10	11FW	3.80	10	0.28
	22BC	6.60		
	33MM	6.60		