



CONNEX Motor Connector (CMA) / CONNEX Star Point Connector (CMS), Size 1

Special features





- metal-enclosed
- fully-insulated
- touchproof
- high short-circuit protection
- suitable for outdoor use
- separable into two parts
- degree of protection IP 66
- up to 11 kV Ex



THORNE &
DERRICK
INTERNATIONAL


WWW.CABLEJOINTS.CO.UK
THORNE & DERRICK UK
TEL 0044 191 490 1547 FAX 0044 477 5371
TEL 0044 117 977 4647 FAX 0044 977 5582

CONNEX Motor Connector (CMA) / CONNEX Star Point Connector (CMS), Size 1



**THORNE &
DERRICK
INTERNATIONAL**

WWW.CABLEJOINTS.CO.UK
THORNE & DERRICK UK
TEL 0044 191 490 1547 FAX 0044 477 5371
TEL 0044 117 977 4647 FAX 0044 977 5582



CMA CONNEX Motor Connector, Size 1

The CMA CONNEX Motor Connector permits the simple and quick connection of high-voltage motors, providing at the same time a completely metal clad and touchproof connector area.

The system is easily connected instead of the motor terminal box. It permits quick start-up and quick motor change in operation.

Attention:

CONNEX separable connectors size 1 for single and three core cables up to 10 kV/240 mm² respectively 20 kV/185 mm² must be ordered separately.

No.	Nominal voltage		Weight (kg)
	U _o / U (kV)		
827 670 002	13.8	-	33.5
827 670 003	11	Ex	32.6



CMS CONNEX Motor Star Point Connector, Size 1

The CMS CONNEX Star Point Connector allows a simple and quick metal-enclosed and touchproof star point connection. Thereby, the on-site change from the connecting side to the star-point side of the motor can occur easily. Interchangeability of cable connection and star point connector on the HV motor.

Important:

Basic CMA equipment must be ordered separately for this „neutral bridge“!

No.	Nominal voltage		Weight (kg)
	U _o / U (kV)		
827 671 002	13.8	-	5,6
827 671 003	11	Ex	5,6



**THORNE &
DERRICK
INTERNATIONAL**

WWW.CABLEJOINTS.CO.UK
THORNE & DERRICK UK
TEL 0044 191 490 1547 FAX 0044 477 5371
TEL 0044 117 977 4647 FAX 0044 977 5582

Assembly Accessories**Assembly Tools for CONNEX Motor Connector**

consisting of:
assembly jig; drawing device; soldering device; assembly rods

No.

827 154 001

Disassembly Bridge and Assembly Lever

for CONNEX Motor Connector and Star Point Bridge

No.

827 154 002

