



Wolf "Zone 0" Headtorch HT-200 Operation and Maintenance Instructions – please retain

EC Declaration of Conformity



II 1 G EEx ia IIC T4/T3 (temperature ambient -20°C to +40°C)



EC Type Examination Certificate: Baseefa04ATEX0398

This product meets all relevant provisions of the 94/9/EC Explosive Atmospheres (ATEX Equipment) Directive by virtue of the issued EC Type Examination Certificate, demonstrating compliance with all relevant harmonised standards and essential health and safety requirements.

The Wolf Headtorch is a self-contained primary cell safety headlamp, with a light source of seven LED's, switchable between three, five and seven and powered by three AA primary cells, LR6 to IEC 60086. The Wolf Headtorch body is moulded in high impact strength, anti-static plastic, the lens is coated for scratch resistance and antistatic properties.

It is approved as a Category 1 piece of equipment for use in Group II, zones 0, 1 and 2, potentially explosive gases, vapours and mists, where T4/T3 temperature class permits. (For cell option see table)

Notified Body: Baseefa (2001) Ltd, Rockhead Business Park, Staden Lane, Buxton, Derbyshire, SK17 9RZ.

Notified Body Number: 1180

Harmonised standards applied: EN50014:1997, EN50020:2002

Ingress protection level: IP54, do not immerse in water.

The Wolf headtorch with push switch is certified compliant with the 89/336/EEC EMC Directive.

The product is CE marked showing compliance with all relevant EC directives.

BUC

Alex Jackson – Technical Director, for The Wolf Safety Lamp Company

IECEx Scheme Certificate number: IECEx BAS 04.0053

Code: Ex ia IIC T4/T3


IEC Standards applied: IEC60079-0: 2000, IEC60079-II: 1999


Do not use if damaged. There are no user serviceable parts inside the Headtorch. Do not mix cells. Do not use rechargeable cells.






EN IEC 60079:-











HT-200 Wølf "Zone 0" Headtorch

- CE marked to ATEX Directive
- IECEx Scheme Certified
- Explosive gas, vapour and mist certified for zones 0,1 & 2
- Up to T4 temperature class
- Seven "Everlasting" High intensity LED's
- Long 30 hour duration at full brightness
- Robust anti-static thermoplastic enclosure
- Supplied with fabric headband
- Optional Rubber helmet band for hard hat use



ATEX approved for explosive gas atmospheres



WWW.CABLEJOINTS.CO.UK
THORNE & DERRICK UK
TEL 0044 191 490 1547 FAX 0044 477 5371
TEL 0044 117 977 4647 FAX 0044 977 5582
WWW.THORNEANDDERRICK.CO.UK





